

Fastener, Safety & Strut Specialists

CABLE SUSPENSION THREADED ROD



- 651-646-6374
- 800-328-6505

DULUTH

- 218-624-4851
- 800-232-1367

FOREST LAKE

- 651-756-8758
- 800-328-6505



2025

www.vikingindustrialcenter.com



Viking Industrial Center is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walkin customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

Viking Industrial Center Offers Jobsite Service



Customer Service Centers

Store Hours: 7:00 a.m. - 4:00 p.m. Monday - Friday

St. Paul 2550 Kasota Avenue (800) 328-6505 Phone (651) 646-6374 Fax (651) 646-7546 info@vikingindustrialcenter.com Forest Lake
9205 Lake Drive NE
(800) 328-6505
Phone (651) 756-8758
Fax (651) 797-2942
info@vikingindustrialcenter.com

Duluth 4730 Grand Avenue (800) 232-1367 Phone (218) 624-4851 Fax (218) 624-4788 info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog. Specifications are subject to change without notice.

Please call Viking Industrial Center at 1-800-328-6505 for current product data.

TERMS OF SALE

Payment: Net 30 days from invoice date.

FOB: Shipping Point.

Transportation: We will determine the best methods for transportation unless specified in

order.

Returned Goods: Goods may be returned for credit, exchange or replacement only with

authorization and subject to inspection and restocking charge.

Special & Custom Items: Special order and custom-made items become the property

of the buyer and ARE NON-RETURNABLE.

New Accounts: In order to expedite shipments to new accounts, payment in full must

accompany order. We do not make COD shipments.

Prices: All prices are subject to change or withdrawal without prior notice.

Credit Cards We accept for credit card purchases







NOTICE: There is a minimum purchase of \$10 per order.

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

- B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.
- C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

Cable Suspension/Lifting



Cable Adjusters	2
Cable End Fixings	3
Assemblies	4
Wire Rope & Hardware	5-6
Threaded Rod	7



Gripple products are a fast and verstile solution for suspending Piping, HVAC, Lighting, Electrical and Mechanical installations. Gripple is sold as complete kits only. Minimum Pack of 10 kits.

Adjusters can be purchased separately for tiered installations and to replace lost adjusters only.

All wire and hardware is Galvanized. Stainless Steel available by special order only.



Cable Adjusters



Standard Hanger (HangFast Fastener)

P/N	Cable Size	Load
HF1	1/16"	25 Lbs
HF2	5/64"	100 Lbs
HF3	1/8"	200 Lbs
HF4	3/16"	495 Lbs
HF5	1/4"	715 Lbs
All Loads are Maximum Vertical Loads - Please Inquire about Angular Loads		

Duct Trapeze Hanger



P/N	Cable Size	Load
DT2	5/64"	100 Lbs
All Loads are Maximum Vertical Loads - Please Inquire about Angular Loads		

Strut Trapeze



P/N	Cable Size	Load
TZ1	1/16"	25 Lbs
TZ2	5/64"	100 Lbs
TZ3	1/8"	200 Lbs
TZ4	3/16"	495 Lbs
TZ5	1/4"	715 Lbs
All Loads are Maximum Vertical Loads - Please Inquire about Angular Loads		



Cable End Fixings





Cable Length

Galvanized Aircraft Cable available lengths include: 5 ft, 10 ft, 15 ft, 20 ft & 30 ft
See Stock Assemblies on following page.



Assemblies

Assembly Part Numbers

Adjuster + Cable Size + Cable End Fixing + Length

Standard Stock Assemblies

P/N	Adjuster	Cable Size	End Fixing	Length
GRP-HF2-EY90QG-05	Standard Hang Fast	5/64"	1/4" 90 deg Eye	5 ft
GRP-HF2-EY90QG-10	Standard Hang Fast	5/64"	1/4" 90 deg Eye	10 ft
GRP-HF2-EY90QG-15	Standard Hang Fast	5/64"	1/4" 90 deg Eye	15 ft
GRP-HF2-EYSQG-10	Standard Hang Fast	5/64"	1/4" Eyelet	10 ft
GRP-HF2-LG-05	Standard Hang Fast	5/64"	Loop	5 ft
GRP-HF2-LG-10	Standard Hang Fast	5/64"	Loop	10 ft
GRP-HF2-LG-15	Standard Hang Fast	5/64"	Loop	15 ft
GRP-HF2-S25G-10	Standard Hang Fast	5/64"	1/4" Stud	10 ft
GRP-HF2-S25G-20	Standard Hang Fast	5/64"	1/4" Stud	20 ft
GRP-HF2-S38G-05	Standard Hang Fast	5/64"	3/8" Stud	5 ft
GRP-HF2-S38G-10	Standard Hang Fast	5/64"	3/8" Stud	10 ft
GRP-HF2-TQG-10	Standard Hang Fast	5/64"	1/4" Toggle	10 ft
GRP-HF3-EY90QG-10	Standard Hang Fast	1/8"	1/4" 90 deg Eye	10 ft
GRP-HF3-LG-10	Standard Hang Fast	1/8"	Loop	10 ft
GRP-HF3-LG-20	Standard Hang Fast	1/8"	Loop	20 ft
GRP-HG3-S38G-10	Standard Hang Fast	1/8"	3/8" Stud	10 ft
GRP-HF3-S38G-20	Standard Hang Fast	1/8"	3/8 Stud	20 ft
GRP-DT2-EY90QG-10	Duct Trapeze	5/64"	1/4" 90 deg Eye	10 ft
GRP-DT2-EY90QG-15	Duct Trapeze	5/64"	1/4" 90 deg Eye	15 ft
GRP-DT2-LG-10	Duct Trapeze	5/64"	Loop	10 ft
GRP-DT2-S38G-10	Duct Trapeze	5/64"	3/8" Stud	10 ft



Wire Rope & Hardware

Galvanized Aircraft Cable




Size	P/N	Weave	Strength
1/16 x 500 ft	GAC06	7 x 7	480 Lbs
3/32 x 500 ft	GAC09	7 x 7	920 Lbs
1/8 x 500 ft	GAC13	7 x 19	2000 Lbs
3/16 x 250 ft	GAC19	7 x 19	4200 Lbs
1/4 x 250 ft	GAC25	7 x 19	7000 Lbs
3.8 x 1000 ft	GAC38-1000	7 x 19	14400 Lbs

Cable Adjusters




P/N	Cable Size	SEL
KL075	1/16	75 Lbs
KL100	3/32	150 Lbs
KL150	1/8	250 Lbs
KL200	3/16	640 Lbs

Malleable Cable Clips*



Forged Cable Clips**



Aluminum Swage Sleeves



Wire Rope Thimbles



1/16	CCM006ZP	_	CSL006AL	CTH006G
1/8	CCM013ZP	_	CSL013AL	CTH013G
3/16	CCM019ZP	CCF019G	CSL019AL	CTH019G
1/4	CCM025ZP	CCF025G	CSL025AL	CTH025G
3/8	CCM038ZP	_	_	_
	*Requires (3) cl	ips **Requires (2) clip	s for wire sizes indica	ted

Wire Cable Cutters



GRP-CUTTERWire Cutter up to 3/16"



E0113-350 - 14" E0113-0600 - 24"Swage Tool for 1/16" to 3/16" GAC



E011Wire Cutter up to 3/8"




Turnbuckles



P/N	Size	WLL
TBJJ02504	1/4 x 4"	500 Lbs
TBJJ03506	3/8 x 6"	1200 Lbs
TBJJ05006	1/2 X 6"	2200 Lbs


Galvanized Finish: Other configurations and sizes available - Please contact us for more information

Quick Links




P/N	Size	WLL
QL019ZP	3/16"	620 Lbs
QL025ZP	1/4"	880 Lbs
QL031ZP	5/16"	1550 Lbs
QL038ZP	3/8"	1880 Lbs
QL050ZP	1/2"	2250 Lbs

Snap Links




P/N	Size	WLL
SL019ZP	3/16"	100 Lbs
SL025ZP	1/4"	140 Lbs
SL031ZP	5/16"	280 Lbs
SL038ZP	3/8"	400 Lbs
SL050ZP	1/2"	

Screw Pin Anchor



P/N	Size	WLL
SHASP025HG	1/4"	1000 Lbs
SHASP031HG	5/16"	15000 Lbs
SHASP038HG	3/8"	2000 Lbs
SHASP044HG	7/16"	3000 Lbs
SHASP050HG	1/2"	4000 Lbs
SHASP062HG	5/8"	6500 Lbs
SHASP075HG	3/4"	9500 Lbs
SHASP100HG	1"	17000 Lbs

Forged Eye Bolts



P/N	Size	WLL
FEBIMP25100	1/4 x 1"	500 Lbs
FEBIMP31118	5/16 x 1-1/8"	900 Lbs
FEBIMP38125	3/8 x 1-1/4"	1400 Lbs
FEBIMP50150	1/2 x 1-1/2"	2600 Lbs
FEBIMP62175	5/8 x 1-3/4"	4000 Lbs
FEBIMP75200	3/4 x 2"	6000 Lbs



Threaded Rod & Accessories

Threaded Rod



A307 GrA Zinc (TRZ)

Rod Size	P/N	Load
1/4-20	TRZ2520-06	_
5/16-18	TRZ3118-06	
3/8-16	TRZ3816-06	730 Lbs
1/2-13	TRZ5013-06	1350 Lbs
5/8-11	TRZ6211-06	2160 Lbs
3/4-10	TRZ7510-06	3230 Lbs
7/8-09	TRZ8709-06	4480 Lbs
1-08	TRZ9100-06	5900 Lbs

Most sizes available in 6ft, 10ft & 12ft stock lengths.

Other sizes greater than 1 inch are available and can be special ordered.

Hot-Dip Galvanized (TR•G), 304SS (TR•SS), High Tensile Gr B7 (TR•B7), F1554 Grade 55 (TR•55) also available.

Coupling Nuts






Standard Zinc

Thread	Size	P/N	
1/4-20	7/16" x 1 3/4"	CNZ2520175	
5/16-18	1/2" x 1 3/4"	CNZ3118175	
3/8-16	9/16" x 1 3/4"	CNZ3816175	
1/2-13	11/16 x 1 3/4"	CNZ5013175	
5/8-11	3/16" x 2 1/8"	CNZ6211213	
3/4-10	1" x 2 1/4"	CNZ7210225	
7/8-09	1 1/4" X 2 1/2"	CNZ8709250	
**!!DO 0 00: - - -			

**HDG & SS available
Reducers and short lengths by special order**

Washer Plates



	Size	Plain	HDG
1/2	2"x2"x 0.195"	WP50P	WP50G
5/8	2"x2"x0.25"	WP62P	WP62G
3/4	2"x2"x0.25"	WP75P	WP75G







Office (651) 646-6141 Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

APPLICATION FOR CREDIT

Date:				
COMPANY:	Application Requested by: _	Application Requested by:SHIP TO:		
INVOICE TO:	<u>s</u>			
(Address/P.O.Box)	(Street Address)	_		
(City, State & Zip)	(City, State & Zip)			
Phone: Fax:	Email:			
Invoice Preference: Fax Email	If your company is Tax Exempt	If your company is Tax Exempt, a copy of the certificate is required		
Years in business:	Accounts Payble Contact:	Accounts Payble Contact:		
Trade References:				
Name of Supplier	Phone Number	Fax Number (required)		
1				
2				
3				
Bank Reference:				
Name of Bank	Phone Number			
Contact at Bank	Account Number			
If application	is not complete it will not be processed.			
The above information is given for the pur	rpse of establishing a line of credit an is	s a true and correct statement		
Signature	Title	Date		

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.



ST. PAUL

DULUTH

2550 Kasota Ave 4730 Grand Ave

(800) 328-6505 (800) 232-1367

FOREST LAKE

9205 Lake Drive NE (651) 756-8758

www.vikingindustrialcenter.com

Safety, Fastener & Strut Specialists

info@vikingindustrialcenter.com

FIRST AID UNISTRUT & FITTINGS

EYE & FACE PROTECTION CONSTRUCTION FASTENERS

HEAD PROTECTION THREADED ROD

HAND PROTECTION **DUCT, MASKING & PAINTERS TAPE**

HI VISIBILITY GARMENTS ROOFING SCREWS

CONFINED SPACE ENTRY **HIGH SPEED & CARBIDE BITS**

LOCKOUT/TAGOUT **ADHESIVES & CAULKS**

AUTO FEED SCREW DRIVING SURFACE PROTECTION PRODUCTS

SYSTEMS

FOAM SEALANTS & FIRE REBAR CAPS STOPPING PRODUCTS

HEARING PROTECTION MARKING PAINT, CHALK

RESPIRATORY PROTECTION **RIVET TOOLS & RIVETS**

RAINWEAR & RUBBER BOOTS SECURITY FASTENERS

FALL PROTECTION SAW BLADES

POWDER ACTUATED TOOLS, **GAS DETECTION** PINS AND LOADS

SIGNS ELECTRICAL CORDS & GFCI

POLY SHEETING RENTAL EQUIPMENT GAS MONITORS, TRIPODS, BLOWERS

Convenient Service Center Locations

ST PAUL

651-646-6374 2550 Kasota AVE.

DULUTH

218-624-4851 4730 GRAND AVE.

FOREST LAKE 651-756-8758

9205 Lake Drive NE



Twin Cities Metro Area - 800-328-6505

Duluth/Superior Area - 800-232-1367

www.vikingindustrialcenter.com