



# VIKING

*Industrial Center*

**Fastener, Safety & Strut Specialists**

## **FALL PROTECTION GAS DETECTION AND CONFINED SPACE EQUIPMENT**



### **ST PAUL**

- 651-646-6374
- 800-328-6505

### **DULUTH**

- 218-624-4851
- 800-232-1367

### **FOREST LAKE**

- 651-756-8758
- 800-328-6505

**2025**

[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)



**Viking Industrial Center** is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walk-in customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

## Viking Industrial Center Offers Jobsite Service



### Customer Service Centers

**Store Hours: 7:00 a.m. - 4:00 p.m.  
Monday - Friday**

**St. Paul**  
2550 Kasota Avenue  
(800) 328-6505  
Phone (651) 646-6374  
Fax (651) 646-7546  
info@vikingindustrialcenter.com

**Forest Lake**  
9205 Lake Drive NE  
(800) 328-6505  
Phone (651) 756-8758  
Fax (651) 797-2942  
info@vikingindustrialcenter.com

**Duluth**  
4730 Grand Avenue  
(800) 232-1367  
Phone (218) 624-4851  
Fax (218) 624-4788  
info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog.  
Specifications are subject to change without notice.  
Please call Viking Industrial Center at 1-800-328-6505 for current product data.

## TERMS OF SALE

**Payment:** Net 30 days from invoice date.

**FOB:** Shipping Point.

**Transportation:** We will determine the best methods for transportation unless specified in order.

**Returned Goods:** Goods may be returned for credit, exchange or replacement only with authorization and subject to inspection and restocking charge.

**Special & Custom Items:** Special order and custom-made items become the property of the buyer and ARE NON-RETURNABLE.

**New Accounts:** In order to expedite shipments to new accounts, payment in full must accompany order. We do not make COD shipments.

**Prices:** All prices are subject to change or withdrawal without prior notice.

**Credit Cards** We accept for credit card purchases



**NOTICE: There is a minimum purchase of \$10 per order.**

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

### Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.

C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

# Fall Protection



<b>Full Body Harnesses</b>	<b>2-4</b>
<b>Lanyards</b>	<b>4</b>
<b>Fall Arrest &amp; Restraints</b>	<b>5</b>
<b>Retractable Lifelines</b>	<b>6</b>
<b>Anchor Points</b>	<b>7</b>
<b>Roof Anchors</b>	<b>8</b>
<b>Fall Arrest Products</b>	<b>9-10</b>
<b>Specialty Products</b>	<b>11</b>
<b>Accessories</b>	<b>12</b>

FROM



# FULL BODY HARNESSSES

Applicable Standards  
ANSI Z359.1-07, ANSI A10.32-12,  
OSHA 1926 Subpart M, OSHA 1910



**Cyclone HUV**  
with Tongue & Buckle Leg Straps

- VV1A-21041 S
- VV1A-21042 M - L
- VV1A-21043 XL
- VV1A-21044 2XL

## Cyclone Series Harnesses

Unique X-Back Design means tangle free straps!

### Featuring

- Specially Cushioned Mesh Net
- Adjustable Shoulder & Chest Straps
- Tongue & Buckle Leg Straps
- Quick Connect Leg Straps
- Easy Adjusting Combination Buckles
- Lanyard Keepers
- Web Keepers
- Sub-Pelvic Strap
- Identification Tab
- Sized for Great Fit

Ideal for fall arrest, work positioning, rescue and rope access applications



**Cyclone Construction**  
with Tongue & Buckle Leg Straps

- VV1A-21029 S
- VV1A-21030 M - L
- VV1A-21031 XL
- VV1A-21032 2XL

with Quick Connect Leg Straps

- VV1A-21035 XL
- VV1A-21036 2XL



## Cyclone Tower Harness

with  
Quick Connect  
Chest & Leg Straps  
and Combination Waist Belt

- VV1A-21082 S - L
- VV1A-21083 XL

FROM



## FCP Tower Full Body Harness

with  
Shoulder Pads  
Center Back D-Ring  
Waist Belt with 6" Body Pad,  
& Side Positioning D-Rings  
Tongue & Buckle Leg Straps  
Tool Clips & Tool Rings  
Padded Sling Seat

VV1B-850ABT

Available Sizes M, L, XL & 2XL




*Trauma Straps*

### Series 5 Full-Body Harness

Water-Repellant, Contrasting Core Webbing

**Features include:**

- Removable Leg Pads
- Zip-on Shoulder Padding
- Ergonomic Waist Belt
- Dual Lanyard Keepers
- Trauma Straps Included

VV1A-37365 QC Chest/Waist & TB Leg Buckles sz XL

VV1A-37366 QC Chest/Waist & TB Leg Buckles sz 2XL

*Special Order Only*



FROM



# FULL BODY HARNESSSES

## Series 1 Harness

Perfect entry-Level Harness for a wide range of fall protection needs

Sizes Medium to Large & XLarge to 2XLarge  
Worker capacity range of 130 to 420 lbs.

### Featuring

- Assembled in USA
- Water-repellent
- Quick-Connect chest strap
- Tongue-Buckle leg straps
- Dual lanyard keepers
- Rubber web keepers
- Adjustable leg straps
- Durable corrosion-resistant steel hardware
- Optional side-D-rings



Series 1 Harness  
VV1A-37017 M - L  
VV1A-37018 XL - 2XL

*Product image is representative only*

## Series 3 Harness

Versatile Fully Body Harness is universally sized and may be used in Personal Fall Arrest, Restraint, Work Positioning and Rescue/Confined Space applications

Sizes Medium to Large & XLarge to 2XLarge  
Worker capacity range of 130 to 420 lbs.

### Featuring

- All Series 1 features
- Snap-on Shoulder Padding
- Spring Loaded Torso Adjusters
- Optional Waist Pad w/Removable Belt
- Built-in SRL Connector Loop



Series 3 Harness  
with Quick-Connect Chest  
& Tongue&Buckle Leg  
Straps  
VV1A-37117 M - L  
VV1A-37118 XL- 2XL

Series 3 Harness  
with Quick-Connect Chest,  
Tongue&Buckle Leg and Waist Straps  
VV1A-37197 M - L  
VV1A-37198 XL-2XL  
VV1A-37199 3XL



Series 3 Harness  
with Side D-Rings,  
Quick-Connect Chest,  
Tongue&Buckle Leg and Waist Straps  
VV1A-37200 XS - S  
VV1A-37201 M - L  
VV1A-37202 XL - 2XL

*Product images are representative only*

Applicable Standards  
ANSI Z359.11-2014,  
OSHA 1926.502 , OSHA 1910.140

# FULL BODY HARNESSSES



## Ladies Red Full Body Harness

Designed for Females  
Includes  
Comfort 4" Waist Pad  
Leg Pads  
Bayonet Buckles on Legs  
2-Way Adjustable Chest Strap  
Removable & Adjustable Waist Belt.

VV1B-872  
Sizes XS, S/M, L/XL

## Standard Web with Shock Pack and 5/8" Locking Snaps




\*VV1A-01220  
6 Foot

\*VV1A-01214  
3 Foot

\*VV1A-20091  
6 Foot  
Dual Leg

# LANYARDS

## Standard Web Adjustable with Shock Pack and 5/8" Locking Snaps



Adjusts  
from 6 ft  
to 4 ft  
Length



D-Ring  
Adjuster

VV1B-450AB  
6 Foot

VV1B-450AD  
6 Foot  
with D-Ring  
Adjuster

VV1B-454AB  
6 Foot  
with 2-1/4"  
Locking  
Snap

## Standard Web with Shock Pack & 3/4" Twist Lock Tie-Off Locking Snap on One End



VV1B-456AW  
6 Foot

## Tubular Web Internal Shock Absorbing Lanyards with 5/8" Locking Snaps



\*VV1A-11200  
6 Foot

\*VV1A-11201  
6 Foot



\*VV1A-01295  
4 Foot

\*VV1A-01298  
6 Foot  
with 2-1/4"  
Large Hooks



## Galvanized Cable Lanyard with Shock Pack and 5/8" Locking Snaps

6 Foot  
VV1B-470A

\* Item is Compliant with ANSI Z359.13 Requirements

# FALL ARREST & RESTRAINTS

**Chain Rebar Assembly with 5/8" Snaps**



VV1B-324-CSZ

**Nylon Web Rebar Assembly with 5/8" Snaps**



VV1B-324WS

## Carabiners



**Large Carabiner with Twist-Lok**  
(2" Throat Opening)  
VV1A-01850




**Small Carabiner with Twist-Lok**  
(1" Throat Opening)  
VV1A-01837

**D-Ring Extensions with 5/8" Snap Hook**  
(For Use With Retractables)



**D-Ring Extension**  
VV1A-01205



VV1B-1418

**Retractable Web Lanyard with Swivel, Carabiner and 5/8" Locking Snap**

**8 Foot**  
VV1B-459VT



## Rope Grabs



**Fits 5/8" Rope**  
VV1A-01508



**Fits 5/8" or 3/4" Synthetic Rope**  
VV1C-8174

**Rope Grab with 3 Ft Lanyard**



**Fits 5/8" Rope**  
VV1B-1202AN-3

**Rope Grab with Park Feature**



**Fits 5/8" Rope**  
VV1T-WB58P

## Cable Grab



**Fits 3/8" or 5/16" Cable**  
VV1B-1401-38

**5/8" Poly Dacron Rope Lifelines with Thimble and Snap Hook**  
VV1B-411-25 - 25 Ft length  
VV1B-411-50 - 50 Ft length  
VV1B-411-100 - 100 Ft length



*for use with Rope Grabs*

**Rope/ Web Protector**



VV1B-121RP



**5/8" Poly Dacron Rope**  
600 Ft Spool  
VV1L-58WPD

**Nylon Rope Lanyard with 5/8" Locking Snaps on Each End**

VV1B-400-6 1/2" x 6 ft  
VV1B-400-10 1/2" x 10 ft  
VV1B-400-30 1/2" x 30 ft  
VV1B-400-50 1/2" x 50 ft





# RETRACTABLE LIFELINES

Compliant with all OSHA 1910.140, OSHA 1926.502,  
ANSI Z359.14-2019, and ANSI Z359.7-2019 regulations & requirements

## ANSI 2021 Class 2



### OutLaw Leading Edge SRL

"Class B" SRL

Specifically designed for leading edge work

Features Include:

- Galvanized Steel Cable
- Leading Edge Shock Pack
- Steel Carabiner - 1" Opening
- Locking Snap - 3/4" Opening
- Swivel Anchor Point
- Visual Impact Indicator

VV1B-XR-30LEG - 30 Ft

VV1B-XR-50LEG - 50 Ft

### Diablo Big Block SRL-LE

Lightweight highly durable retractable  
lifeline for leading edge work

Features Include:

- Swivel Connection Point
- Thermoplastic Housing
- Ergonomic Carrying Handle
- Integrated Shock Absorber
- Included Carabiner
- Steel Swivel Snap Hook

VV1A-10967 - 50 Ft

VV1A-10968 - 65 Ft



### CR3-Edge SRL

#### Personal Self-Retracting Lifeline

Versatile Lightweight Compact Self-Retracting Device


Features Include:

- Dual Lock SRL Connector
- Protective Shock Pack Cover
- Thermoplastic Housing
- Rubber Stopper
- 8 Ft Galvanized Steel Lifeline
- Rubber Hand Grip

VV1A-4200200 - with Steel Snap Hook

VV1A-4200208 - with Dual Aluminum Rebar Hooks

VV1A-4200209 - with Dual Tie Back Hooks



### CR5 SRL

#### Personal Self-Retracting Lifeline

Versatile Lightweight Compact Self-Retracting Device

Features Include:

- 6 Ft Webbing
- Swivel Top Connection Point
- Thermoplastic Housing
- Integrated Shock Pack Absorber
- Meets Relevant ANSI & OSHA Standards

VV1A-1400198 - with Steel Snap Hook

VV1A-1400199 - with Steel Rebar Hook

VV1A-1400201 - with Aluminum Snap Hook

VV1A-1400202 - with Aluminum Rebar Hook

VV1A-1400207 - with Dual Aluminum Rebar Hooks





# ANCHOR POINTS



**Hold Me Anchor**  
for Use with 5/8" Rope  
VV1A-01300



**I-Beam Anchor**  
Use Horizontally or Vertically  
Fits Width 3-1/2" to 12"  
with up to 1" Flange  
VV1B-1700



**Beamer 2000 +**  
Fits a Wide Variety of Beam Sizes  
from 3-1/2" to 14"  
Ratcheting End Piece  
Fast and Easy Installation  
VV1A-00102

*NOTE: Not for use with rebar or pelican hooks.*



### Cross Arm Straps

Standard Yellow Web Strap  
Large D-Ring One End  
Small D-Ring Other End  
VV1B-1372 - 6 Ft



Premium Reinforced Web Strap  
Large & Small D-Rings  
VV1A-10788 - 3" x 8 Ft  
VV1A-10791 - 3" x 12 Ft



White Web Strap  
Large Ring One End  
Loop Other End  
VV1A-10705 - 3 Ft

### Concrete Anchor Anchorage Connectors



for Concrete - 3/4" Hole  
5K Lbs. Capacity  
VV1A-1400052



for Concrete  
3/4" Hole  
5K Lbs. Capacity  
VV1B-1770

### Anchor Straps



Loop and Loop  
VV1B-1136CND

Designed for permanent installation in concrete structures. Starting at 3 foot lengths.

### Precast Hollow Core Concrete Anchor



VV1A-00365

**Permanent Anchor**  
CB-1-B - Bolt on for Wood,  
Steel and/or Concrete  
VV1A-00600



### D Bolt Anchor Anchorage Connectors



For Concrete Comes with Concrete Wedge Anchor  
VV1B-1550C



For Metal Comes with Grade 8 Bolt  
VV1B-1550

Catalog #	Model	Feature
VV1A-00600	CB-1-B	Bolt On
VV1A-00610	CB-1-W	Weld On
VV1A-00648	CB-12	Galvanized
VV1A-00656	CB-18	Concrete Only


# ROOF ANCHORS



**Standing Seam Roof Clamp**  
Telescoping Clamp Design  
VV1A-00250



**2-Way Universal Standing Seam Roof Clamp**  
VV1A-10600



**Screw-Down Roof Anchor**  
For Use On Flat Wood or Metal Roofs  
VV1A-00255


## Skyhook™ Roof Anchors AS A PERMANENT INSTALLATION For All Flat Or Pitched Roof Applications



**VV1A-00342**  
Adjustable w/Swivel 'D' Ring

Catalog #	Pitch/Color
VV1A-00300	Flat
VV1A-00320	4/12 thru 6/12
VV1A-00342	Flat - 12/12

## Reusable Roof Anchors



Complete with Screws  
for Repeated Use  
VV1B-MRA-R



**Temper Reusable Roof Anchor**  
Fits Any Pitch Roof  
VV1B-1715



**4-Way Plate Anchor**  
For Wood or Concrete Substrates  
VV1A-00691




**Temper Anchor**  
for Metal, wood or concrete substrates  
VV1A-00455

**CB 12 Series Anchor**  
Patented One-Base-Design to fit any construction: wood, steel and/or concrete. Comes in a variety of heights and colors to meet all of your rooftop safety needs. Lifelong protection against corrosion. Features galvanized coating.

VV1A-00645



# FALL ARREST PRODUCTS



**Parapet Wall Anchor**  
 • Portable & Temporary  
 • For Walls Up to 20" Thick  
**VV1B-1789**



**Window Gap Anchor**  
 • Easy to Install  
 • Lightweight and Durable  
 • Retractable Cradle Swivels Full 360°  
 • Use with SRL-LE  
**VV1A-15176**



**Door Jamb Anchor**  
 • Adjustable for a variety of door openings  
 • Easy to install  
**VV1B-1785**



**LifePoint™**  
 For non-penetrating requirements, this free standing anchor can be place on flat surfaces (5% maximum incline). Sets up quickly by a single person and is built to last. May be used as a permanent tie-off if needed. Meets OSHA requirements 1926.502 (15) and (16) and Fall-arrest ratings for one person weighing up to 310 lbs (including equipment). A second worker can also tie-off in restraint.  
**VVGL-301512**

**LifePoint™ Duo**

Perfect for easy & quick repositioning by one person in just a few minutes. 2 Anchorage capability - either 1 person fall restraint and 1 person fall arrest OR 2 person fall restraint. Meets OSHA requirements 1926.502 (15) and (16).  
**VVGL-301385**




**Cobra Cart™**

Perfect for multi-person tie-off in leading edges work. Provides fall restraint for 2 workers and fall arrest for 3 workers. Meets OSHA requirements 1910.29(b) and 1926.502(b).  
**VVGL-301385**



**SlabGrabber™ Perimeter Clamp**  
 • Safe Guardrail Solution for new Construction Slab or Deck Applications  
 • Meets OSHA Requirements 1926.502(b)  
 • Oversized Pockets accept 2 X 4's or 2 X 6's  
**VVGL-301355**




**ScreenGuard™ Skylight Protection System**  
 • Easy Mounting  
 • Withstands up to 450 pounds of dynamic force  
 • Compression Fit Design  
 • Water Integrity  
 • Galvanized for corrosion resistance  
 • Meets OSHA requirements 1926.501(b) (4) CAL OSHA 3212(b) and (e)  
**VVGL-301385**

# FALL ARREST PRODUCTS

## Warning Line System

Reusable Warning Line System

- Maximum Stanchion Placement Every 50'
- Flags Spaced Every 2 ft



**Powder Coated Folding Steel Stanchion**  
VVGL-408497

**100 Ft Warning Flag Line**  
Heat sealed flags spaced ever two feet on heavy duty nylon cord  
VV1A-15231

## Perimeter Pennant Marker Flags (100 ft)

V9M1-PLR100 - Red



## 42" Delineator Post

Two - 3" Engineer Grade Reflective Stripes

V9M2-POST42A



**15 Lb. Rubber Base**  
V9M2-BASE15

(for use with POST42A Delineator Post Only)



## 42" Stackable Delineator Post

Two - 3" Engineer Grade Reflective Stripes

V9M-37415



**16 Lb. Rubber Base**  
V9M-3007532

(for use with 37415 Delineator Posts Only)

## Safe-T Ladder™ Extension System

Provides Safe Transition from the Ladder to a Second Surface

VV1A-10800




Features:

- Easy to Use Knob
- Hand Grips
- Cushioned Pads
- Safety Latch

## Safe-T™ Self Closing Ladder Gate

Designed for use in combination with Safe-T Ladder extension. Compliant with all applicable OSHA regulations

VV1A-10798



## Ladder Stability Anchor

OSHA Approved Non-Penetrating Ladder Anchor  
Allows for Secure Attachment to Fascia Board or Rafters

VV1A-10808

## RailGuard 200™

### Non-Penetrating Guardrail System



- Safe Temporary or Permanent Guardrail Solution
- Meets OSHA requirements 1910.29(b) and 1926.502(b)
- Customizable - mounts up to 4 Rail Sections
- Allows 90 or 45 Degree Turns

VVGL-4023355 - 10 Ft Yellow section

VVGL-402337 - 5 Ft Yellow section

VVGL-407720 - Yellow 90 lb.Base

(fits up to 4 sections)



## Safety Boot

Attaches to both wood & concrete. Functions to increase guardrail system support. Made of high visibility yellow, durable high strength plastic. Reusable for multiple installation applications. Includes: integrated toeboard slots

VV1T-SB012-B

## SPECIALTY PRODUCTS

### Fall Protection Safety Kit

Includes: Velocity Harness, Temper Anchor, 50ft vertical lifeline, Storage Bucket with Lid and Instruction Manual

VV1A-00815



### Aerial Lift Kit

Includes:  
Velocity Harness  
Diablo 6 Ft SRL  
Ultra-Sack Backpack

VV1A-50725



### Bos'n Chair with Spreader Bar



VV1B-4154

### Tree Trimmer's Belt with Leg Straps



VV1B-4051

### Horizontal Lifeline 60' (shown)

Includes: 60' Lifeline, Tensioner, and 2 Cross Arm Straps for Up to Two People

VV1B-RHL-60

Also Available with 30' Length Lifeline for Up to Two People

VV1B-RHL-30



### HTL Horizontal Lifeline for Up to Two People

- ◇ VV1A-04663 - 30 ft
- ◇ VV1A-04664 - 60 Ft
- ◇ VV1A-04665 - 100 Ft

# ACCESSORIES



## Squids® Retractable Tool Lanyard

Stainless Steel Carabiner attachment on both ends.  
Locks into place at desired length.

V5E-19300



## Squids® Tool Lanyard

Dual Carabiners - 10 lbs.  
Tethers tools to help workers prevent injury, damage and lost productivity from dropped tools.

V5E-19023 - 35" - 42"



## Squids® Accessory Packs for Retractable Tool Lanyard

V5E-19325 - Carabiner Accessory (pk of 3)

V5E-19326 - Loop Accessory (pk of 3)



## Squids® Elastic Loop Tool Tails™

Use as an anchor point on belt or harness to provide attachment points to tools & equipment up to 15 lbs.

V5E-19765 - Pack of 3



## Squids® Web Tool Tails™

Provide retrofit attachment points to tools & equipment up to 2 lbs. Use in conjunction with Squids® Tool Traps™

V5E-19704 - Pack of 6



## Squids® Coil Hard Hat Lanyard with Buckle

Easily and comfortably secures a hard hat to a worker to prevent the item from falling. Coil design reduces lanyard length and prevents snag and tangle hazards.

V5E-19156



## VV1B-TL3 Tool Lanyard



## Squids® Power Tool Trap

Securely wraps around the battery portion of drills, impact drivers and other cordless power tools. D-Ring connection point attaches to a lanyard to prevent drops.

V5E-19782 - Small

V5E-19784 - Large

## Equipment Carrying Bags



## Roofer's Kit Bag VV1B-203



## Winch Bag VV1B-204Z

## Tripod Bag (for 7 Ft Tripod) VV1B-206-7Z



# Gas Monitors



<b>We Service What We Sell</b>	<b>14</b>
<b>Portable Multi-Gas Monitors</b>	<b>15</b>
<b>Portable Multi-Gas Monitors and Portable Single Gas Monitors</b>	<b>16</b>
<b>Economy Multi-Gas Monitor and Calibration Gas</b>	<b>17</b>
<b>Calibration System and Multi-Gas Detector Tubes</b>	<b>18</b>



# We Service What We Sell!

For the over 50 years, Viking Industrial Center has been in the business of keeping workers safe. We continue to provide quality repairs and rental services on gas monitoring equipment.

By having your gas monitoring equipment serviced by our knowledgeable and certified technicians, your equipment's performance and reliability, as well as, operational life is ensured.

Our goal is to keep your downtime short, repair costs low, and your equipment working like new!

## We offer:

- In-house Certified Technicians
- Rental Gas Monitors
- Calibration & Bumping Services
- Replacement Parts and Accessories
- Convenient Twin Cities Location
- Replacement Calibration Gas & Accessories



**Honeywell**



## PORTABLE MULTI-GAS MONITORS

### GasAlertMax XT

Monitors for up to four gas hazards with one-button field operation and Smart Sample pump technology. Compact, comfortable, water resistant and field tough.



- Continuous LCD shows real-time gas concentrations
- Simple automatic calibration procedure
- Full function self-test of sensor, battery status, circuit integrity and audible/visual alarms on start up
- Bright wide-angled visual alarm bars
- Built-in concussion-proof boot
- Standard datalogging and event logging
- Integrated sampling pump (*sample up to 66 ft/20 m*)
- Up to 13 hours typical battery life (*recharges in 6 hours*)
- Optional concussion proof boot available
- EMI/RFI rated
- Full 2-year warranty including all sensors

CATALOG #	GAS
V8D2-XT-XWHM-Y-NA	Simultaneously monitors 4 gases: %LEL, O <sub>2</sub> , CO, H <sub>2</sub> S



### BW™ FLEX SERIES Multi-Gas Detector

Flexible four gas detector with real-time gas readings at a glance. Intelligent sensors for increased safety & uptime and simplified gas reporting and analysis

- Reliable - 2 month battery runtime on a 4.5 hour charge with new low-powered IR LEL sensor
- No daily charging & no unexpected downtime
- Compatible with IntelliDoX instrument management system and Safety Suite using Bluetooth® for wireless configuration
- Low-power infrared LEL sensor with immunity to silicone poisoning for accurate monitoring of combustibles
- Easy to manage with the IntelliFlash™ showing detector compliance at a glance
- 1 series sensors are highly responsive to dangerous gas levels in seconds, even in harsh temperatures
- Small, lightweight, wearable with One-button operation makes it easy to use



CATALOG #	GAS
V8D2-CPD-W5X1H1M1-Y-00	4-Gas (IR LEL, O <sub>2</sub> , H <sub>2</sub> S, CO) with Bluetooth Compatibility, Real Time Reading Screen & Rechargeable Battery

# PORTABLE MULTI-GAS MONITORS



## BW™ Ultra 5 Gas Detector

Designed specifically for confined space sampling and monitoring, before and after entry

- Ultra Easy - Tamper-proof one button operation
- Ultra Visibility - IntelliFlash™ and Reverse IntelliFlash™
- Ultra Rugged - Honeycomb-design housing & Scratch-resistant display protector
- Ultra Connected - TouchConnect™ Technology
- Ultra comfortable - Ergonomically hand held designed
- Ultra Quick - Quick responding sensor technology and bump & calibration with IntelliDoX system

*Call for Gas Specific Preferences*

# PORTABLE SINGLE-GAS MONITORS

## BW™ SOLO

Hand-held Non-Wireless Single Gas Monitor with Visual, vibrating and audible alarms features:

- One-button operation
- Small & lightweight
- Reliable life span - up to 12 months
- Fast sensor response time
- Compatible with IntelliDoX
- 3 Year Warranty



CATALOG #	GAS
V8D2-BWS1-XL-Y	Oxygen
V8D2-BWS1-ML-Y	Carbon Monoxide
V8D2-BWS1-HL-Y	Hydrogen Sulfide
V8D2-BWS1-D-Y	Nitrogen Dioxide

*Other Wireless Models and Gases Available*

## BWClip

**w/Real Time Reading**  
**2 Year Maintenance Free:**  
**Compact & Lightweight**  
**One-Button Operation**  
*Includes: Stainless Steel Alligator Pocket/Belt Clip, Audible/Visual/Vibrating Alarms, Test Cap, & Instructions*

CATALOG #	GAS
V8D2-BWC2R-H	Hydrogen Sulfide
V8D2-BWC2R-M	Carbon Monoxide
V8D2-BWC2R-X	Oxygen

*Up to 3 Yrs Maintenance-Free with Optional Hibernation Case*



## MULTI-GAS MONITORS

### GasAlertMicroClip X3

Water Resistant



**Rugged and Compact Triple Alarm System:**  
 100dB audible alarm bars and internal vibrator alarm.  
**Large, high-contrast LCD shows real-time gas concentrations**  
 for up to four gases simultaneously and continuously.  
**Easy, one-button operation.**  
**Standard datalogging & event logging.**  
**12 hour run-time on rechargeable lithium battery** (3 hours recharge).

CATALOG #	GAS
V8D2-MCX3-XWHM-Y-NA	4-gas: H <sub>2</sub> S, CO, O <sub>2</sub> , LEL

## CALIBRATION GAS



### Bump Test Gas

**10L Aerosol Bump Gas Cylinder**  
 containing 50% LEL - 10% Oxygen  
 40ppm Hydrogen Sulfide Gas  
 200 ppm Carbon Monoxide Gas

CATALOG #	DESCRIPTION
V8D2-RPAG-BG-Q10-4	Bump Test Gas - single cylinder w/ hose



### Single Gas Cylinders

Aluminum Gas Cylinders (only)

CATALOG #	DESCRIPTION
V8D2-CG2-A-50-34	50 ppm (NH <sub>3</sub> ) Ammonia - 34L
V8D2-CG2-C-10-34	10 ppm (CL) Chlorine - 34L
V8D2-CG2-D-10-34	10 ppm (NO <sub>2</sub> ) Nitrogen Dioxide - 34L
V8D2-CG2-P-1-34	1 ppm (PH <sub>3</sub> ) Phosphine - 34L
V8D2-CG2-S-10-34	10 ppm (SO <sub>2</sub> ) Sulfur Dioxide - 34L
V8D2-CG2-IB-100-34AL	100 ppm Isobutylene (PID) - 34L

### Multi Gas Cylinders

Aluminum Cylinder (only)

CATALOG #	DESCRIPTION
V8D2-RPAG-CG-L1-T	2-Gas (CO, NO <sub>2</sub> ) - 34L
V8D2-RPAG-CG-Q34-4	4-Gas (H <sub>2</sub> S, CO, CH <sub>4</sub> , O <sub>2</sub> ) - 34L
V8D2-RPAG-CG-Q58-4	4-Gas (H <sub>2</sub> S, CO, CH <sub>4</sub> , O <sub>2</sub> ) - 58L
V8D2-RPAG-CG-Q34-4-MSA	4-Gas (H <sub>2</sub> S, CO, CH <sub>4</sub> , O <sub>2</sub> ) - 34L



**Calibration Gas Regulators**  
 for use with Aluminum Cylinders

CATALOG #	DESCRIPTION
V8D2-RPAG-REG-0-0.5	0.5LPM HP with Male Thread
V8D2-RPAG-REG-1-0.5	0.5 LPM HP with Female Thread

# TWO-GAS DETECTOR



## ALTAIR® 2XT

### Two-Tox Gas Detector with XCell Two-Tox Sensors

- Withstands extreme impacts, dust and water tight
- Minimal RF interference
- Full 3-year warranty on instrument & sensors
- Reduced Sensor response & recovery time
- Stand-alone bump test
- Calibration & Bump Test Accessories reduced
- Faster bump tests

CATALOG #	GAS
VMSA-ALT2X-10154073	2-gas: CO, NO2

Other Gas Combinations available  
Contact us for more information

# CALIBRATION SYSTEM

## IntelliDoX

Automated Instrument Management System  
Combines smart docking modules and device  
management software for enhanced productivity

### Features & Benefits:

- Industry-leading FastBump test
- Gangable up to five modules
- Easy to set up with no tools required
- Easy to connect via Ethernet to a network
- USB port to easily configure dock module settings or retrieve data without network access
- Automated bump test and span calibration operation
- Device management with Safety Suite Device Configuration
- Modular tests for device changes
- Bump testing, calibration, configuration, and record-keeping support for compatible detectors

Compatible with BW® Clip Series, Solo, Clip4, MicroClip Series, Ultra & MaxXTII Detectors



Contact us for more information

# Confined Space



<b>Repair Service</b>	<b>20</b>
<b>Access Equipment</b>	<b>21</b>
<b>Access Equipment &amp; Manhole Products</b>	<b>22</b>
<b>Ventilating Blowers</b>	<b>23</b>
<b>Blower Accessories</b>	<b>24</b>

## REPAIR SERVICE

# We Service What We Sell!

Viking Industrial Center has been in the business of keeping workers safe for over 50 years. We take pride in offering you the highest quality repairs and rental services on Retractable Lifelines, Rescue/Retrieval Units and Confined Space Entry Tripod Systems.

Our services will decrease your downtime and repair costs, while increasing the performance, reliability and service life of your equipment.

We strive to keep your equipment working like new!

- Rental when Unit is in for Repairs
- Replacement Parts and Accessories
- Convenient Twin Cities Location



## ACCESS EQUIPMENT



**Arc-O-Pod Rescue & Retrieval System**  
 Kit Includes:  
 VV1A-15030 - 64" Tripod  
 VV1A-10974 - 50' 3-Way SRL  
 VV1A-00768 - Ultra Sack BAG

**3-Way Rescue/Retrieval SRL**  
 with Ergonomic Carrying Handle,  
 Galvanized Steel Cable  
 & Steel Snap Hook

VV1A-10974 - 50 Ft



**Rescue Winch**  
 For Personnel or Material Hoisting  
 VV1A-10528  
 50 Ft Galvanized Cable

**Web Access Ladder**  
 with Fiberglass Rungs



Base Ladder = 10 Ft Length  
 additional length per foot  
 1 1/4" yellow nylon web with  
 1 1/4" o.d. corrugated fiberglass rungs  
 (6,000 lb. minimum tensile strength)  
 VV1B-WL-10

### 3-Way Rescue & Recovery Tripod System

**System Complete Includes:**  
 7 Ft Tripod, 3-Way Winch with 50 Ft  
 Galvanized Cable, Carabiner, Pulley,  
 Leg Adapter/Bracket and Winch Carrying Bag  
 VV1B-TP7R50G204



**Davit System**  
 Includes:  
 Mount Base  
 Riser Post  
 Boom  
 R50G 3-Way  
 Rescue/Retrieval  
 Winch  
 MW50G Work Winch  
 VV1B-FCDP300

**50' Galvanized Material Winch**  
 with Mounting Bracket  
 VV1B-MW50G







## ACCESS EQUIPMENT

### System 99 Personnel Rescue System



Available In  
25, 50, 100 & 200 Ft  
Working Lengths  
VV1B-SYS99

### Aluminum Access Ladder With Climbing Rail Permanent Mounted



CATALOG #	DESCRIPTION
VV1B-TS-CL	Climbing Ladder
VV1B-TS-CRSV	Climbing Rail Only
VV1B-TS-VR	Trolley
VV1B-TS-RE	Rail Extension

### Removable Extension with 3-Way Winch



Includes:  
54" Anodized Aluminum Extension  
and 3-Way Rescue/Recovery Winch

CATALOG #	CABLE
VV1B-R1501G	Galvanized
VV1B-R1501SS	Stainless Steel
VV1B-R1501T	Synthetic Rope

## MANHOLE PRODUCTS



**Manhole Guard Rail**  
33"d x 33"w x 42"h  
Collapses for Storage  
V5L-9401

**High Impact Polymer  
Manhole Shield**  
Fits 27", 30" and 32" Diameter  
Manholes with Inflatable  
Watertight Seal  
V5L-9401-12



**Manhole Cover  
Lifting Hook**  
F9-MANLIFT08

**24" Manhole Sign**  
V5L-9400-24  
**26" Manhole Sign**  
V5L-9400-26

*Signs are made of a clear  
polycarbonate material and  
have ventilation holes for  
air flow and drainage.*



## VENTILATING BLOWERS



**8" AC Plastic COM-PAX-IAL Blower  
V5L-9533**

Free Air	One 90° Bend	Two 90° Bends
831	709	586
17 Lbs.	1/3 HP	115V



**DC Axial Blower  
with Attached 15' Duct & Storage Canister  
V5L-9506-01**

Free Air	One 90° Bend	Two 90° Bends
1150	595	530
34 Lbs.	1/4 HP	13A/12V

**AC Plastic Blower System**  
Complete Ventilation System  
Includes: Plastic Blower, 6' & 15' Ducting with  
a Storage Bag, Saddle Vent®, a 90° Elbow  
and a Universal Mount

**V5L-9520-33** AC Plastic Blower System  
**V5L-9520-36** DC Plastic Blower System



**DC Axial Blower  
with Attached 25' Duct & Storage Canister  
V5L-9506-25**

Free Air	One 90° Bend	Two 90° Bends
1150	595	530
44 Lbs.	1/4 HP	13A/12V


**AC Axial Blower  
with Attached 15' Duct & Storage Canister  
V5L-9514**

Free Air	One 90° Bend	Two 90° Bends
1275	661	582
36 Lbs.	1/4 HP	13A/115V

**AC Axial Blower  
V5L-9514-25  
with Attached 25' Duct & Storage Canister**

Free Air	One 90° Bend	Two 90° Bends
1275	661	582
46 Lbs.	1/4 HP	13A/115V

# BLOWER ACCESSORIES



8" DIA. DUCTING

12" DIA. DUCTING

16" DIA. DUCTING

### Ducting Part Numbers

Ducting	8"	12"	16"
6 feet	V5L-9500-06		
15 feet	V5L-9500-15	V5L-9550-15	V5L-9600-15
25 feet	V5L-9500-25	V5L-9550-25	V5L-9600-25




**Duct Storage Bag**  
Holds Ducting up to 25 Ft in length

V5L-9500-45

**Duct to Duct Connector**  
(galvanized steel)

V5L-9500-01



Manhole Guard Rail

Manhole Ventilation Passthru (MVP)

MVP Storage Bag

MVP Collapsible Ducting

Axial or Centrifugal Blower

6', 15', or 25' Ducting



**8" Manhole Ventilation Passthru (MVP)**  
90° elbow,  
built in mounting & collapsible duct

V5L-9510-50

# NOTES

ORIGINATOR

[Empty box for originator name]



Office (651) 646-6141  
Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

**APPLICATION FOR CREDIT**

Date: \_\_\_\_\_

**COMPANY:** \_\_\_\_\_

Application Requested by: \_\_\_\_\_

**INVOICE TO:**

**SHIP TO:**

(Address/P.O.Box) \_\_\_\_\_

(Street Address) \_\_\_\_\_

(City, State & Zip) \_\_\_\_\_

(City, State & Zip) \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

Invoice Preference: Fax \_\_\_\_\_ Email \_\_\_\_\_

If your company is Tax Exempt, a copy of the certificate is required.

Years in business: \_\_\_\_\_

Accounts Payble Contact: \_\_\_\_\_

**Trade References:**

**Name of Supplier**

**Phone Number**

**Fax Number** *(required)*

1. \_\_\_\_\_

\_\_\_\_\_

2. \_\_\_\_\_

\_\_\_\_\_

3. \_\_\_\_\_

\_\_\_\_\_

**Bank Reference:**

Name of Bank \_\_\_\_\_

Phone Number \_\_\_\_\_

Contact at Bank \_\_\_\_\_

Account Number \_\_\_\_\_

*If application is not complete it will not be processed.*

**The above information is given for the purpose of establishing a line of credit an is a true and correct statement.**

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Title*

\_\_\_\_\_  
*Date*

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.

**Please email completed credit application to:  
info@vikingindustrialcenter.com**





**ST. PAUL**  
2550 Kasota Ave  
(800) 328-6505

**DULUTH**  
4730 Grand Ave  
(800) 232-1367

**FOREST LAKE**  
9205 Lake Drive NE  
(651) 756-8758

Safety, Fastener & Strut Specialists

[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)

[info@vikingindustrialcenter.com](mailto:info@vikingindustrialcenter.com)

**FIRST AID**

**EYE & FACE PROTECTION**

**HEAD PROTECTION**

**HAND PROTECTION**

**HI VISIBILITY GARMENTS**

**CONFINED SPACE ENTRY**

**LOCKOUT/TAGOUT**

**SURFACE PROTECTION PRODUCTS**

**REBAR CAPS**

**HEARING PROTECTION**

**RESPIRATORY PROTECTION**

**RAINWEAR & RUBBER BOOTS**

**FALL PROTECTION**

**GAS DETECTION**

**SIGNS**

**RENTAL EQUIPMENT**  
GAS MONITORS, TRIPODS, BLOWERS

**UNISTRUT & FITTINGS**

**CONSTRUCTION FASTENERS**

**THREADED ROD**

**DUCT, MASKING & PAINTERS TAPE**

**ROOFING SCREWS**

**HIGH SPEED & CARBIDE BITS**

**ADHESIVES & CAULKS**

**AUTO FEED SCREW DRIVING  
SYSTEMS**

**FOAM SEALANTS & FIRE  
STOPPING PRODUCTS**

**MARKING PAINT, CHALK**

**RIVET TOOLS & RIVETS**

**SECURITY FASTENERS**

**SAW BLADES**

**POWDER ACTUATED TOOLS,  
PINS AND LOADS**

**ELECTRICAL CORDS & GFCI**

**POLY SHEETING**

**Convenient  
Service Center Locations**

**ST PAUL**

**651-646-6374**

**2550 Kasofa AVE.**

**DULUTH**

**218-624-4851**

**4730 GRAND AVE.**

**FOREST LAKE**

**651-756-8758**

**9205 Lake Drive NE**



**Twin Cities Metro Area - 800-328-6505**

**Duluth/Superior Area - 800-232-1367**

**[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)**