



**Fastener, Safety & Strut Specialists**

# **Hand Tools & Miscellaneous**



## **ST PAUL**

- 651-646-6374
- 800-328-6505

## **DULUTH**

- 218-624-4851
- 800-232-1367

## **FOREST LAKE**

- 651-756-8758
- 800-328-6505

**2025**

[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)



**Viking Industrial Center** is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walk-in customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

## Viking Industrial Center Offers Jobsite Service



### Customer Service Centers

**Store Hours: 7:00 a.m. - 4:00 p.m.  
Monday - Friday**

**St. Paul**  
2550 Kasota Avenue  
(800) 328-6505  
Phone (651) 646-6374  
Fax (651) 646-7546  
[info@vikingindustrialcenter.com](mailto:info@vikingindustrialcenter.com)

**Forest Lake**  
9205 Lake Drive NE  
(800) 328-6505  
Phone (651) 756-8758  
Fax (651) 797-2942  
[info@vikingindustrialcenter.com](mailto:info@vikingindustrialcenter.com)

**Duluth**  
4730 Grand Avenue  
(800) 232-1367  
Phone (218) 624-4851  
Fax (218) 624-4788  
[info@vikingindustrialnorth.com](mailto:info@vikingindustrialnorth.com)

PLEASE NOTE: No expressed or implied warranties are made in this catalog.  
Specifications are subject to change without notice.  
Please call Viking Industrial Center at 1-800-328-6505 for current product data.

## TERMS OF SALE

**Payment:** Net 30 days from invoice date.

**FOB:** Shipping Point.

**Transportation:** We will determine the best methods for transportation unless specified in order.

**Returned Goods:** Goods may be returned for credit, exchange or replacement only with authorization and subject to inspection and restocking charge.

**Special & Custom Items:** Special order and custom-made items become the property of the buyer and ARE NON-RETURNABLE.

**New Accounts:** In order to expedite shipments to new accounts, payment in full must accompany order. We do not make COD shipments.

**Prices:** All prices are subject to change or withdrawal without prior notice.

**Credit Cards:** We accept for credit card purchases with a 3.5% Credit Card Processing Fee



**NOTICE: There is a minimum purchase of \$10 per order.**

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

### Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.

C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

# Hand Tools



|                                      |     |
|--------------------------------------|-----|
| Insert Bit Drivers & Holders         | 2   |
| Insert Bits                          | 3-4 |
| Adapters & Nut Setters               | 5   |
| Insert Bits Sets                     | 6   |
| Screwdrivers                         | 7   |
| Hex Key Sets                         | 8   |
| Pliers, Wrenches & Clamps            | 9   |
| Hammers                              | 10  |
| Mallets, Sledge Hammers & Crowbars   | 11  |
| Seam Rollers, Testers & Slitters     | 12  |
| Tube Cutters and Lubrication Product | 13  |
| Offset, Utility and Aviation Snips   | 14  |
| Utility Knives & Blades              | 15  |
| Hacksaw Frames & Blades              | 16  |



## Magnetic Screw Driver Handle with Storage

| Part Number | Size | Overall Length |
|-------------|------|----------------|
| VMBS75      | 1/4" | 8"             |
| VMBS11      | 1/4" | 11"            |



## Quick Change Screw Driver Handle

| Part Number | Size | Overall Length |
|-------------|------|----------------|
| VQMBS58     | 1/4" | 8-1/8"         |



## Insulated Bit Holder Screwdriver

| Part Number | Size | Overall Length |
|-------------|------|----------------|
| FELO50785   | 1/4" | 10-3/4"        |




## All-In-One ScrewDrivers

| Part Number | Description           | Combo Bits  |
|-------------|-----------------------|---|
| LNx-23931   | Lenox 6-1 Screwdriver | Phillips - #1 & #2<br>Slotted - 3/16" & 1/4"<br>Hex - 1/4" & 5/16"                          |
| LNx-23932   | Lenox 9-1 Screwdriver | Phillips - #1 & #2<br>Slotted - 3/16" & 1/4"<br>Hex - 1/4", 5/16" & 3/8"<br>Sq Dr - #2 & #3 |



## Bit Holders

### Magnetic Bit Holder 2 Piece Construction




| Part Number | Overall Length | ø D [ " ] |
|-------------|----------------|-----------|
| PB-BHM25262 | 2-5/8"         | 1/4"      |

### Magnetic Bit Holder 1 Piece Stainless Steel Construction




| Part Number   | Overall Length | ø D [ " ] |
|---------------|----------------|-----------|
| PB-BHMR252125 | 2-1/8"         | 1/4"      |
| PB-BHMR25300  | 3"             | 1/4"      |
| PB-BHMR25600  | 6"             | 1/4"      |
| PB-BHMR25800  | 8"             | 1/4"      |
| PB-BHMR25910  | 10"            | 1/4"      |

### Magnetic Screw Cap Bit Holder w/Rubber O-Ring




| Part Number   | Overall Length | ø D [ " ] |
|---------------|----------------|-----------|
| PB-BHMC252375 | 2-3/8"         | 0.4333"   |
| PB-BHMC25300  | 3"             | 0.4333"   |

### Quick Release 1 Piece Bit Holder



| Part Number   | Overall Length | ø D [ " ] |
|---------------|----------------|-----------|
| PB-BHQR252375 | 2"             | 0.4333"   |
| PB-BHQR25300  | 3"             | 0.4333"   |

### Bit Holder with Magnetic Screwcap



| Part Number  | Overall Length | ø D [ " ] |
|--------------|----------------|-----------|
| PB-BHMC25238 | 2-3/8"         | 0.551     |

## Phillips Bits



### 1/4" Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-P2100    | 0          | 1"             |
| IB-P1100    | 1          | 1"             |
| IB-P2100    | 2          | 1"             |
| IB-P3100    | 3          | 1"             |
| IB-P4100    | 4          | 1"             |
| IB-P2100RED | 2 REDUCED  | 1"             |
| PB-P1200    | 1          | 2"             |
| PB-P2200    | 2          | 2"             |
| PB-P3200    | 3          | 2"             |
| PB-P1275    | 1          | 2-3/4"         |
| PB-P2275    | 2          | 2-3/4"         |
| PB-P3275    | 3          | 2-3/4"         |
| PB-P1350    | 1          | 3-1/2"         |
| PB-P2350    | 2          | 3-1/2"         |
| PB-P3350    | 3          | 3-1/2"         |
| PB-P1600    | 1          | 6"             |
| PB-P2600    | 2          | 6"             |
| PB-P3600    | 3          | 6"             |



### 1/4" Drywall Indenter - Insert Bit

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-P2100DI  | 2          | 1"             |



### Phillips Tamper Resistant Bits 1/4" Hex

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-PT2100   | 2          | 1"             |
| IB-PT3100   | 3          | 1"             |



## Slotted Bits



### 1/4" Slotted Bit Finder

| Part Number    | Screw Size | Overall Length |
|----------------|------------|----------------|
| PB-BFS0608375  | 6F-8R      | 3-3/4"         |
| PB-BFS0810375  | 8F-10R     | 3-3/4"         |
| PB-BFS14164113 | 14F-16R    | 3-3/4"         |



## Slotted Bits



### 1/4" Slotted Insert Bits

| Part Number  | Screw Size | Overall Length |
|--------------|------------|----------------|
| IB-S04100    | 3-4        | 1"             |
| IB-S05100    | 5-6        | 1"             |
| IB-S06100    | 6-8        | 1"             |
| IB-S10100    | 10         | 1"             |
| IB-S12100    | 12         | 1"             |
| IB-S14100    | 14         | 1"             |
| IB-S1416150  | No. 14-16  | 1-1/2"         |
| PB-S23200    | 2-3        | 2"             |
| PB-S34200    | 3-4        | 2"             |
| PB-S45200    | 4-5        | 2"             |
| PB-S56200    | 5-6        | 2"             |
| PB-S67200    | 6-8        | 2"             |
| PB-S810200   | 8-10       | 2"             |
| PB-S91214200 | 10-12      | 2"             |
| PB-S1416300  | 14-16      | 3"             |



## Socket Head Bits



### 1/4" Insert Bits

| Part Number | Size A" | Overall Length |
|-------------|---------|----------------|
| IB-H08100   | 5/64    | 1"             |
| IB-H09100   | 3/32    | 1"             |
| IB-H11100   | 7/64    | 1"             |
| IB-H13100   | 1/8     | 1"             |
| IB-H14100   | 9/64    | 1"             |
| IB-H16100   | 5/32    | 1"             |
| IB-H19100   | 3/16    | 1"             |
| IB-H22100   | 7/32    | 1"             |
| IB-H25100   | 1/4     | 1"             |
| IB-H31100   | 5/16    | 1"             |
| PB-H09200   | 3/32    | 2"             |
| PB-H13200   | 1/8     | 2"             |
| PB-H14200   | 9/64    | 2"             |
| PB-H16200   | 5/32    | 2"             |
| PB-H19200   | 3/16    | 2"             |
| PB-H22200   | 7/32    | 2"             |
| PB-H25200   | 1/4     | 2"             |



## 1/4" Hex Tamper Resistant Insert Bits

| Part Number | Size A" | Overall Length |
|-------------|---------|----------------|
| IB-HT08100  | 5/64    | 1"             |
| IB-HT09100  | 3/32    | 1"             |
| IB-HT11100  | 7/64    | 1"             |
| IB-HT13100  | 1/8     | 1"             |
| IB-HT14100  | 9/64    | 1"             |
| IB-HT16100  | 5/32    | 1"             |
| IB-HT19100  | 3/16    | 1"             |
| IB-HT22100  | 7/32    | 1"             |
| IB-HT25100  | 1/4     | 1"             |



## TORX® Bits

### 1/4" Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-T10100   | 10         | 1"             |
| IB-T15100   | 15         | 1"             |
| IB-T20100   | 20         | 1"             |
| IB-T25100   | 25         | 1"             |
| IB-T27100   | 27         | 1"             |
| IB-T30100   | 30         | 1"             |
| IB-T40100   | 40         | 1"             |



### 1/4" Tamper Resistant Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-TT06100  | 6          | 1"             |
| IB-TT07100  | 7          | 1"             |
| IB-TT08100  | 8          | 1"             |
| IB-TT09100  | 9          | 1"             |
| IB-TT10100  | 10         | 1"             |
| IB-TT15100  | 15         | 1"             |
| IB-TT20100  | 20         | 1"             |
| IB-TT25100  | 25         | 1"             |
| IB-TT27100  | 27         | 1"             |
| IB-TT30100  | 30         | 1"             |
| IB-TT40100  | 40         | 1"             |
| IB-TT45100  | 45         | 1"             |



### 5/16" Impact Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-T30125   | 30         | 1-1/4"         |
| IB-T40125   | 40         | 1-1/4"         |
| IB-T45125   | 45         | 1-1/4"         |
| IB-T50125   | 50         | 1-1/4"         |
| IB-T55125   | 55         | 1-1/4"         |



## Square Bits



### 1/4" Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-R0100    | 0          | 1"             |
| IB-R1100    | 1          | 1"             |
| IB-R2100    | 2          | 1"             |
| IB-R3100    | 3          | 1"             |
| IB-R4100    | 4          | 1"             |
| PB-R0200    | 0          | 2"             |
| PB-R1200    | 1          | 2"             |
| PB-R2200    | 2          | 2"             |
| PB-R3200    | 3          | 2"             |
| PB-R1275    | 1          | 2-3/4"         |
| PB-R2275    | 2          | 2-3/4"         |
| PB-R3275    | 3          | 2-3/4"         |
| PB-R1350    | 1          | 3-1/2"         |
| PB-R2350    | 2          | 3-1/2"         |
| PB-R3350    | 3          | 3-1/2"         |
| PB-S1600    | 1          | 6"             |
| PB-S2600    | 2          | 6"             |
| PB-R3600    | 3          | 6"             |
| PB-R2912    | 2          | 12"            |



## Spanner Bits



### 1/4" Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-SP04100  | 4          | 1"             |
| IB-SP06100  | 6          | 1"             |
| IB-SP08100  | 8          | 1"             |
| IB-SP10100  | 10         | 1"             |
| IB-SP12100  | 12         | 1"             |
| IB-SP14100  | 14         | 1"             |



### 5/16" Insert Bits

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| IB-SP04150  | 4          | 1"             |
| IB-SP08150  | 8          | 1"             |

## Adapters for Hex Drive Shank

### 1/4" - 1/4" Ball Type

| Part Number  | Hex Size | Overall Length | MALE SQUARE |
|--------------|----------|----------------|-------------|
| IB-SABL25100 | 1/4"     | 1"             | 1/4"        |



### 1/4" - 1/4" Ball Type

| Part Number  | Hex Size | Overall Length | MALE SQUARE |
|--------------|----------|----------------|-------------|
| PB-SABL25200 | 1/4"     | 2"             | 1/4"        |
| PB-SABL25300 | 1/4"     | 3"             | 1/4"        |
| PB-SABL25400 | 1/4"     | 4"             | 1/4"        |



### 1/4" - 1/4" Pin Type

| Part Number  | Hex Size | Overall Length | MALE SQUARE |
|--------------|----------|----------------|-------------|
| PB-SAPL25200 | 1/4"     | 2"             | 1/4"        |
| PB-SAPL25400 | 1/4"     | 4"             | 1/4"        |
| PB-SAPL25600 | 1/4"     | 6"             | 1/4"        |



### 3/8" - 1/4" Ball Type

| Part Number  | Hex Size | Overall Length | MALE SQUARE |
|--------------|----------|----------------|-------------|
| PB-SABL38200 | 1/4"     | 2"             | 3/8"        |
| PB-SABL38300 | 1/4"     | 3"             | 3/8"        |
| PB-SABL38600 | 1/4"     | 6"             | 3/8"        |



### 1/2" - 1/4" Ball Type

| Part Number | Hex Size | Overall Length | MALE SQUARE |
|-------------|----------|----------------|-------------|
| IRW-93795   | 1/4"     | 3"             | 1/2"        |




## Nut Setters



### Magnetic Nutsetter

| Part Number            | Point Size | Overall Length |
|------------------------|------------|----------------|
| PB-NSM25175            | 1/4"       | 1-3/4"         |
| PB-NSM31175            | 5/16"      | 1-3/4"         |
| PB-NSM38175            | 3/8"       | 1-3/4"         |
| PB-NSM44175            | 7/16"      | 1-3/4"         |
| PBNSM50175             | 1/2"       | 1-3/4"         |
| PB-NSM192963           | 3/16"      | 2-9/16"        |
| PB-NSM25256L (Lobular) | 1/4"       | 2-9/16"        |
| PB-NSM31256L (Lobular) | 5/16"      | 2-9/16"        |
| PB-NSM38256            | 3/8"       | 2-9/16"        |
| PB-NSM38256L (Lobular) | 3/8"       | 2-9/16"        |
| PB-NSM44256L (Lobular) | 7/16"      | 2-9/16"        |
| PB-NSM50256            | 1/2"       | 2-9/16"        |
| PB-NSM56256            | 9/16"      | 2-9/16"        |
| PB-NSM38400            | 3/8"       | 4"             |
| PB-NSM25600            | 1/4"       | 6"             |
| PB-NSM31600            | 5/16"      | 6"             |
| PB-NSM38600            | 3/8"       | 6"             |
| PB-NSM25912            | 1/4"       | 12"            |
| PB-NSM31912            | 5/16"      | 12"            |
| PB-NSM38912            | 3/8"       | 12"            |



### Eye Lag Driver - 1/4" Hex Drive

| Part Number | Point Size | Overall Length |
|-------------|------------|----------------|
| PB-EL442688 | 7/16"      | 2-11/16"       |



### 1/4" Square Drive Sockets

| Part Number           | Hex Size | Length |
|-----------------------|----------|--------|
| PB-STM3519 (Tapered)  | 3/16     | 7/8"   |
| PB-STM2525 (Tapered)  | 1/4      | 7/8"   |
| PB-STM2531 (Tapered)  | 5/16     | 7/8"   |
| PB-SSM2538 (Straight) | 3/8      | 7/8"   |
| PB-SSM2544 (Straight) | 7/16     | 7/8"   |
| PB-SSM2550 (Straight) | 1/2      | 7/8"   |



Tapered Style - T



Straight Style - S

**IB-31KIT Insert Bit Set Standard**

| Bit Type                 | Size   | #/Kit |
|--------------------------|--|-------|
| Phillips                 | 0, 1, 2, 2R, 3   | 5     |
| TORX®                    | 10, 15, 20, 25, 27, 30, 40                               | 7     |
| Slotted                  | 3-4, 4-5, 6-8, 8-10, 10-12                               | 5     |
| Hex                      | 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 | 10    |
| Square                   | 1, 2, 3  | 3     |
| Socket                   | 1/4 X 1/4  | 1     |
| Quick Bit Release Holder |  | 1     |



**NEW!**

**IB-100KIT**



**100 Piece Master Screwdriver Bit Set Includes**

- Wide Range of Tip Styles
- Bit Driver Accessories
- Compact/Durable Case

**IB-31TKIT Insert Bit Set Tamperproof**



| Bit Type                 | Size   | #/Kit |
|--------------------------|--|-------|
| Phillips Tamper          | 2, 3   | 2     |
| TORX® Tamper             | 5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40                | 12    |
| Hex Tamper               | 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 | 10    |
| Spanner                  | 4, 6, 8, 10, 12, 14                                      | 6     |
| Socket Adapter           | 1/4 X 1/4  | 1     |
| Quick Bit Release Holder |  | 1     |

**IB-33KIT Insert Bit Set Standard with Sockets**



| Bit Type                       | Size  | #/Kit |
|--------------------------------|---|-------|
| Phillips                       | 1, 2, 3                                     | 3     |
| TORX®                          | 10, 15, 20, 25, 27, 30, 40                  | 6     |
| Slotted                        | 4-5, 5-6, 6-8, 8-10, 10-12                  | 5     |
| Hex                            | 5/64, 3/32, 1/8, 9/64, 5/32, 3/16           | 6     |
| Square                         | 1, 2, 3                                     | 3     |
| 1/4" Square X 1/4" Hex Adapter |   | 1     |
| Socket                         | 3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2 | 8     |
| 1 Pc Quick Release Bit Holder  |   | 1     |



**IB-50TKIT Insert Bit Set Tamperproof**

| Bit Type                 | Size   | #/Kit |
|--------------------------|--|-------|
| Phillips                 | 1, 2, 2R, 3 (ACR)  | 4     |
| TORX® Tamper             | 5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40                      | 12    |
| Hex Tamper               | 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 | 11    |
| Tri-Wing                 | 2, 3, 4, 5   | 4     |
| TorQ-Set                 | 4, 6, 8, 10  | 4     |
| Spanner                  | 6, 8, 10, 12   | 4     |
| Spline                   | 4, 5, 6, 8   | 4     |
| Clutch                   | 5/32, 3/16, 1/4  | 3     |
| Phillips Sq Drive        | PSD2-2   | 1     |
| Socket Adapter           | 1/4 x 1/4  | 1     |
| Quick Bit Release Holder |  | 1     |

**IB-50KIT Insert Bit Set Standard**



| Bit Type                 | Size   | #/Kit |
|--------------------------|--|-------|
| Phillips                 | 0, 1, 2, 3   | 4     |
| Phillips                 | 0, 1, 2, 3 (ACR)   | 4     |
| PoziDriv                 | 0, 1, 2, 3   | 4     |
| TORX®                    | 5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40                      | 12    |
| Slotted                  | 3-4, 4-5, 5-6, 6-8, 8-10, 10-12, 12-14, 14-16                  | 8     |
| Hex                      | 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 | 11    |
| Square                   | 0, 1, 2, 3   | 4     |
| Socket                   | 1/4 X 1/4  | 1     |
| Quick Bit Release Holder |  | 1     |







### Series 500 frico Heavy Duty Screwdrivers

**Features:**

- Ergonomically refined design
- Smooth, seamless handles for maximum comfort
- Impact proof handle core
- Pleasant soft-grip outer material for highest torque
- Black tip for precision fit
- Steelcap
- Full length hexagon blade with hexagon bolster



**FELO50707**

**5 Piece Heavy Duty Screwdriver Set**

**Set Contains - 1 each:**

**550 Flat Blade**

**3/16" x 3-1/2", 7/32" x 4", 1/4" x 5"**

**552 Phillips**

**1" x 3-1/2", 2" x 4"**

FELO22099



FELO50703



| Flat Blade | Size             | Phillips  | Size           |
|------------|------------------|-----------|----------------|
| FELO22099  | 7/32" x 1 Stubby | FELO22110 | #2 x 1" Stubby |
| FELO50699  | 3/16" x 3-1/2"   | FELO50703 | #1 x 3-1/2"    |
| FELO32354  | 7/32" x 3-1/2"   | FELO32368 | #2 x 4"        |
| FELO32356  | 1/4" x 5"        | FELO32370 | #3 x 6"        |
| FELO32358  | 5/16" x 6"       |           |                |
| FELO50701  | 23/64" x 6-1/2"  |           |                |
| FELO32360  | 3/8" x 7"        |           |                |
| FELO32362  | 1/2" x 8"        |           |                |

### Series 400 Ergonic Screwdrivers

**Features:**

- Smooth, seamless handles for maximum comfort
- Ergonic - Molds to user's hand
- Hand and handle interlock causing less strain & worker fatigue
- Impact proof handle core
- Superior hardness exceeds DIN and ISO requirements by up to 100%
- Black tip for precision fit
- Hanging hole for easy storage or inserting lever
- Anti-roll handle design
- GS tested for safety



**FELO53167**

**6 Piece Ergonic Screwdriver Set**

**Set Contains - 1 each:**

**400 Flat Blade**

**1/8" x 3-1/8",**

**410 Slotted**

**5/32" x 3", 7/32" x 4", 1/4" x 5"**

**412 Phillips**

**1" x 3-1/8", 2" x 4"**

| Flat Blade | Size          | Phillips  | Size        |
|------------|---------------|-----------|-------------|
| FELO53117  | 1/8" x 3-1/8" | FELO52795 | #1 x 3-1/8" |
| FELO53119  | 9/64" x 4"    | FELO32368 | #2 x 4"     |
| FELO53121  | 5/32" x 3"    | FELO53131 | #3 x 6"     |
| FELO52785  | 7/32" x 4"    |           |             |
| FELO52787  | 1/4" x 5"     |           |             |
| FELO52789  | 5/16" x 6"    |           |             |
| FELO53125  | 3/8" x 7"     |           |             |
| FELO53127  | 1/2" x 8"     |           |             |

### Insulated Screwdrivers (Up to 1000 Volts)

**FELO51401**

**7 Piece Profi Insulated Screwdriver Set**

**Set Contains - 1 each:**

**613 Flat Blade**

**3/32" x 3", 1/8" x 4", 9/64" x 4",**

**5/32" x 4", 7/32" x 5"**

**552 Phillips**

**1" x 3-1/8", 2" x 4"**



### Precision Screwdrivers

**F9-FELO31844**

**6 Piece Precision Screwdriver Set**

**Set Contains - 1 each:**

**240: 4 x 1 Flat Blade**

**1/16" x 2-3/8", 5/64" x 2-3/8",**

**3/32" x 2-3/8", 1/8" x 2-3/8"**

**242: 2 x 1 Phillips**

**00 x 2-3/8", 0 x 2-3/8"**



### Specialty



**FELO31078**

**490 Awl**

**2-3/8" x 2-3/8"**



**FELO24022**

**498 Reamer**

**4" x 3-1/8"**

**FELO23013**

**494 Tack Lifter**

**4" x 3-1/8"**



## GorillaGrip® FoldUp Tools



### Features:

- Stronger, more comfortable handles
- Patented Flutes allow for easy selection
- Blades accessed from both top and bottom
- Turn & Flip Feature eliminates constant removal and repositioning in screw head
- Speed Wrench Feature: 90° stop converts tool into a non-stop, time-saving speed wrench



### BON12585 5 Piece Set with Balldriver Tip

Set Contains - 1 each:  
3/16", 7/32", 1/4", 5/16", 3/8"




### BON12589 9 Piece Set with Hex Tip

Set Contains - 1 each:  
5/64", 3/32", 7/64", 1/8", 9/64",  
5/32", 3/16", 7/32", 1/4"

## GorillaGrip® Hex L Wrench Sets

### Features:

- Chamfered tips for fast insertion and full tool engagement in screw head
- Twist-to-Lock case keeps keys organized by size
- Sizes are printed on the case for ease of locating tools



### BON14187

16 Piece Metric Hex L Wrench Set  
Set Contains - 1 each:  
Hex L Wrenches 1.5, 2, 2.5, 3, 4, 5, 6,  
8, 10 mm and 7 Piece FoldUp



**BON10936 (Not Shown)**  
12 Piece Ballpoint Hex L Wrench Set  
Set Contains - 1 each:  
Hex L Wrenches 0.50, 1/16, 5/64, 3/32",  
7/64", 1/8", 9/64", 5/32", 3/16", 7/32",  
1/4" & 5/16"




**BON10937**  
13 Piece Hex L Wrench Set  
Set Contains - 1 each:  
Hex L Wrenches 0.50, 1/16,  
5/64, 3/32", 7/64", 1/8", 9/64",  
5/32", 3/16", 7/32", 1/4", 5/16",  
3/8"

## T-Handle Tools

### Features:

- Heavy duty handle generates a flywheel effect for super fast insertion or removal of screws
- Handle is shaped for comfort and control
- Cushioned feel reduces fatigue
- Handle sizes are engineered to match blade torque capabilities
- Straight Hex tips to prevent breakage



**BON15290**  
6 Piece Hex Tip Set with Stand  
Set Contains - 1 each Hex Tip:  
3/32", 7/64", 1/8", 9/64", 5/32",  
3/16", 7/32", 1/4", 5/16", 3/8"  
and Stand







### Long Nose Locking Pliers

| Part Number | Description     | Size | Jaw Adjustment |
|-------------|-----------------|------|----------------|
| IRW-VG6LN   | Original Handle | 6"   | 0" - 2"        |



### Curved Jaw Locking Pliers

| Part Number | Description          | Size | Jaw Adjustment |
|-------------|----------------------|------|----------------|
| IRW-VG7CR   | Original Handle      | 7"   | 0" - 1 1/2"    |
| IRW-VG10CR  | Original Handle      | 10"  | 0" - 1 7/8"    |
| IRW-VG10WR  | Fast-Release™ Handle | 10"  | 0" - 1-7/8"    |



### Locking C-Clamps with Regular Tips

| Part Number | Description     | Size | Jaw Adjustment | Throat Depth |
|-------------|-----------------|------|----------------|--------------|
| IRW-VG11R   | Original Handle | 11"  | 0" - 3 3/8"    | 2-5/8"       |
| IRW-VG18R   | Original Handle | 18"  | 0" - 8"        | 9-1/2"       |

IRW-VGLP8



IRW-VGLN6

IRW-VGDIA7



### Pliers

| Part Number | Description      | Size | Jaw Length | Jaw Thickness |
|-------------|------------------|------|------------|---------------|
| IRW-VGLP8   | Lineman's        | 8"   | 1-15/32"   | 9/16"         |
| IRW-VGLN6   | Long Nose        | 6"   | 1-25/32"   | 7/16"         |
| IRW-VGLN8   | Long Nose        | 8"   | 2-5/16"    | 15/32"        |
| IRW-VGDIA7  | Diagonal Cutting | 7"   | 13/16"     | 1-5/32"       |



IRW-VGGV10

### GrooveLock Pliers

| Part Number | Description     | Size | Jaw Capacity | # of Grooves |
|-------------|-----------------|------|--------------|--------------|
| IRW-VGGV10  | Quick Adjusting | 10"  | 2 1/4"       | 16           |
| IRW-VGGV12  | Quick Adjusting | 12"  | 2 3/4"       | 19           |



### Adjustable Wrench

| Part Number | Description       | Size | Jaw Length |
|-------------|-------------------|------|------------|
| IRW-VGAW8   | Wide Jaw Capacity | 8"   | 1-1/8"     |

# HAMMERS

## Straight “RIP” Claw

**Straight or “RIP” Claw** hammers are extremely versatile. This claw style is usually found on heavy-duty framing hammers. By inserting it as a wedge between two pieces of wood, they are great at prying apart 2 x 4’s, as well as stripping apart drywall, plywood and siding in a pry-bar like fashion. **MADE IN USA.**

| Part Number | Description             | Size  | Handle                  |
|-------------|-------------------------|-------|-------------------------|
| VFS999ML    | Milled Face RIP Hammer  | 20 oz | Fiberglass              |
| VFS99       | Straight RIP Hammer     | 16 oz | Fiberglass              |
| V99         | Professional RIP Hammer | 16 oz | Hickory                 |
| K808-16     | Heavy Duty RIP Hammer   | 16 oz | Wood with Neoprene Grip |
| VR99        | Solid Steel RIP Hammer  | 16 oz | Solid Steel             |



V99



VR99

VFS999ML

VFS99



K808-16



## Ball Pein Hammer

| Part Number | Size  | Handle     |
|-------------|-------|------------|
| VFS224      | 24 oz | Fiberglass |



## Tinnerns Riveting Hammer

| Part Number | Size  | Handle     |
|-------------|-------|------------|
| VTR16F      | 16 oz | Fiberglass |



## Soft Face Hammer

| Part Number | Size  | Handle  |
|-------------|-------|---------|
| VFS12       | 12 oz | Hickory |



## Hand Drilling Hammer

| Part Number | Size | Handle  |
|-------------|------|---------|
| VHD3        | 3 Lb | Hickory |



## Supersteel Blacksmith Hammer

| Part Number | Size  | Handle  |
|-------------|-------|---------|
| VS40        | 40 oz | Hickory |



**Mallets**

| Part Number   | Description               | Handle       |
|---------------|---------------------------|--------------|
| <b>T49063</b> | 16 oz. Rubber Mallet      | Hardwood     |
| <b>VRM2B</b>  | 20 oz Black Rubber Mallet | 12" Hardwood |
| <b>VPM200</b> | 2" White Plastic Mallet   | 12" Hardwood |

**Sledge Hammers**

| Part Number | Description        | Handle   |
|-------------|--------------------|----------|
| <b>VSS6</b> | 6 Lb Sledge Hammer | Hardwood |
| <b>VSS8</b> | 8 Lb Sledge Hanner | Hardwood |



**CrowBars**

| Part Number   | Description               |
|---------------|---------------------------|
| <b>VB215</b>  | 15" Super Bar CrowBar     |
| <b>VB215L</b> | 21" Super Bar CrowBar     |
| <b>VBC10</b>  | 10-1/2" Bear Claw CrowBar |
| <b>VBC12</b>  | 11-3/4" Bear Claw CrowBar |
| <b>VMLB</b>   | 10" Molding Lifting Bar   |
| <b>VRB18L</b> | 24" Ripping Bar           |

## Insulation Knife




| Part Number    | Description                       | Blade                           |
|----------------|-----------------------------------|---------------------------------|
| <b>MK46000</b> | 7-1/2" Long Cut® Insulation Knife | 3-5/8" High Carbon Spring Steel |

## Seam Tester



| Part Number    | Description   | Handle                      |
|----------------|---|-----------------------------|
| <b>MM21060</b> | Standard Convertible Seam Tester with 5" plated steel shaft | 5-3/4" Plastic with Bolster |

## Fairmont Tongs



| Part Number    | Description  | Length        | Handle                      |
|----------------|--|---------------|-----------------------------|
| <b>MT14030</b> | Fairmont Ronged and Plated Tongs with Bending Dept Marks on 3" Wide Jaws | <b>9-1/2"</b> | Cushion Grip Offset Handles |

## Membrane Slitter



| Part Number    | Description   | Size            | Dia.                    |
|----------------|---|-----------------|-------------------------|
| <b>MM21110</b> | Stand-Up Membrane Slitter with Yellow Pointer - Cuts Straight or Curved Lines | <b>32" High</b> | 4" dia x 1" wide wheels |



MR05020



MR13110

MR13500



MR05029

## Seam Rollers

| Part Number    | Description                    | Size                  | Handle               |
|----------------|--------------------------------|-----------------------|----------------------|
| <b>MR05020</b> | Silicone Seam Roller           | 1-7/16" dia x 1-34"w  | 5" Wood              |
| <b>MR05029</b> | Ergonomic Silicone Seam Roller | 1-7/16" dia x 1-3/4"w | 5" Soft-Grip Plastic |
| <b>MR02090</b> | Steel Convertible Seam Roller  | 2" dia x 4"w          | 5" Soft-Grip Plastic |
| <b>MR12860</b> | Nylon Cone Roller              | 1-3/8" dia x 4-1/8"w  | 5" Wood              |
| <b>MR13110</b> | Brass Detail Roller            | 1-1/8" dia x .196"w   | 5" Wood              |
| <b>MR13500</b> | Aluminum "V" Roller            | 2" dia x 1/2"w        | 5" Wood              |



MR02090



MR12860





**Tubing Cutters**  
Ergonomically Designed for Professional Performance

**Features:**

- Won' Walk While Cutting:** Four roller tracking system keeps tube from threading
- Professional Deburring:** Cleanly and easily deburr pipes with the replaceable machinist's reamer
- Will Not Damage Cutting Wheels:** Full-stop feed system prevents wheels and rollers from coming into contact
- Easy To Use:** Change out wheels with only a screwdriver
- Convenient Storage:** Store an extra cutting wheel in the handle



LNX-21011



LNX-21010

| Product Number | Description          | Tube Diam. Range (in.) | #Wheels |
|----------------|----------------------|------------------------|---------|
| LNX-21010      | 1-1/8 Copper Cutting | 1/8-1-1/8              | 2       |
| LNX-21011      | 1-3/8 Copper Cutting | 1/8-1-3/8              | 2       |

**PROTOOL LUBE®**  
Extends Tool Life

| Product No. | Description                 |
|-------------|-----------------------------|
| LNX-68040   | 6 oz. PROTOOL LUBE® (12/pk) |

Use this product as it comes from the container—do not mix with water. Material Safety Data Sheets (MSDS) available upon request.



**Features:**

- Unique Synthetic Blend Designed to Increase Tool Life:** When cutting, milling, reaming, tapping and drilling metal, wood and plastics.
- Shortens Cutting Time by up to 50%:** Provides smoother, cleaner cutting and dramatically longer blade life.
- Reduces Heat and Friction:** Water-soluble, so it cleans up with water. Biodegradable and non-toxic, too.



### MagSnips™ Offset Replaceable Blade Snips

| Product Number        | Direction                     | Cut Length |
|-----------------------|-------------------------------|------------|
| PM2210 (Red Handle)   | Cuts Left                     | 2-3/4"     |
| PM2110 (Green Handle) | Cuts Right                    | 2-3/4"     |
| PM2210R               | Replacement Blade Kit (Left)  |            |
| PM2110R               | Replacement Blade Kit (Right) |            |



P657-N

### Knifti-Cut™ Shop Electrician Shear/Utility Snips

| Product No. | Length | Cut Length |
|-------------|--------|------------|
| P657-N      | 7-1/2" | 2"         |


PM2110R  
Green



PM2210R  
Red

### Kush-n-Kote All Purpose Forged Tinner Snips

| Product Number     | Length | Cut Length |
|--------------------|--------|------------|
| P127-D<br>Duckbill | 12"    | 3"         |



P127-D

### Forged Blade Aviation Snips

| Product No.                                     | Length | Cut Length |
|---|--------|------------|
| <b>P6716-S</b><br><i>Cuts Straight</i>          | 9-3/4" | 1-1/2"     |
| <b>P6716-L</b><br><i>Cuts Left</i>              | 9-3/4" | 1-3/8"     |
| <b>P6716-R</b><br><i>Cuts Right</i>             | 9-3/4" | 1-3/8"     |
| <b>P6510-S</b><br><i>Offset - Cuts Straight</i> | 9-3/4" | 1-1/2"     |
| <b>P6510-L</b><br><i>Offset - Cuts Left</i>     | 8-3/4" | 1-1/4"     |
| <b>P6510-R</b><br><i>Offset - Cuts Right</i>    | 8-3/4" | 1-1/4"     |



P6716-S

P6716-L

P6716-R



P6510-S

P6510-L

P6510-R



## LENOX® Gold™ Utility Knives & Blades



### Locking Tradesman Utility Knife Works BIG. Folds SMALL

| Prod No.  | Description                     |
|-----------|---------------------------------|
| LNX-10771 | Locking Tradesman Utility Knife |

#### Features:

- Easy Open & Close:** Secure locking mechanism
- Comfort Grip:** Ergonomic rubberized grip
- Multi-Use Tool:** Bottle opener, screwdriver and pipe reamer
- Built-In wire Stripper**




### Retractable Utility Knife Durable Construction and Comfortable Grip for Extended Use

| Prod No.  | Description                           |
|-----------|---------------------------------------|
| LNX-20353 | SSRK1 Retractable Knife with 3 blades |

#### Knife Features:

- Extremely Durable Stainless Steel Nose:** Resists wear. One piece titanium-coated nose eliminates spreading.
- Longest Lasting Utility Blades:** Three shatter resistant titanium edge blades included.
- Easy Blade Change:** Quick blade release allows rotation or changing of blade without opening handle or using any tools.
- No Tool Needed to Open**
- Internal Blade Storage:** Retractable knife stores up to five blades.



### LENOX® Gold™ Blades The Longest Lasting Utility Blade. EVER.

| Product No. | Description                               |
|-------------|---|
| LNX-20350   | GOLD5C Utility Blade 5 Pack               |
| LNX-20351   | GOLD50D Utility Blade 50 Pack Dispenser   |
| LNX-20352   | GOLD100D Utility Blade 100 Pack Dispenser |

#### Blade Features:

- Lasts Longer:** High speed steel edge with titanium coating keeps blades cutting after others have quit.
- Shatter Resistant:** Patented bi-metal construction allows blades to bend and flex without breaking.
- Makes Deeper Cuts:** Four notch system allows blade to extend further.
- Cuts the Toughest Materials:** Great for cutting drywall, insulation, flooring, roofing and more.
- Fits All Standard Utility Knives**

#### Dispenser Features:

- Easy to Use:** Dispense blades directly into LENOX® knives without touching the blade.
- Dispenses One or Five Blades at a Time**
- Multi-Purpose:** Safety holds used blades.





**Features:**

- Comfortable Grip:** Ergonomic design and larger space fit gloved hands.
- Convenient Storage:** Handle holds up to five 12" hacksaw blades for quick change outs.
- Multi-Purpose:** Mount at 45° for flush cutting, insert standard recip blade to use as a job saw.
- Fast, Straight Cuts:** Tensions up to 30,000 PSI.



**Hacksaw Frames**

| Product No. | Description   |
|-------------|---|
| LNX-12132   | HT50 High tension metal cutting frame                           |
| LNX-20920   | 5012 Low profile high tension metalcutting frame in tight spots |



**Blade Features:**

- Shatter Resistant:** Bi-metal construction allows blades to bend and flex without breaking.
- Longer Life:** TUFF TOOTH™ design eliminates tooth strippage.

**Bi-metal Hacksaw Blades**

| Product No. (Descrip) | 10/pk | TPI | Length x Width (in.) |
|-----------------------|-------|-----|----------------------|
| LNX-20143 (V214HE)    |       | 14  | 12 x 1/2             |
| LNX-20144 (V218HE)    |       | 18  | 12 x 1/2             |
| LNX-20145 (V22HE)     |       | 24  | 12 x 1/2             |
| LNX-20146 (V232HE)    |       | 32  | 12 x 1/2             |

**CLOSE QUARTER® Saw**

(Blades—10 per pack)



| Product No. | Description  |
|-------------|--|
| LNX-20908   | 908 CLOSE QUARTER® Saw   |
| LNX-20906   | 906 Replacement blades for CLOSE QUARTER® SAW 6" X 1/4" X .014 X 32T |
| LNX-20975   | 975 Compact Hacksaw  |

**Features:**

- Rugged Design:** Heavy-duty aluminum handle
- Fits into Tight Spots:** Allows for flush cutting applications

**Features:**

- Replaceable Blades:** Uses any standard reciprocating saw blade.
- Rugged Design:** Heavy-duty aluminum handle has a comfortable hand grip.
- Multi-Purpose:** Push button design locks blade into three different positions for multiple cutting applications.



**TRI-FOLD® Saw**

| Product No. | Description              | Applications                 |
|-------------|--------------------------|------------------------------|
| LNX-20997   | TFHS618636 TRI-FOLD® Saw | Wood, Drywall & Non-Metallic |

# Powder Actuated Tools



|  |           |
|--|-----------|
| <b>Modular &amp; General Purpose PATs</b>                | <b>18</b> |
| <b>POWDER LOADS Crimp, Strip &amp; Single Shot Loads</b> | <b>19</b> |
| <b>FASTENERS Drive Pins</b>                              | <b>20</b> |
| <b>FASTENERS Tophats, Conduit Straps, Ceiling Clips</b>  | <b>21</b> |
| <b>FASTENERS Collated &amp; Metric for PATs</b>          | <b>22</b> |
| <b>Other Available PAT Tools</b>                         | <b>23</b> |
| <b>NAILS - Coiled, Common, Duplex, Sinker</b>            | <b>24</b> |

# GENERAL PURPOSE PAT

## Features:

- Highly reliable design with low maintenance
- Professional Grade
- Semi-automatic and fast cycling.
- Engineered for continuous use, high reliability and low maintenance.



## Key Fastening Applications:

- Acoustical Ceilings
- Electrical Applications
- Framing Works
- Drywall Track
- Water Proofing Material and/or Lathing

## PT27

## Specifications:

- Fastener Length: 1/2" - 2-1/2" (3" or 4" washered)
- Fastener Type: .300 inch or 8mm Headed Fasteners or 1/4-20 Threaded Studs
- Firing Action: Semi Automatic
- Load Caliber: .27 Strip Loads, Brown - Red (Levels 2-5)
- Length: 13-1/2"
- Weight: 5 lbs., 4 oz.



Tool is sold in tool box complete with

- Operator's Manual
- Spall Suppressor
- Tools for Disassembly
- Safety Glasses
- Ear Plugs
- Tool Lubricant
- Cleaning Brushes
- Operator's Exam
- Caution Sign



## POWDER LOADS

### .22 Caliber “A” Crimp Loads — Single Shot



P22AC1

| Description                 | Part No.      | Pack Qty. | Carton Qty. | Compatible Simpson Tools            | Other Compatible Tools   |
|-----------------------------|---------------|-----------|-------------|-------------------------------------|--|
| .22 Cal. - Gray (Level 1)   | <b>P22AC1</b> | 100       | 10,000      | PT22A<br>PT-22GS<br>PT22HA<br>PT22P | 721, U-2000<br>DX-37E, DX-72E,<br>4170 and model 70,<br>System 3 and<br>most low-velocity<br>single shot tools |
| .22 Cal. - Brown (Level 2)  | <b>P22AC2</b> | 100       | 10,000      |                                     |  |
| .22 Cal. - Green (Level 3)  | <b>P22AC3</b> | 100       | 10,000      |                                     |  |
| .22 Cal. - Yellow (Level 4) | <b>P22AC4</b> | 100       | 10,000      |                                     |  |



P27SL

### .25 & .27 Caliber Plastic 10-Shot Strip Loads

| Description                 | Part No.      | Pack Qty. | Carton Qty. | Compatible Simpson Tools                                | Other Compatible Tools   |
|-----------------------------|---------------|-----------|-------------|---|--|
| .27 Cal. - Brown (Level 2)  | <b>P27SL2</b> | 100       | 10,000      | PTP-27L<br>PTP-27MAGR<br>PTP-27S<br>PTP-27SMGR<br>PT-27 | DX-350, DX-351, DX-36,<br>DX-A40 (except PT27SL2),<br>DX-A41 (except PT27SL2<br>and PT27SL3), DX460,<br>System 1H, P-36B, A-40BH,<br>A-41B, Cobra and most<br>0.27-caliber clone tools |
| .27 Cal. - Green (Level 3)  | <b>P27SL3</b> | 100       | 10,000      |   |  |
| .27 Cal. - Yellow (Level 4) | <b>P27SL4</b> | 100       | 10,000      |   |  |
| .27 Cal. - Red (Level 5)    | <b>P27SL5</b> | 100       | 10,000      |   |  |
| .27 Cal. - Purple (Level 6) | <b>P27SL6</b> | 100       | 10,000      |   |  |
|                             |               |           |             |   |  |

### .27 Caliber Single Shot Loads — Long

| Description                 | Part No.       | Pack Qty. | Carton Qty. | Compatible Simpson Tools              |
|-----------------------------|----------------|-----------|-------------|---------------------------------------|
| .27 Cal. - Yellow (Level 4) | <b>P27LVL4</b> | 100       | 10,000      | PT-27HDA,<br>DX460 and<br>Hilti DX600 |
| .27 Cal. - Red (Level 5)    | <b>P27LVL5</b> | 100       | 10,000      |                                       |
| .27 Cal. - Purple (Level 6) | <b>P27LVL6</b> | 100       | 10,000      |                                       |




P27LVL

## FASTENERS Drive Pins

### .300" Headed Fasteners with 0.157" Shank Diameter

| Length (inches) | Part No.        | Pack Qty. | Carton Qty. | Compatible Simpson Tools  | Other Compatible Tools                                 |
|-----------------|-----------------|-----------|-------------|---|--|
| 1/2 Knurled     | <b>PDPA050K</b> | 100       | 1,000       | PTP-27L<br>PTP-27S<br>PT-27<br>PT-27HDA<br>PT-22A<br>PT-22GS<br>PT-22P<br>PT-22HA | 721, D-60, U-2000<br>and most other low velocity tools |
| 5/8 Knurled     | <b>PDPA062K</b> | 100       | 1,000       |   |  |
| 3/4             | <b>PDPA075</b>  | 100       | 1,000       |   |  |
| 1               | <b>PDPA100</b>  | 100       | 1,000       |   |  |
| 1-1/4           | <b>PDPA125</b>  | 100       | 1,000       |   |  |
| 1-1/2           | <b>PDPA150</b>  | 100       | 1,000       |   |  |
| 1-7/8           | <b>PDPA187</b>  | 100       | 1,000       |   |  |
| 2               | <b>PDPA200</b>  | 100       | 1,000       |   |  |
| 2-1/2           | <b>PDPA250</b>  | 100       | 1,000       |   |  |



### .300" Headed Fasteners with 0.157" Shank Diameter and 3/4" Metal Washers



| Length (inches) | Part No.         | Pack Qty. | Carton Qty. | Compatible Simpson Tools  | Other Compatible Tools  |
|-----------------|------------------|-----------|-------------|---|---|
| 1               | <b>PDPAW-100</b> | 100       | 1,000       | PTP-27L<br>PTP-27S<br>PT-27<br>PT-22P<br>PT-22A<br>PT-22GS<br>PT-22HA | 721, D-60,<br>U-2000,<br>System 1,<br>System 3 and<br>most other low velocity tools |
| 1-1/4           | <b>PDPAW-125</b> | 100       | 1,000       |   |   |
| 1-1/2           | <b>PDPAW-150</b> | 100       | 1,000       |   |   |
| 2               | <b>PDPAW-200</b> | 100       | 1,000       |   |   |
| 2-1/2           | <b>PDPAW-250</b> | 100       | 1,000       |   |   |
| 2-7/8           | <b>PDPAW-287</b> | 100       | 1,000       |   |   |

### .300" Headed Fasteners with 0.157" Shank Diameter and 1" Metal Washers

| Length (inches) | Part No.         | Pack Qty. | Carton Qty. | Compatible Simpson Tools  | Other Compatible Tools  |
|-----------------|------------------|-----------|-------------|---|---|
| 1               | <b>PDPAWL100</b> | 100       | 1,000       | PTP-27L<br>PTP-27S<br>PT-27<br>PT-22P<br>PT-22A<br>PT-22GS<br>PT-22HA | 721, D-60,<br>U-2000,<br>System 1,<br>System 3 and<br>most other low velocity tools |
| 1-1/4           | <b>PDPAWL125</b> | 100       | 1,000       |   |   |
| 1-1/2           | <b>PDPAWL150</b> | 100       | 1,000       |   |   |
| 1-7/8           | <b>PDPAWL187</b> | 100       | 1,000       |   |   |
| 2               | <b>PDPAWL200</b> | 100       | 1,000       |   |   |
| 2-1/2           | <b>PDPAWL250</b> | 100       | 1,000       |   |   |
| 3               | <b>PDPAWL300</b> | 100       | 1,000       |   |   |



### .300" Headed Fasteners with 0.145" Shank Diameter and 1 7/16" Metal Washers



| Length (inches) | Part No.       | Pack Qty. | Carton Qty. | Compatible Simpson Tools                                   | Other Compatible Tools   |
|-----------------|----------------|-----------|-------------|--|--|
| 2               | <b>PINW200</b> | 50        | 500         | PTP-27L<br>PT-27<br>PT-22P<br>PT-22A<br>PT-22GS<br>PT-22HA | 721, D-60<br>U-2000,<br>System 1,<br>System 3 &<br>most other low velocity tools |
| 2-1/2           | <b>PINW250</b> | 50        | 500         |  |  |
| 3               | <b>PINW300</b> | 50        | 500         |  |  |

## FASTENERS Top Hats, Conduit Strpas, Ceiling Clips

### .300" Headed Tophat Fasteners with 0.157" Shank Diameter

| Length (inches) | Model            | Pack Qty. | Carton Qty. | Compatible Simpson Tools   | Other Compatible Tools  |
|-----------------|------------------|-----------|-------------|--|---|
| 5/8 Knurled     | <b>PDPAT-62K</b> | 100       | 1,000       | PTP27<br>PTP27AL<br>PTP27AS<br>PTM27<br>PT27<br>PT25S<br>PT22<br>PT22H | 721, D-60<br>U-2000,<br>System 1,<br>System 3 &<br>most other low<br>velocity tools |
| 3/4             | <b>PDPAT-75</b>  | 100       | 1,000       |  |   |
| 1               | <b>PDPAT-100</b> | 100       | 1,000       |  |   |



PDPAT



PCC

### Pre-Assembled Conduit Straps – .300" Headed Fasteners with 0.145" Shank Diameter

| Description                       | Model              | Pack Qty. | Carton Qty. | Compatible Simpson Tools   | Other Compatible Tools  |
|-----------------------------------|--------------------|-----------|-------------|--|---|
| Conduit Clip 1/2" EMT with 1" Pin | <b>PCC50-DP100</b> | 100       | 1,000       | PTP27<br>PTP27AL<br>PTP27AS<br>PTM27<br>PT27<br>PT25S<br>PT22<br>PT22H | 721, D-60<br>U-2000,<br>System 1,<br>System 3,<br>DX-350<br>& most<br>other tools |
| Conduit Clip 3/4" EMT with 1" Pin | <b>PCC75-DP100</b> | 50        | 500         |  |   |



PCLDPA

### Pre-Assembled Ceiling Clips – .300" Headed Fasteners with 0.157" Shank Diameter

| Description                        | Model            | Pack Qty. | Carton Qty. | Compatible Simpson Tools   | Other Compatible Tools                          |
|------------------------------------|------------------|-----------|-------------|--|---|
| Ceiling Clip with 7/8" Pin         | <b>PCLDPA87</b>  | 100       | 1,000       | PTP-27<br>PTP-27AL<br>PTP-27AS<br>PTM-27<br>PT-27<br>PT-25S<br>PT-22<br>PT-22H | DX-350<br>System 1<br>721 & most<br>other tools |
| Ceiling Clip with 1-1/16" Pin      | <b>PCLDPA106</b> | 100       | 1,000       |  |   |
| Ladd Ceiling Clip with 1-5/16" Pin | <b>PCLDPA131</b> | 100       | 1,000       |  |   |



## FASTENERS Collated Fasteners

### .300" Headed Fasteners with 0.157" Shank Diameter - 10 Pin Collation



PDPAS

| Length (inches) | Model     | Pack Qty. | Carton Qty. | Compatible Simpson Tools   | Other Compatible Tools   |
|-----------------|-----------|-----------|-------------|----------------------------|--|
| 1/2 Knurled     | PDPAS-50K | 100       | 1,000       | PTP-27ASMAGR<br>PT-27LMAGR | DX-460 MAG<br>and most other<br>low velocity<br>magazine tools |
| 1               | PDPAS-100 | 100       | 1,000       |                            |  |
| 1-1/4           | PDPAS-125 | 100       | 1,000       |                            |  |
| 2               | PDPAS-200 | 100       | 1,000       |                            |  |
| 2-1/2           | PDPAS-250 | 100       | 1,000       |                            |  |

## FASTENERS Metric Fasteners

### 8MM Headed Fasteners



PHN

| Length (inches) | Model         | Pack Qty. | Carton Qty. | Compatible Simpson Tools  | Other Compatible Tools  |
|-----------------|---------------|-----------|-------------|---|---|
| 5/8 Knurled     | <b>PHN16K</b> | 100       | 1,000       | PTP-27L<br>PTP27S**<br>PT-27<br>PT-22P**<br>PT-22GS<br>PT-22HA* | DX-350<br>DX-36<br>DX-400E<br>DX-A40<br>DX-460<br>DX-A41<br>System 1<br>DX-351 and<br>8mm tools |
| 3/4 Knurled     | <b>PHN19K</b> | 100       | 1,000       |   |   |
| 7/8             | <b>PHN22</b>  | 100       | 1,000       |   |   |
| 1               | <b>PHN27</b>  | 100       | 1,000       |   |   |
| 1-1/4           | <b>PHN32</b>  | 100       | 1,000       |   |   |
| 1-1/2           | <b>PHN37</b>  | 100       | 1,000       |   |   |
| 1-5/8           | <b>PHN42</b>  | 100       | 1,000       |   |   |
| 1-7/8           | <b>PHN47</b>  | 100       | 1,000       |   |   |
| 2               | <b>PHN52</b>  | 100       | 1,000       |   |   |
| 2-1/4           | <b>PHN57</b>  | 100       | 1,000       |   |   |
| 2-1/2           | <b>PHN62</b>  | 100       | 1,000       |   |   |
| 2-7/8           | <b>PHN72</b>  | 100       | 1,000       |   |   |

\*Up to 2-1/2

\*\*Up to 1-1/2

### 8MM Headed Tophat Fasteners

| Length (inches) | Model   | Pack Qty. | Carton Qty. | Compatible Simpson Tools   | Other Compatible Tools                          |
|-----------------|---------|-----------|-------------|--|---|
| 5/8 Knurled     | PHNT16K | 100       | 1,000       | PTP-27 ,PTP-27L<br>PTP-27S, PT-27<br>PT-22P, PT-22A,<br>PT-22GS, PT-22HA | DX-35, DX-350<br>DX460 and<br>most 8mm<br>tools |
| 3/4 Knurled     | PHNT19K | 100       | 1,000       |  |   |
| 1               | PHNT27  | 100       | 1,000       |  |   |



PHNT

**NOTE: All 8mm fasteners have a 3.68mm shank diameter unless otherwise noted. Lengths in inches are for reference only and may not be exact.**



### Other Available PAT (Powder Actuated Tools)\*



PTP27L

THE PTP-27L is an Automatic PAT tool with Adjustable Power, Low Recoil & Noise and 2-1/2" Pin Capacity (4" Pin with Washer). Use for Cold-Formed Steel, Drywall, Electrical, Acoustical/Overhead, Remodeling & Carpentry, Flooring, Glazing, HVAC, Plumbing/Fire Sprinkler, Framing and General applications.

THE PTP-22A is a Single Shot PAT tool that is Economical Professional Grade with a 3" Pin Capacity (4" Pin with Washer). For use in General, Electrical, Framing, Acoustical/Overhead, Remodeling and Carpentry applications.



PT-22A




PT-22HA

THE PTP-22HA is a Single Shot, Medium Duty, Hammer-Activated PAT tool with a 3" Pin Capacity. Best used in Electrical, Remodeling and Carpentry applications.

*Call or Email us for product details.*

\* Above tools on this page are Non-Stock items.

## Coiled Roofing Nails Ring Shank



## Electro-Galvanized Roofing Nails



| Part Number | Length (inches) | Gauge | #/Lbs/box |
|-------------|-----------------|-------|-----------|
| EGRN100     | 1"              | 11    | 25#       |
| EGRN125     | 1-1/4"          |       |           |
| EGRN150     | 1-1/2"          |       |           |
| EGRN175     | 1-3/4"          |       |           |
| EGRN200     | 2"              |       |           |
| EGRN250     | 2-1/2"          |       |           |
| EGRN300     | 3"              |       |           |

| Part Number<br>.304SS | Length (inches) | #/CS | Part Number<br>Electro-Galv |
|-----------------------|-----------------|------|-----------------------------|
| CRNSS100RS            | 1"              | 7.2M | CRNEG100RS                  |
| CRNSS125RS            | 1-1/4"          |      | CRNEG125RS                  |
| CRNSS150RS            | 1-1/2"          |      | CRNEG150RS                  |
| CRNSS175RS            | 1-3/4"          |      | CRNEG175RS                  |

## Vinyl-Coated Sinker



| Part Number | Length (inches) | Lbs/Cs |
|-------------|-----------------|--------|
| NAILSINK06  | 2"              | 6D     |
| NAILSINK07  | 2-1/8"          | 7D     |
| NAILSINK08B | 2-3/8"          | 8D     |
| NAILSINK10  | 2-7/8"          | 10D    |
| NAILSINK16B | 3-1/4"          | 16D    |
| NAILSINK20  | 3-3/4"          | 20D    |

## Common Nails Bright, Smooth Shank



| Part Number   | Length (inches) | # Lb./Cs |
|---------------|-----------------|----------|
| NAILCOM06D#30 | 2"              | 6D 30#   |
| NAILCOM08D#30 | 2-1/2"          | 8D 30#   |
| NAILCOM08D#50 | 2-1/2"          | 8D 50#   |
| NAILCOM10D#30 | 3"              | 10D 30#  |
| NAILCOM10D#50 | 3"              | 10D 50#  |
| NAILCOM16D#30 | 3-1/2"          | 16D 30#  |
| NAILCOM16D#50 | 3-1/2"          | 16D 50#  |
| NAILCOM20D#50 | 4"              | 20D 50#  |
| NAILCOM60D#30 | 6"              | 60D 30#  |

## Masonry Round Top Nails

| Part Number | Length (inches) |
|-------------|-----------------|
| RTMN100     | 1"              |
| RTMN125     | 1-1/4"          |



## Ring Shank Round Top Nails

| Part Number | Length (inches) |
|-------------|-----------------|
| RTRN100     | 1"              |
| RTRN125     | 1-1/4"          |
| RTRN150     | 1-1/2"          |
| RTRN200     | 2"              |
| RTRN300     | 3"              |
| RTRN400     | 4"              |



## Duplex Nails

| Part Number<br>30 Lbs./Case | Part Number<br>50 Lbs./Case | Length (inches) |
|-----------------------------|-----------------------------|-----------------|
| NAILDUP06D#30               | NAILDUP06D#50               | 1-3/4" 6D       |
| NAILDUP08D#30               | NAILDUP08D#50               | 2-1/4" 8D       |
| NAILDUP10D#30               | NAILDUP10#50                | 2-3/4" 10D      |
| —                           | NAILDUP12#50                | 2-7/8" 12D      |
| NAILDUP16D#30               | NAILDUP16D#50               | 3" 16D          |



NOTE: All #/Lb. figures are approximate counts.

# Miscellaneous



|   |           |
|---|-----------|
| <b>Lasers &amp; Layout Tools</b>                    | <b>26</b> |
| <b>Levels</b>                                       | <b>27</b> |
| <b>Measuring Devices &amp; Tapes</b>                | <b>28</b> |
| <b>Parts &amp; Tools Storage/Organizers</b>         | <b>29</b> |
| <b>Cable Ties &amp; Threadlockers</b>               | <b>30</b> |
| <b>Brooms &amp; Brushes</b>                         | <b>31</b> |
| <b>Tie Wire, Rope, Shims, Sheeting &amp; Straps</b> | <b>32</b> |



### LAX 400 Multi-Line 360 Laser

- Self-Leveling
- Very Bright, Crisp Laser Lines & Plumb Down Dot
- 360° Solid Level Line
- 2 Vertical Lines - 90° Angle on Floor/Wall/Ceiling
- Fine Manual Alignment Adjustment Knob

# STA-03360



### LAX 300G Pro-Liner Laser

- Self-Leveling
- Green Lines and Plumb Dots
- Accurate w/Wide Angle Effect
- Distance up to 90 ft
- Rotatable Housing w/Extendable Foot

# STA-03185



### LA-5P G Self-Leveling Laser 5-Point/Dot GreenBEAM

- Self-Leveling
- 5 GREENBEAM Dots visible up to 60 ft
- Pouch, Base, Target Plate, Wall Mount
- 3 x AA Batteries
- Mechanical Off/On Switch & Pendulum Lock

# STA-03165



### LAR 350 Rotation Laser Kit 9-piece set

Includes: LAR 350 Rotation Laser, REC 300 Digital Receiver, RC-LAR350 Remote Control, Heavy Duty Tripod, Elevation Rod, 90° angle mount, laser goggles, target plate, carrying case, 2 x D 1.5V batteries, 4 x AA 1.5 V batteries

# STA-05700TR



### DE-TECH REC 300 Digital Rotating Laser Receiver with Bracket

Uses 2 x AA Batteries

# STA-07430



### Laser Target Plates

| Part No.  | Color |
|-----------|-------|
| STA-07442 | Green |
| STA-07474 | Red   |



### Laser Distance Measurers

Bluetooth® Smart 4.0 for direct data transmission

| Part No.  | Description                      |
|-----------|----------------------------------|
| STA-06250 | LD250BT - 164 FT measuring range |
| STA-06520 | LD 520 - 660 FT+ Video w/4x Zoom |

Free App Available



Construction



Laser

### Tripods

| Part No.  | Description                      |
|-----------|----------------------------------|
| STA-07498 | Construction Tripod - 39" to 63" |
| STA-08560 | Laser Tripod - 27" to 67"        |

### Spirit Levels



**Electronic Level w/2 Digital Displays one each on Top and Side**

| Part No.  | Description                  |
|-----------|------------------------------|
| STA-36514 | 14" Type 196 IP65 TECH Level |
| STA-36524 | 24" Type 196 IP65 TECH Level |
| STA-36548 | 48" Type 196 IP65 TECH Level |
| STA-36572 | 72" Type 196 IP65 TECH Level |



**Magnetic Electronic Level w/2 Digital Displays one each on Top and Side**

| Part No.  | Description                   |
|-----------|-------------------------------|
| STA-36520 | 24" Type 196M IP65 TECH Level |
| STA-36540 | 48" Type 196M IP65 TECH Level |



#### Type 196 Levels

| Part No.  | Description                      |
|-----------|----------------------------------|
| STA-37424 | 24" Length                       |
| STA-37448 | 48" Length                       |
| STA-37472 | 72" Length                       |
| STA-48370 | 3 Level Set - 24", 48" & Torpedo |



#### Type 96M Magnetic Level

| Part No.  | Description                      |
|-----------|----------------------------------|
| STA-38616 | 16" Length                       |
| STA-38624 | 24" Length                       |
| STA-38632 | 32" Length                       |
| STA-38648 | 48" Length                       |
| STA-38672 | 72" Length                       |
| STA-38696 | 96" Length                       |
| STA-48380 | 3 Level Set - 24", 48" & Torpedo |



#### • Pocket Pro Magnetic Level

*Handy Pocket sized (2-5/8in.), Professional Level with Belt Holster. Perfect for electrical work, installing fixtures, etc. ±1/16 in @60 in Measuring Accuracy*

**# STA-11901**



#### Level Case STA-30015



#### Torpedo Levels

| Part No.  | Description                     |
|-----------|---------------------------------|
| STA-25100 | 10" Type 81SM Mag Torpedo Level |
| STA-25245 | 10" Type 81SV Mag Torpedo Level |



## Measuring Devices



| Part No.   | Description                       |
|------------|-----------------------------------|
| OTR18100   | 100 Ft Tape Measure               |
| WR1018     | 6-1/2 Ft Folding Wood Ruler       |
| STN-30-464 | 30 Ft Stanley Tape Measure        |
| STN-30-455 | 25 Ft Stanley Tape Measure        |
| STN-30-495 | 16 Ft Stanley Tape Measure        |
| STN-33-730 | 30 Ft Stanley FatMax Tape Measure |
| STN-33-725 | 25 Ft Stanley FatMax Tape Measure |
| STN-33-716 | 16 Ft Stanley FatMax Tape Measure |



### Masking Tape

| Part Number  | Color  | Size         | Qty   |
|--------------|--------|--------------|-------|
| V0W-MT-F-1   | Flesh  | 1" x 55 yd   | 36/cs |
| V0W-MT-F-1.5 | Flesh  | 1.5" x 55 yd | 24/cs |
| V0W-MT-F-2   | Flesh  | 2" x 55 yd   | 24/cs |
| V0M-MT-OT100 | Orange | 1" x 60 yd   | 36/cs |
| V0M-MT-OT150 | Orange | 1.5" x 60 yd | 24/cs |
| V0M-MT-OT200 | Orange | 2" x 60 yd   | 24/cs |
| V0M-MT-PG91  | Blue   | 1" x 60 yd   | 36/cs |
| V0M-MT-PG92  | Blue   | 1.5" x 55 yd | 24/cs |
| V0M-MT-PG90  | Blue   | 2" x 60 yd   | 24/cs |



### Duct Tape

| Part Number    | Size       | Color  | Qty   |
|----------------|------------|--------|-------|
| V0W-DT-396-1   | 1" X 60 yd | Silver | 48/cs |
| V0W-DT-396-2   | 2" X 55 yd | Silver | 24/cs |
| V0W-DT-396-3   | 3" X 60 yd | Silver | 16/cs |
| V0W-DT-398004  | 4" X 60 yd | Silver | 12/cs |
| V0W-DT-396WH-2 | 2" X 60 yd | White  | 24/cs |
| V0W-DT-396YL-2 | 2" X 60 yd | Yellow | 24/cs |
| V0W-DT-398B-2  | 2" X 60 yd | Black  | 36/cs |
| V5N-801276     | 3" X 60 yd | Black  | 16/cs |

### Specialty Duct Tape

| Part Number | Size        | Description      | Color  | Qty   |
|-------------|-------------|------------------|--------|-------|
| V0W-39800   | 3" X 60 yd  | Contractor Grade | Silver | 16/cs |
| V0W-2420    | 2" X 20 yd  | Non-Residue      | Silver | 12/cs |
| V0W-8979    | 48mmX54.8mm | Performance Plus | Blue   | 24/cs |



Made in U.S.A.



**Bucket Stacker™**

**15051** (Yellow)

4 compartments for organizing nails, nuts and much more  
Includes a drill bit sizer, pencil holder and 4" measuring rule

**Super Stacker™**

**15054** (Red)

44% more capacity  
holds & organizes small parts  
4 compartments  
Includes a drill bit sizer, pencil holder and 4" measuring rule  
Nesting capability



**Parachute Bag**

**25001**


Heavy-duty Duckwear canvas bag  
19 pockets  
Flat ripstop bottom  
Stacks 3-4 deep in most 5 gallon buckets



**GateMouth® Parts Bag**

**GATEMOUTH**

Ideal for mid-sized power tools, cords and accessories. Total of 16 pockets.  
Super-wide "gate-mouth" design  
Removable shoulder strap  
Dimensions: 16"L x 9"W x 12"H



**The Bucketeer®**

**01035**

Rugged Ripstop fabric  
30 pockets to hold tools  
Big interior pockets to hold spray cans or larger hand tools  
Inside loop keeps hammer in place  
Fits most 5 gallon buckets



## Cable Ties

UL recognized Cable Ties and Wire Clamps are made of durable Nylon 6/6. Cable ties are available in lengths from 4 inches to 36 inches. Colors: Natural and Black.



| Part Number Black                      | Part Number Natural | Length | # Per Pkg |
|--|---------------------|--------|-----------|
| Mini CABLE TIES Tensile 18 lbs         |                     |        |           |
| CTB03#18                               | CTN03#18            | 3"     | 100       |
| CTB04#18                               | CTN04#18            | 4"     | 100       |
| Intermediate CABLE TIES Tensile 40 lbs |                     |        |           |
| CTB05#040                              | CTN05#040           | 5"     | 100       |
| CTB06#040                              | CTN06#040           | 6"     | 100       |
| CTB08#040                              | CTN08#040           | 8"     | 100       |
| CTB11#040                              | CTN11#040           | 11"    | 100       |
| CTB14#040                              | CTN14#040           | 14"    | 100       |
| Standard CABLE TIES Tensile 50 lbs     |                     |        |           |
| CTB04#050                              | CTN04#050           | 4"     | 100       |
| CTB06#050                              | CTN06#050           | 6"     | 100       |
| CTB08#050                              | CTN08#050           | 8"     | 100       |
| CTB11#050                              | CTN11#050           | 11"    | 100       |
| CTB14#050                              | CTN14#050           | 14"    | 100       |
| CTB15#050                              | CTN15#050           | 15"    | 100       |
| CTB17#050                              | CTN17#050           | 17"    | 100       |
| CTB19#050                              | CTN19#050           | 19"    | 100       |
| CTB21#050                              | CTN21#050           | 21"    | 100       |
| CTB24#050                              | CTN24#050           | 24"    | 100       |
| CTB36#050                              | CTN36#050           | 36"    | 50        |

| Part Number Black                           | Part Number Natural | Length   | # Per Pkg |
|---|---------------------|----------|-----------|
| Cold Weather CABLE TIES Tensile 50 lbs      |                     |          |           |
| CTBCW08#050                                 |                     | 8"       | 100       |
| CTBCW11#050                                 |                     | 11"      | 100       |
| CTBCW14#050                                 |                     | 14"      | 100       |
| Heavy Duty CABLE TIES Tensile 120 lbs       |                     |          |           |
| CTB08#120                                   | CTN08#120           | 8"       | 100       |
| CTB11#120                                   | CTN11#120           | 11"      | 100       |
| CTB15#120                                   | CTN14#120           | 15", 14" | 100       |
| CTB18#120                                   | CTN18#120           | 18"      | 50        |
| CTB21#120                                   | CTN21#120           | 21"      | 50        |
| CTB28#120                                   | CTN28#120           | 28"      | 50        |
| Extra Heavy Duty CABLE TIES Tensile 175 lbs |                     |          |           |
| CTB18#175                                   | CTN18#175           | 18"      | 50        |
| CTB21#175                                   | CTN21#175           | 21"      | 50        |
| CTB24#175                                   | CTN24#175           | 24"      | 50        |
| CTB30#175                                   | CTN30#175           | 30"      | 50        |
| CTB32#175                                   | CTN32#175           | 32"      | 50        |
| CTB36#175                                   | CTN36#175           | 36"      | 50        |
| CTB48#175                                   | CTN48#175           | 48"      | 50        |
| CTB60#175                                   | CTN60#175           | 60"      | 50        |

| Part Number Natural | Length | # Per Pkg |
|---------------------|--------|-----------|
| WIRE CLAMPS         |        |           |
| NWC19N              | 3/16"  | 100       |
| NWC25N              | 1/4"   | 100       |
| NWC31N              | 5/16"  | 100       |
| NWC38N              | 3/8"   | 100       |
| NWC50N              | 1/2"   | 100       |
| NWC62N              | 5/8"   | 100       |



## Anaerobic Threadlockers

- Lock and seal threaded fasteners
- Stop fasteners from loosening from shock and vibration
- Perform better than lock & bevel washers, and other forms of mechanical locking devices
- Alleviates rust-lock
- Prevent leakage



| Part Number | Description                                 |
|-------------|---|
| VTTL12110   | Medium Strength Vibra-Tite (Blue)- 10 ml    |
| VTTL12150   | Medium Strength Vibra-Tite (Blue)- 50 ml    |
| 23027110    | Permanent Strength Vibra-Tite (Red) - 10 ml |
| VTTL12535   | Permanent Strength Vibra-Tite - 35 ml       |



## Brooms

| Part Number | Description                                   |
|-------------|---|
| B718XLH     | Black Plastic & Horsehair Broom Head 18" Wide |
| B3718LH     | Grey Soft Flagged Edges Broom Head 18" Wide   |
| B3724LH     | Grey Soft Flagged Edges Broom Head 24" Wide   |
| B3736LH     | Grey Soft Flagged Edges Broom Head 36" Wide   |
| B228        | 10" Corn Whisk Broom                          |
| B4135467    | Corn Broom                                    |
| B475DS      | Black Duo-Sweep Broom                         |
| B474DS      | Blue Duo-Sweep Broom                          |
| B36114024   | Coarse Flo-Pac Broom Head 24" Wide            |
| B36761824   | Orange Semi Rigid Broom Head 18" Wide         |
| B36762424   | Orange Semi Rigid Broom Head 24" Wide         |



Black Plastic & Horsehair



Whisk Broom



Grey Soft Flagged Edges



Corn Broom




Blue Flo-Pac



Orange Semi Rigid



Tapered Broom Handle



Stainless Steel Wire Brush

## Brushes

| Part Number | Description                   |
|-------------|-------------------------------|
| B270        | 7" Stainless Steel Wire Brush |
| B271        | 7" Brass Wire Brush           |
| B56         | 9" Counter Brush              |
| B1A         | Acid Brush                    |
| B231        | 1" Oil & Chip Brush           |
| B233        | 2" Oil & Chip Brush           |
| B235        | 3" Oil & Chip Brush           |
| B364575     | 1-1/2" Detail Brush           |



Brass Wire Brush



Oil & Chip Brush



Counter Brush



Detail Brush



Acid Brush

## Broom Handles and Braces

| Part Number | Description                 |
|-------------|-----------------------------|
| BC60        | 5 Ft Tapered Broom Handle   |
| BC72        | 6 Ft Tapered Broom Handle   |
| BM60        | 5 Ft Lumathread Boom Handle |
| B45280      | Rigid Brace                 |

Lumathread Broom Handle

## Metal Dust Pans

| Part Number | Description       |
|-------------|-------------------|
| B6          | Dust Pan 12" Wide |
| B7          | Dust Pan 16" Wide |



Dust Pans

## Squeegees

| Part Number | Description                       |
|-------------|-----------------------------------|
| B8730       | 30" Floor Squeegee - Foam Rubber  |
| B4124TP     | 24" Floor Squeegee - Black Rubber |



Floor Squeegee



Sweeping Compound

## Sweeping Compound

| Part Number | Description        |
|-------------|--------------------|
| V8G-SCGREEN | 50 Lb. Kleen Sweep |



### Tie Wire

| Part Number | Description                            | Packaging |
|-------------|--|-----------|
| <b>TW</b>   | 16 Gauge Black Annealed 3-1/2 Lb. Roll | 20 RL/CS  |




### Wood Shims

| Part No.    | Thickness & Size | Qty/Pk |
|-------------|------------------|--------|
| <b>WS</b>   | 1-1/2" X 8"      | 12/pk  |
| <b>WS12</b> | 1-1/2" x 12"     | 42/pk  |



### Manila Rope

| Part Number        | Size          |
|--------------------|---------------|
| <b>VV1L-MAO146</b> | 1/4" X 600 ft |
| <b>VV1L-MAO386</b> | 3/8" X 600 ft |



### High Impact Plastic "Horseshoe" Shim 1000/box

| Part Number      | Thickness | Size            | Color |
|------------------|-----------|-----------------|-------|
| <b>GRV-HS206</b> | 1/16"     | 1-1/2" X 2"     | Blue  |
| <b>GRV-HS213</b> | 1/8"      | 1-1/2" x 2"     | Red   |
| <b>GRV-HS225</b> | 1/4"      | 1-1/2" x 2"     | Black |
| <b>GRV-HS306</b> | 1/16"     | 1-1/2" X 3-1/2" | Blue  |
| <b>GRV-HS313</b> | 1/8"      | 1-1/2" X 3-1/2" | Red   |
| <b>GRV-HS325</b> | 1/4"      | 1-1/2" X 3-1/2" | Black |

### Yellow Polypropylene Rope


| Part Number     | Size          |
|-----------------|---------------|
| <b>VV1L-14Y</b> | 1/4" X 600 ft |
| <b>VV1L-38Y</b> | 3/8" X 600 ft |
| <b>VV1L-12Y</b> | 1/2" X 600 ft |
| <b>VV1L-58Y</b> | 5/8" X 600 ft |



### Rubber Bungee Straps with "S" Hooks



| Part Number       | Size |
|-------------------|------|
| <b>VV1D-STR10</b> | 10"  |
| <b>VV1D-STR15</b> | 15"  |
| <b>VV1D-STR21</b> | 21"  |
| <b>VV1D-STR31</b> | 31"  |
| <b>VV1D-STR41</b> | 41"  |



### Shimstacks 1" Stack of 16 Horseshoe shims

| Part Number        | Thickness & Size                       | Color | Qty     |
|--------------------|--|-------|---------|
| <b>GRV-HSTACKS</b> | 1/16" X 1-7/8" X 3-5/8" with 5/8" slot | Black | 2000/bx |



### Poly Sheeting

| Part Number  | Size     | Description |
|--------------|----------|-------------|
| <b>CP410</b> | 10 X 100 | 4 mil Clear |
| <b>CP420</b> | 20 X 100 | 4 mil Clear |
| <b>CP610</b> | 10 X 100 | 6 mil Clear |



### Structural Shims

| Part Number       | Size          | Qty     |
|-------------------|---------------|---------|
| <b>GRV-SS2406</b> | 1/16" x 2 x 4 | 1200/cs |
| <b>GRV-SS2413</b> | 1/8" x 2 x 4  | 1200/cs |
| <b>GRV-SS2425</b> | 1/4" x 2 x 4  | 720/cs  |
| <b>GRV-SS2606</b> | 1/16" x 2 x 6 | 1600/cs |
| <b>GRV-SS2613</b> | 1/8" x 2 x 6  | 900/cs  |
| <b>GRV-SS2625</b> | 1/4" x 2 x 6  | 475/cs  |





ORIGINATOR

[Empty box for originator name]



Office (651) 646-6141  
Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

**APPLICATION FOR CREDIT**

Date: \_\_\_\_\_

**COMPANY:** \_\_\_\_\_

Application Requested by: \_\_\_\_\_

**INVOICE TO:**

**SHIP TO:**

(Address/P.O.Box) \_\_\_\_\_

(Street Address) \_\_\_\_\_

(City, State & Zip) \_\_\_\_\_

(City, State & Zip) \_\_\_\_\_

Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Email: \_\_\_\_\_

Invoice Preference: Fax \_\_\_\_\_ Email \_\_\_\_\_

If your company is Tax Exempt, a copy of the certificate is required.

Years in business: \_\_\_\_\_

Accounts Payble Contact: \_\_\_\_\_

**Trade References:**

**Name of Supplier**

**Phone Number**

**Fax Number** *(required)*

1. \_\_\_\_\_

\_\_\_\_\_

2. \_\_\_\_\_

\_\_\_\_\_

3. \_\_\_\_\_

\_\_\_\_\_

**Bank Reference:**

Name of Bank \_\_\_\_\_

Phone Number \_\_\_\_\_

Contact at Bank \_\_\_\_\_

Account Number \_\_\_\_\_

*If application is not complete it will not be processed.*

**The above information is given for the purpose of establishing a line of credit an is a true and correct statement.**

\_\_\_\_\_  
*Signature*

\_\_\_\_\_  
*Title*

\_\_\_\_\_  
*Date*

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.

**Please email completed credit application to:  
info@vikingindustrialcenter.com**





**ST. PAUL**  
2550 Kasota Ave  
(800) 328-6505

**DULUTH**  
4730 Grand Ave  
(800) 232-1367

**FOREST LAKE**  
9205 Lake Drive NE  
(651) 756-8758

Safety, Fastener & Strut Specialists

[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)

[info@vikingindustrialcenter.com](mailto:info@vikingindustrialcenter.com)

**FIRST AID**

**EYE & FACE PROTECTION**

**HEAD PROTECTION**

**HAND PROTECTION**

**HI VISIBILITY GARMENTS**

**CONFINED SPACE ENTRY**

**LOCKOUT/TAGOUT**

**SURFACE PROTECTION PRODUCTS**

**REBAR CAPS**

**HEARING PROTECTION**

**RESPIRATORY PROTECTION**

**RAINWEAR & RUBBER BOOTS**

**FALL PROTECTION**

**GAS DETECTION**

**SIGNS**

**RENTAL EQUIPMENT**  
GAS MONITORS, TRIPODS, BLOWERS

**UNISTRUT & FITTINGS**

**CONSTRUCTION FASTENERS**

**THREADED ROD**

**DUCT, MASKING & PAINTERS TAPE**

**ROOFING SCREWS**

**HIGH SPEED & CARBIDE BITS**

**ADHESIVES & CAULKS**

**AUTO FEED SCREW DRIVING  
SYSTEMS**

**FOAM SEALANTS & FIRE  
STOPPING PRODUCTS**

**MARKING PAINT, CHALK**

**RIVET TOOLS & RIVETS**

**SECURITY FASTENERS**

**SAW BLADES**

**POWDER ACTUATED TOOLS,  
PINS AND LOADS**

**ELECTRICAL CORDS & GFCI**

**POLY SHEETING**

**Convenient  
Service Center Locations**

**ST PAUL**

**651-646-6374**

**2550 Kasofa AVE.**

**DULUTH**

**218-624-4851**

**4730 GRAND AVE.**

**FOREST LAKE**

**651-756-8758**

**9205 Lake Drive NE**



**Twin Cities Metro Area - 800-328-6505**

**Duluth/Superior Area - 800-232-1367**

**[www.vikingindustrialcenter.com](http://www.vikingindustrialcenter.com)**