

Fastener, Safety & Strut Specialists

LIFTING ROPE TIE-DOWN





- 651-646-6374
- 800-328-6505

DULUTH

- 218-624-4851
- 800-232-1367

FOREST LAKE

- 651-756-8758
- 800-328-6505



2025

www.vikingindustrialcenter.com



Viking Industrial Center is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walkin customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

Viking Industrial Center Offers Jobsite Service



Customer Service Centers

Store Hours: 7:00 a.m. - 4:00 p.m. Monday - Friday

St. Paul 2550 Kasota Avenue (800) 328-6505 Phone (651) 646-6374 Fax (651) 646-7546 info@vikingindustrialcenter.com Forest Lake
9205 Lake Drive NE
(800) 328-6505
Phone (651) 756-8758
Fax (651) 797-2942
info@vikingindustrialcenter.com

Duluth 4730 Grand Avenue (800) 232-1367 Phone (218) 624-4851 Fax (218) 624-4788 info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog. Specifications are subject to change without notice.

Please call Viking Industrial Center at 1-800-328-6505 for current product data.

TERMS OF SALE

Payment: Net 30 days from invoice date.

FOB: Shipping Point.

Transportation: We will determine the best methods for transportation unless specified in

order.

Returned Goods: Goods may be returned for credit, exchange or replacement only with

authorization and subject to inspection and restocking charge.

Special & Custom Items: Special order and custom-made items become the property

of the buyer and ARE NON-RETURNABLE.

New Accounts: In order to expedite shipments to new accounts, payment in full must

accompany order. We do not make COD shipments.

Prices: All prices are subject to change or withdrawal without prior notice.

Credit Cards We accept for credit card purchases







NOTICE: There is a minimum purchase of \$10 per order.

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

- B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.
- C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

Lifting - Rope - Tie Down



Lifting Slings	2
Vehicle Recovery Straps	3
Accessories	3-4
Tie Down	4-5
Chain	6
Rope	6-7

Whenever your need is for **Lifting or The Down**, the following products will help you to secure the load you are dealing with. Viking Industrial Center stocks a wide variety of high quality products of superior design for just this purpose. If you don't see what you are looking for, just give us a call. We are here to assist you with a solution!



Lifting Slings

All lifting slings are industry compliant and built to the Web Sling & Tie Down Association (WSTDA) standards that cover construction, ratings and markings. They are defined and based on a straight-line pull, or vertical pull. Features:

Tapered eye loops, Shrink-wrap package, Durable service inspection tags to track usage


2" Wide Double Ply Nylon

Eye to Eye - Flat

P/N	Length (Feet)
NEE2-902-2	2 FT
NEE2-902-4	4 FT
NEE2-902-6	6 FT
NEE2-902-8	8 FT
NEE2-902-10	10 FT
NEE2-902-12	12 FT
NEE2-902-14	14 FT
NEE2-902-16	16 FT
NEE2-902-20	20 FT
NEE2-902-30	30 FT



2" Wide Double Ply Polyester Eye to Eye - Tapered







Above Lifting Slings have three types of lifts and ratings per WSTDA requirements

> Vertical WLL - 6200 lbs Choker WLL - 4950 lbs Basket WLL - 12,400 lbs







BASKET

Vehicle Recovery Straps

Polyester Recovery Straps

- Abrasion Resistant
- UV Resistant
- · Chemical Resistant
- Mildew Resistant
- · Stores easily using sewn in storage band



Size	P/N	Color	MVW (lbs)
2" x 20 ft	ANC-VRS-220	GRAY	8000 Lbs
2" x 30 ft	ANC-VRS-230	GRAY	8000 Lbs

MVW (Maximum Vehicle Weight)

The maximum weight of the vehicle being recovered, including cargo load, for which the strap is intended for use.

Accessories

Schackles

· Screw Pin Anchor



P/N	Size	WLL
SHASP025HG	1/4"	1000 Lbs
SHASP031HG	5/16"	1500 Lbs
SHASP038HG	3/8"	2000 Lbs
SHASP044HG	7/16"	3000 Lbs
SHASP050HG	1/2"	4000 Lbs
SHASP062HG	5/8"	6500 Lbs
SHASP075HG	3/4"	9500 Lbs
SHASP100HG	1"	17000 Lbs



Accessories

Forged Eye Bolts



P/N	Size	WLL
FEBIMP25100	1/4 x 1"	500 Lbs
FEBIMP31118	5/16 x 1-1/8"	900 Lbs
FEBIMP38125	3/8 x 1-1/4"	1400 Lbs
FEBIMP50150	1/2 x 1-1/2"	2600 Lbs
FEBIMP62175	5/8 x 1-3/4"	4000 Lbs
FEBIMP75200	3/4 x 2"	6000 Lbs

Tie Down

Ratchet

NRTD2-WH-27

- Designed to secure cargo up to 3,333 lbs
- Chromate-coated steel ratchet with 7.5" long handle
- · Latex-coated 2" heavy-duty polyester webbing
- · Chromate-coated steel double wire hooks





NRTD2-FH-27

- · Designed to secure cargo up to 3,333 lbs
- Chromate-coated steel ratchet with 7.5" long handle
- · Latex-coated 2" heavy-duty polyester webbing
- Powder coated steel flat hooks with aluminum edge guard in webbing slot

P/N	Size	WLL
NRTD1-SH-08	1" x 8 Ft	1000 Lbs
NRTD1-SH-10	1" x 10 Ft	1000 Lbs
NRTD1-SH-12	1" x 12 Ft	1000 Lbs
NRTD1-SH-14	1" x 14 Ft	1000 Lbs
NRTD1-SH-15	1" x 15 Ft	1000 Lbs
NRTD1-SH-16	1" x 16 ft	1000 Lbs
NRTD1-SH-18	1" x 18 Ft	1000 Lbs
NRTD1-SH-20	1" x 20 Ft	1000 Lbs
NRTD1-SH-22	1" x 22 Ft	1000 Lbs





Tie Down

Bungee Cords




Heavy Duty Rubber Strap with S-Hook on Each End

P/N	LENGTH	#/CASE
VV1D-STR10	9"	50
VV1D-STR15	15"	50
VV1D-STR21	21"	50
VV1D-STR31	31"	50
VV1D-STR41	41"	50

ANC-CPP-2T

Professional Grade Cable Puller

- Longer 19" handle
- · Larger hooks and thicker frame
- 3/16" gac w/ 6ft take-up
- 2:1 Ratio
- 2Ton Pro Double Line
- 4000lbs capacity





ANC-50140-11

Professional Grade Ratchet Binder for use w/ 3/8in chain

- 90% faster than standard binder
- · Long, contoured handle
- 12" of take-up
- 6,600lbs capacity

Tie-Down Points



ANC-XH8032

1/2" HD FFlip RING

- 666 Lbs WLL
- · Steel Wire Ring with Bracket
- Surface Mount Design



ANC-XH8034

3" Flip Ring

- 1666 Lbs WLL
- 6" Round Pan Recessed
- 360 degree Rotation



Chain



P/N	Туре	Chain Diam	Grade
CH70-031-20	Transport Tie-Down	5/16" x 20 ft	Gr 70
CH70-038	Transport Tie-Down	3/8"	Gr 70
CH70-038-12	Transport Tie-Down w/ Hooks	3/8" x 12 ft	Gr 70
CH70-038-20	Transport Tie-Down	3/8" x 20 ft	Gr 70
CH70-050	Transport Tie-Down	1/2"	Gr 70
CH80-028	Lifting	9/32"	Gr 80

Sold by the Foot except where length is noted

Rope







P/N	Diameter	Length/Coil	
YELLOW POLYPROPYLENE			
VV1L-12Y	1/2"	600 Ft	
VV1L-14Y	1/4"	600 Ft	
VV1L-1Y	1"	600 Ft	
VV1L-34Y	3/4"	600 Ft	
VV1L-38Y	3/8"	600 Ft	
VV1L-58/Y	5/8"	600 Ft	
	MANILA		
VV1L-MAO126	1/2"	600 Ft	
VV1L-MAO146	1/4"	600 Ft	
VV1L-MAO386	3/8"	600 Ft	
VV1L-MAO626	5/8"	600 Ft	
VV1L-MAO756	3/4"	600 Ft	
VV1L-MAO1412	1/4"	1200 Ft	
WHITE POLYDAC W/TRACER			
VV1L-12WPD	1/2"	600 Ft	
VV1L-34WPD	3/4"	600 Ft	
VV1L-58WPD	5/8"	600 Ft	



Rope

P/N	Diameter	Length/Coil		
YEL	YELLOW POLYPROPYLENE			
VV1L-12Y	1/2"	600 Ft		
VV1L-14Y	1/4"	600 Ft		
VV1L-1Y	1"	600 Ft		
VV1L-34Y	3/4"	600 Ft		
VV1L-38Y	3/8"	600 Ft		
VV1L-58/Y	5/8"	600 Ft		
	MANILA			
VV1L-MAO126	1/2"	600 Ft		
VV1L-MAO146	1/4"	600 Ft		
VV1L-MAO386	3/8"	600 Ft		
VV1L-MAO626	5/8"	600 Ft		
VV1L-MAO756	3/4"	600 Ft		
VV1L-MAO1412	1/4"	1200 Ft		
WHITE POLYDAC W/TRACER				
VV1L-12WPD	1/2"	600 Ft		
VV1L-34WPD	3/4"	600 Ft		
VV1L-58WPD	5/8"	600 Ft		

P/N	Туре	Chain Diam	Grade	Finish
CH30-019	Proof Coil	3/16"	Gr 30	ZP
CH30-025	Proof Coil	1/4"	Gr 30	ZP
CH30-031	Proof Coil	5/16"	Gr 30	ZP
CH30-038	Proof Coil	3/8"	Gr 30	ZP
GH30HG-050	Proof Coil	1/2"	Gr 30	HDG
CH30PL-019	Proof Coil	3/16"	Gr 30	PL
CH30SS-025	Proof Coil	1/4"	Gr 30	SS
CH70-031-20	Transport Tie-Down	5/16" x 20 ft	Gr 70	-
CH70-038	Transport Tie-Down	3/8"	Gr 70	-
CH70-038-12	Transport Tie-Down w/ Hooks	3/8" x 12 ft	Gr 70	-
CH70-038-20	Transport Tie-Down	3/8" x 20 ft	Gr 70	-
CH70-050	Transport Tie-Down	1/"	Gr 70	-
CH80-028	Lifting	9/32"	Gr 80	-







Office (651) 646-6141 Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

APPLICATION FOR CREDIT

Date:		
COMPANY:	Application Requested by: _	
INVOICE TO:		
(Address/P.O.Box)	(Street Address)	_
(City, State & Zip)	(City, State & Zip)	
Phone: Fax:	Email:	
Invoice Preference: Fax Email	If your company is Tax Exempt	, a copy of the certificate is required.
Years in business:	Accounts Payble Contact:	
Trade References:		
Name of Supplier	Phone Number	Fax Number (required)
1		
2		_
3		_
Bank Reference:		
Name of Bank	Phone Number	
Contact at Bank	Account Number	
If application	is not complete it will not be processed.	
The above information is given for the pur	rpse of establishing a line of credit an is	s a true and correct statement
Signature	Title	Date

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.



ST. PAUL

DULUTH

2550 Kasota Ave 4730 Grand Ave

(800) 328-6505 (800) 232-1367

FOREST LAKE

9205 Lake Drive NE (651) 756-8758

www.vikingindustrialcenter.com

Safety, Fastener & Strut Specialists

info@vikingindustrialcenter.com

FIRST AID UNISTRUT & FITTINGS

EYE & FACE PROTECTION CONSTRUCTION FASTENERS

HEAD PROTECTION THREADED ROD

HAND PROTECTION **DUCT, MASKING & PAINTERS TAPE**

HI VISIBILITY GARMENTS ROOFING SCREWS

CONFINED SPACE ENTRY **HIGH SPEED & CARBIDE BITS**

LOCKOUT/TAGOUT **ADHESIVES & CAULKS**

AUTO FEED SCREW DRIVING SURFACE PROTECTION PRODUCTS

SYSTEMS

FOAM SEALANTS & FIRE REBAR CAPS STOPPING PRODUCTS

HEARING PROTECTION MARKING PAINT, CHALK

RESPIRATORY PROTECTION **RIVET TOOLS & RIVETS**

RAINWEAR & RUBBER BOOTS SECURITY FASTENERS

FALL PROTECTION SAW BLADES

POWDER ACTUATED TOOLS, **GAS DETECTION** PINS AND LOADS

SIGNS ELECTRICAL CORDS & GFCI

POLY SHEETING RENTAL EQUIPMENT GAS MONITORS, TRIPODS, BLOWERS

Convenient Service Center Locations

ST PAUL

651-646-6374 2550 Kasota AVE.

DULUTH

218-624-4851 4730 GRAND AVE.

FOREST LAKE

651-756-8758 9205 Lake Drive NE



Twin Cities Metro Area - 800-328-6505

Duluth/Superior Area - 800-232-1367

www.vikingindustrialcenter.com