



VIKING

Industrial Center

Fastener, Safety & Strut Specialists

Power Tool Accessories High Performance Drilling



ST PAUL

- 651-646-6374
- 800-328-6505

DULUTH

- 218-624-4851
- 800-232-1367

FOREST LAKE

- 651-756-8758
- 800-328-6505

2025

www.vikingindustrialcenter.com



Viking Industrial Center is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walk-in customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

Viking Industrial Center Offers Jobsite Service



Customer Service Centers

**Store Hours: 7:00 a.m. - 4:00 p.m.
Monday - Friday**

St. Paul
2550 Kasota Avenue
(800) 328-6505
Phone (651) 646-6374
Fax (651) 646-7546
info@vikingindustrialcenter.com

Forest Lake
9205 Lake Drive NE
(800) 328-6505
Phone (651) 756-8758
Fax (651) 797-2942
info@vikingindustrialcenter.com

Duluth
4730 Grand Avenue
(800) 232-1367
Phone (218) 624-4851
Fax (218) 624-4788
info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog.
Specifications are subject to change without notice.
Please call Viking Industrial Center at 1-800-328-6505 for current product data.

TERMS OF SALE

Payment: Net 30 days from invoice date.

FOB: Shipping Point.

Transportation: We will determine the best methods for transportation unless specified in order.

Returned Goods: Goods may be returned for credit, exchange or replacement only with authorization and subject to inspection and restocking charge.

Special & Custom Items: Special order and custom-made items become the property of the buyer and ARE NON-RETURNABLE.

New Accounts: In order to expedite shipments to new accounts, payment in full must accompany order. We do not make COD shipments.

Prices: All prices are subject to change or withdrawal without prior notice.

Credit Cards: We accept for credit card purchases



NOTICE: There is a minimum purchase of \$10 per order.

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.


Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.

C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

Power Tool Accessories High Performance Drilling



High Speed Drills - Vortex Point	2-5
Plug Taps & Cutting Fluids	6
SDS Max 4-Cutter Bits	7
SDS Plus 2-Cutter Bits	8
SDS Blits - Stop Bits	9
Floor Scrapers & Chisels	10
Multi-Purpose, Porcelain, Tile, Granite & Wet Diamond Drill Bits	11
Diamond Tip Drills & Core Bits	12
Spade Bits	13
Step Drill & Ship Auger Bits	14
Hole Saws	15-19
Hole Saw Arbors & Accessories	20
Insty Bits	21
Inset Bit Kits	22
Insert Bits	23-24
Adapters & Nut Setters	25

HIGH SPEED DRILLS



VORTEX-POINT™

Part#	Dia.	#/Pk
250VT06	1/16	6
250VT08	5/64	6
250VT09	3/32	6
250VT11	7/64	6
250VT13	1/8	6
250VT14	9/64	6
250VT16	5/32	6
250VT17	11/64	6
250VT19	3/16	6
250VT20	13/64	6
250VT22	7/32	6
250VT23	15/64	6
250VT25	1/4	6
250VT27	17/64	6
250VT28	9/32	6
250VT30	19/64	3
250VT31	5/16	3
250VT33	21/64	3
250VT34	11/32	3
250VT36	23/64	3
250VT38	3/8	3
250VT39	25/34	3
250VT41	13/32	3
250VT42	27/64	3
250VT44	7/16	3
250VT45	29/64	3
250VT47	15/32	3
250VT48	31/64	3
250VT50	1/2	3

Type 250-VT Mechanic Length Drills
 Magnum Super Premium Black & Gold
 3-Flats on Shank
 Step Drill Design
 135° Split Point
 Use for Hard steel, Sheet metal, Brass & Acrylics drilling



250VT29PO
 29 Piece ULTRA Black & Gold
 VORTEX-POINT Drill Index
 SIZES 1/16 TO 1/2

HIGH SPEED DRILLS



Type 240-UB Jobbers Length Drills
 Magnum Super Premium Black & Gold
 135° Split Point
 Use for stainless steel & hard metal drilling

29 piece Type 240-UB Ultra Drill Index
 Magnum Super Premium Black & Gold
 135° Split Point
 Includes sizes 1/16" to 1/4" by 64ths
190AGSP29P



13 piece Type 240-UB Drill Index
 Magnum Super Premium Black & Gold
 135° Split Point
 Includes sizes 1/16" to 1/4" by 64ths
190AGSP13



Part#	Dia.	#/Pk
190AG06	1/16	12
190AG08	5/64	12
190AG09	3/32	12
190AG11	7/64	12
190AG13	1/8	12
190AG14	9/64	12
190AG16	5/32	12
190AG17	11/64	12
190AG19	3/16	12
190AG20	13/64	12
190AG22	7/32	12
190AG23	15/64	12
190AG25	1/4	12
190AG27	17/64	12
190AG28	9/32	12
190AG30	19/64	6
190AG31	5/16	6
190AG33	21/64	6
190AG34	11/32	6
190AG36	23/64	6
190AG38	3/8	6
190AG39	25/34	6
190AG41	13/32	6
190AG42	27/64	6
190AG44	7/16	6
190AG45	29/64	6
190AG47	15/32	6
190AG48	31/64	6
190AG50	1/2	6
190AG52	33/64	1
190AG53	17/32	1
190AG55	35/64	1
190AG56	9/16	1
190AG58	37/64	1
190AG59	19/32	1
190AG61	39/64	1

Part#	Dia.	#/Pk
190AG#01	#1	12
190AG#02	#2	12
190AG#03	#3	12
190AG#04	#4	12
190AG#05	#5	12
190AG#06	#6	12
190AG#07	#7	12
190AG#08	#8	12
190AG#09	#9	12
190AG#10	#10	12
190AG#11	#11	12
190AG#12	#12	12
190AG#13	#13	12
190AG#14	#14	12
190AG#15	#15	12
190AG#16	#16	12
190AG#17	#17	12
190AG#18	#18	12
190AG#19	#19	12
190AG#20	#20	12
190AG#21	#21	12
190AG#22	#22	12
190AG#23	#23	12
190AG#24	#24	12
190AG#25	#25	12
190AG#26	#26	12
190AG#27	#27	12
190AG#28	#28	12
190AG#29	#29	12
190AG#30	#30	12
190AG#31	#31	12
190AG#32	#32	12
190AG#33	#33	12
190AG#34	#34	12
190AG#35	#35	12
190AG#36	#36	12
190AG#37	#37	12
190AG#38	#38	12
190AG#39	#39	12
190AG#40	#40	12
190AG#41	#41	12
190AG#42	#42	12
190AG#43	#43	12
190AG#55	#55	12

HIGH SPEED DRILLS

Type 278-UB 3/8" Reduced Shank

Jobbers Length Drills - Black & Gold

Magnum Super Premium

135° Split Point

Part Number	Diameter	#/Pk
128AG41	13/32	6
128AG42	27/64	6
128AG44	7/16	6
128AG45	29/64	6
128AG47	15/32	6
128AG48	31/64	6
128AG50	1/2	6
128AG53	17/32	1
128AG56	9/16	1
128AG62	5/8	1



21 piece 3/8" Reduced Shank Drill Index

Jobbers Length Drills - Black & Gold


Magnum Super Premium, Silver & Deming

135° Split Point

Includes sizes:

1/16" by 64ths & 9/32 to 1/2" by 32nds

128AGSP21R



Type 130AG 1/2" Reduced Shank

Black & Gold

Magnum Super Premium Drills

135° Split Point

Part Number	Diameter
130056	9/16
130062	5/8
130069	11/16
130075	3/4
130081	13/16
130088	7/8
130094	15/16
130AG100	1
130AG106	1-1/16
130AG113	1-1/8
130AG119	1-3/16
130AG125	1-1/4
130AG138	1-3/8



Type QR-UB 1/4" Hex Shank Quick Release

Mechanic Length Drills - Black & Gold

Magnum Super Premium

135° Split Point

Part Number	Diameter	#/Pk
QRAG06	1/16"	6
QRAG09	3/32"	6
QRAG13	1/8"	6
QRAG16	5/32"	6
QRAG19	3/16"	6
QRAG22	7/32"	6
QRAG25	1/4"	6
QRAG28	9/32"	6
QRAG31	5/16"	3
QRAG34	11/32"	3
QRAG38	3/8"	3
QRAG41	13/32"	6
QRAG44	7/16"	3
QRAG47	15/32"	3
QRAG50	1/2"	3



12 piece Quick Release Set

Mechanic Length Drills with 1/4" Hex Shank

Magnum Super Premium Black & Gold

135° Split Point

Includes sizes 1/16" to 1/2" and Quick Release Adapter

QR12AG



HIGH SPEED DRILLS

Type 135 Stub Length Drills Heavy Duty - 135° Split Point Black



Part#	Dia.	#/Pk	Part#	Dia.	#/Pk	Part#	Dia.	#/Pk
13506	1/16	12	13530	19/64	6	135#01	#1	12
13508	5/64	12	13531	5/16	6	135#03	#3	12
13509	3/32	12	13533	21/64	6	135#07	#7	12
13511	7/64	12	13534	11/32	6	135#08	#8	12
13513	1/8	12	13536	23/64	6	135#11	#11	12
13514	9/64	12	13538	3/8	6	135#16	#16	12
13516	5/32	12	13539	25/34	6	135#20	#20	12
13517	11/64	12	13541	13/32	6	135#21	#21	12
13519	3/16	12	13542	27/64	6	135#29	#29	12
13520	13/64	12	13544	7/16	6	135#30	#30	12
13522	7/32	12	13545	29/64	6	135#32	#32	12
13523	15/64	12	13547	15/32	6	135#36	#36	12
13525	1/4	12	13548	31/64	6			
13527	17/64	12	13550	1/2	6			
13528	9/32	12						

Type 166 Aircraft Type B 6" Long Extension Drills - Surface Treated

Part Number	Diameter
166#01	#1
166#02	#2
166#05	#5
166#07	#7
166#11	#11
166#21	#21
166#29	#29
166#30	#30
16609	3/32
16611	7/64
16613	1/8
16614	9/64
16616	5/32
16617	11/64
6619	3/16
16620	13/64
16622	7/32
16623	15/64
16625	1/4
16628	9/32
16631	5/16
16634	11/32
16638	3/8



Type 168 Welded Construction 12" Long Extension Drills - Surface Treated

Part Number	Diameter
16813	1/8
16816	5/32
16819	3/16
16820	13/64
16822	7/32
16823	15/64
16825	1/4
16827	17/64
16828	9/32
16831	5/16
16838	3/8
16844	7/16
16848	31/64
16850	1/2



Type 140 Twin End Drills Heavy Duty -135° Split Point 12 Per Pack

Part Number	Diameter
140#11	#11
140#30	#30
14009	3/32
14011	7/64
14013	1/8
14014	9/64
14016	5/32
14019	3/16
14025	1/4



PLUG TAPS

Type 721/720 Straight Flute Plug Taps

High Carbon Steel - 3 Flute

Part Number	Size	Drill
7210632	6-32	36
7210832	8-32	29
7211024	10-24	25
7211032	10-32	21
7211224	12-24	16
7202520	1/4-20	7
7202528	1/4-28	3
7203118	5/16-18	17/64
7203124	5/16-24	17/64
7203816	3/8-16	5/16
7203824	3/8-24	21/64
7204414	7/16-14	3/8
7204420	7/16-20	25/64
7205013	1/2-13	27/64



Type 20-UB Spiral Point Plug Taps

Gold Oxide
Magnum Super Premium
- Hi-Tungsten & Hi-Molybdenum w/Gold Surface

Part Number	Size	Drill
20AG0632	6-32	36
20AG0832	8-32	29
20AG1024	10-24	25
20AG1032	10-32	21
20AG1224	12-24	16
20AG2520	1/4-20	7
20AG2528	1/4-28	3
20AG3118	5/16-18	17/64
20AG3124	5/16-24	17/64
20AG3816	3/8-16	5/16
20AG3824	3/8-24	21/64
20AG4414	7/16-14	3/8
20AG4420	7/16-20	25/64
20AG5013	1/2-13	27/64

CUTTING FLUIDS

Rapid Tap

Heavy Duty Cutting Fluid & Paste

Part Number	Size
RAPIDTAP4	4 oz.
RAPIDTAPPASTE	8 oz.

ButterCutt

Cutting & Tapping Compound
High Temperature Lubricant

Part Number	Size
ARV-5040	1 Pint
ARV-5041	1 Gallon





SDS PLUS & MAX 4 CUTTER BITS

Diablo's SDS-Plus & SDS-Max Rebar 4-Cutter Carbide-Tipped Hammer Drill Bits

The only bits designed to be the most durable, fastest and coolest solutions on the market.

- Up to 7X longer life versus standard 2-cutter hammer drill bits
- Diablo made Dura-Carbide™ features up to 2X more carbide that withstands up to 1800°F of intense heat to combat rebar hits versus standard bits that fail at 800°F
- Impact Resistant 4-Cutter Full Carbide Head extracts smaller bites of rebar for controlled, consistent carbide wear and reduced vibration to deliver fast, precise holes
- Tri-Metal Fusion Welding features up to 3X stronger weld to keep the full carbide head intact during extreme impact such as rebar
- Precision Tip delivers stability and accuracy required for fast, precise holes
- Optimized flute design removes dust faster, keeping the carbide head cooler for ultimate strength and durability
- Wear mark indicator ensures precise hole making
- Optimized for maximum performance in corded and cordless SDS Plus or SDS Max rotary hammers

SDS Plus

Item#	Diameter	Length	Working Length	Qty/Pk
SDS-1606-4C	5/32"	6"	4"	25
SDS-1904-4C	3/16"	4"	2"	1
SDS-1906-4C		6"	4"	25
SDS-1908-4C		8"	6"	25
SDS-2506-4C	1/4"	6"	4"	25
SDS-3106-4C	5/16"	6"	4"	1
SDS-3806-4C	3/8"	6"	4"	25
SDS-3808-4C		8"	6"	1
SDS-3812-4C		12"	10"	25
SDS-5006-4C	1/2"	6"	4"	25
SDS-5012-4C		12"	10"	1
SDS-5018-4C		18"	16"	1
SDS-5612-4C	9/16"	12"	10"	1
SDS-6212-4C	5/8"	12"	10"	1
SDS-6218-4C		18"	16"	1
SDS-7510-4C	3/4"	10"	8"	1
SDS-8718-4C	7/8"	18"	16"	1
SDS-910010-4C	1"	10"	8"	1
SDS-910018-4C		18"	16"	1
SDS-912518-4C	1-1/4"	18"	16"	1

SDS Max

Item#	Diameter	Length	Working Length	Qty/Pk
SDS-3813-4C	3/8"	13"	8"	1
SDS-5013-4C	1/2"	13"	8"	1
SDS-5021-4C		21"	16"	1
SDS-5029-4C		29"	24"	1
SDS-5613-4C	9/16"	13"	8"	1
SDS-5621-4C		21"	16"	1
SDS-5629-4C		29"	24"	1
SDS-5636-4C		36"	31"	1
SDS-6213-4C	5/8"	13"	8"	1
SDS-6221-4C		21"	16"	1
SDS-6229-4C		29"	24"	1
SDS-6236-4C		36"	31"	1



SDS Max continued

Item#	Diameter	Length	Working Length	Qty/Pk
SDS-6813-4C	1 1/16"	13"	8"	1
SDS-6821-4C		21"	16"	1
SDS-7513-4C	3/4"	13"	8"	1
SDS-7521-4C		21"	16"	1
SDS-7536-4C		36"	31"	1
SDS-8713-4C	7/8"	13"	8"	1
SDS-8721-4C		21"	16"	1
SDS-8729-4C		29"	24"	1
SDS-8736-4C		36"	31"	1
SDS-910013-4C	1"	13"	8"	1
SDS-910021-4C		21"	16"	1
SDS-910029-4C		29"	24"	1
SDS-910036-4C		36"	31"	1
SDS-911313-4C	1-1/8"	13"	8"	1
SDS-911321-4C		21"	16"	1
SDS-911329-4C		29"	24"	1
SDS-911336-4C		36"	31"	1
SDS-912513-4C	1-1/4"	13"	8"	1
SDS-912521-4C		21"	16"	1
SDS-912529-4C		29"	24"	1
SDS-912536-4C		36"	31"	1
SDS-913821-4C	1-3/8"	21"	16"	1
SDS-913829-4C		29"	24"	1
SDS-913836-4C		36"	31"	1
SDS-915021-4C	1-1/2"	21"	16"	1
SDS-915029-4C		29"	24"	1
SDS-915036-4C		36"	31"	1
SDS-917521-4C	1-3/4"	21"	16"	1
SDS-920021-4C	2"	21"	16"	1

SDS PLUS 2-CUTTER BITS



Diablo's SDS-Plus 2-Cutter Carbide-Tipped Hammer Drill Bits

Provide one of the fastest and longest lasting drilling solutions on the market for concrete.

- Diablo made Dura-Carbide™ withstands impact and high heat applications, dramatically extending life versus standard hammer bits
- Peak Point Tip design for aggressive starts that produce clean, fast holes
- Optimized brazing and hardening process extends life of carbide tips and increases productivity
- Optimized four-flute design removes dust faster, keeping the carbide tips cooler for ultimate strength and durability



Item#	Diameter	Length	Working Length	Qty/Pk
SDS-1604-2C	5/32"	4"	2'	1
SDS-1606-2C		6"	4"	1
SDS-1608-2C		8"	6"	1
SDS-1904-2C	3/16"	4"	2"	1
SDS-1906-2C		6"	4"	25
SDS-1912-2C		12"	10'	1
SDS-1918-2C		18"	16"	1
SDS-2206-2C	7/32"	6"	4"	1
SDS-2208-2C		8"	6"	1
SDS-2211-2C		12"	10"	1
SDS-2504-2C	1/4"	4"	2"	1
SDS-2506-2C		6"	4"	25
SDS-2508-2C		8"	6"	25
SDS-2512-2C		12"	10"	1
SDS-2518-2C		18"	16"	1
SDS-3106-2C	5/16"	6"	4"	1
SDS-3108-2C		8"	6"	1
SDS-3112-2C		12"	10"	1
SDS-3118-2C		18"	16"	1
SDS-3806-2C	3/8"	6"	4"	25
SDS-3812-2C		12"	10"	25
SDS-3824-2C		24"	22"	1
SDS-4410-2C	7/16"	12"	10"	1
SDS-5006-2C	1/2"	6"	4"	25
SDS-5012-2C		12"	10"	1
SDS-5018-2C		18"	16"	1
SDS-5024-2C		24"	22"	1
SDS-5612-2C	9/16"	12"	10"	1
SDS-5618-2C		18"	16"	1
SDS-6208-2C	5/8"	8"	6"	1
SDS-6212-2C		12"	10"	1
SDS-6218-2C		18"	16"	1
SDS-6224-2C		24"	22"	1
SDS-7508-2C	3/4"	8"	6"	1
SDS-7512-2C		12"	10"	1
SDS-7518-2C		18"	16"	1
SDS-7524-2C		24"	22"	1
SDS-8710-2C	7/8"	10"	8"	1
SDS-8718-2C		18"	16"	1
SDS-910008-2C	1"	10"	8"	1
SDS-910018-2C		18"	16"	1

SDS CARBIDE BITS

Spline Shank Carbide Bit

2 cutter

Item#	Dia.	Length
S2C3816	3/8	16
S2C4413	7/16	13
S2C5010	1/2	10
S2C5016		16
S2C5022		22
S2C5036		36
S2C5616	9/16	16
S2C5623		23



Straight Shank Carbide Bit

2 cutter

Item#	Dia.	Length
SSC1303	1/8	3
SSC1306		6
SSC1606	5/32	6
SSC1903	3/16	3-1/2
SSC1906		6
SSC2504	1/4	4
SSC2506		6
SSC2520		20
SSC3105	5/16	4
SSC3106		6
SSC3806	3/8	6
SSC3812		12
SSC3820		20
SSC3824		24
SSC4406	7/16	6
SSC5006	1/2	6
SSC5012		12
SSC5020		20
SSC5024		24
SSC5606	9/16	6
SSC6206	5/8	6
SSC6212		12
SSC7506	3/4	6
SSC7512		12
SSC8706	7/8	6
SSC8712		12



Spline Shank Carbide Bits

4 cutter

Item#	Dia.	Length
S4C06210	5/8	10
S4C06216		16
S4C06222		22
S4C06229		29
S4C06236		36
S4C07510	3/4	10
S4C07516		16
S4C07522		22
S4C08716	7/8	16
S4C08722		22
S4C10016	1	16
S4C10022		22
S4C10036		36
S4C11316	1-1/8	16
S4C11322		22
S4C12516	1-1/4	16
S4C12522		22

STOP BITS



Diablo's SDS-Plus 2-Cutter Carbide-Tipped Stop Bits

- Diablo made carbide withstands impact and high heat applications, dramatically extending life versus standard hammer bits
- Stop Collar for efficient shallow anchor installations
- Optimized brazing and hardening process extends life of carbide tips and increases productivity
- Maximum performance in corded and cordless SDS-Plus rotary hammers

Item#	Diameter	Length	Shank	Qty/Pk
SDSSB-50081-2C	1/2"	13/16"	SDS Plus	1
SDSSB-50169-2C	5/8"	1-3/16"	SDS Plus	1
SDSSB-62119-2C	11/2"	1-11/16"	SDS Plus	1
SDSSB-62206-2C	5/8"	2-1/16"	SDS Plus	1





FLOOR SCRAPERS



Diablo's SDS-Plus & SDS Max Floor Scrapers

- Extreme durability and longer life when scraping linoleum, laminate or carpet
- A unique heat treatment process strengthens the chisel for impact resistance and stability
- Cleanly removes layers of flooring and hardened bonding agents
- Replaceable blade
- Replacement kits (RP) includes blades, nuts and washers
- Maximum performance in cordless and corded SDS-Plus rotary hammers



Item#	Size	Length	Shank	Chisel Type	Qty/Pk
FRD-DMAPLCH2060	5" x 11"	11'	SDS Plus	Floor Scraper	1
FRD-DMAMXCH1200	6" x 25"	25"	SDS Max	Flat Chisel	1
FRD-DMAPLCH2060RP	-	-	SDS Plus	Floor Scraper	1
FRD-DMAMXCH1200RP	-	-	SDS Max	Floor Scraper	1

CHISELS

Bull Point



Flat Chisel



Wide Chisel



SDS-Plus Chisel

Part No.	Description	Size
AG600600	Power Point	6-1/4"
AG603603	Bull Point	10"
AG606606	Flat Chisel	1" X 10"
AG609609	Scaling Chisel	1-1/2" X 8"

Spline Chisel

Part No.	Description	Size
AG110192	Bull Point	12"
AG115193		16"
AG120190	Flat Chisel	1" X 12"
AG125191		1" X 16"
AG130195	Scaling Chisel	2" X 12"
AG135198		3" X 12"

SDS-Max Chisel

Bull Point



Flat Chisel



Scaling Chisel



Part N.	Description	Size
AG230203	Bull Point	11"
AG235204		16"
AG240205	Flat Chisel	1" X 11"
AG245206		1" X 16"
AG250210	Scaling Chisel	2" X 12"
AG255207		2" X 16"
AG260208		3" X 12"

Bull Point



Flat Chisel



Scaling Chisel



Bushing Chisel, One Piece



Part No.	Description	Size
AG170350	Spline Bushing Chisel	1-3/4" x 1-3/4" x 9"
AG290370	Max Bushing Chisel	

MULTI-PURPOSE - PORCELAIN - TILE - GRANITE DRILL BITS

Groov Straight Shank Carbide Bits



Part No.	Dia.	Total Length
GRT23	1/8	3
GRT33		3
GRT34	3/16	4
GRT36		6
GRT44	1/4	4
GRT46		6
GRT54	5/16	4
GRT56		6
GRT64	3/8	4
GRT66		6
GRT86	1/2	6

Groov SDS+ Carbide Bits



Part No.	Dia.	Total Length
S20714	5/32	4-1/2
S20734	3/16	4-1/2
S20744	1/4	4
S20756	5/16	6
S20766	3/8	6
S20786	1/2	6

Porcelain Tile Hole Cutter 3/8 Shank Diameter

Part No.	Size	Total length
PTC19	3/16	5-3/4
PTC25	1/4	5-3/4
PTC31	5/16	5-3/4




MISTDIA - WET DIAMOND DRILL BITS



Safe, Easy, Quiet

Drills into Porcelain Tile, Granite, Concrete, Stone, Brick, Block, Pavers & Glass Block

- Low Noise & Vibration
- Replaceable cutter
- Quick Change
- Auto Shut-Off Feature



Mistdia Drill Bit Set

Part No.	Diameter
DMAUK14	1/4"




Cutter Only

Part No.	Diameter
DMU019C	3/16"
DMU025C	1/4"
DMU031C	5/16"
DMU038C	3/8"
DMU050C	1/2"




Body Only

Part No.	Diameter
DMA019200B	3/16" x 2"
DMA025200B	1/4" x 2"
DMAU51650B	5/16" x 2"
DMA038200B	3/8" x 2"
DMAU1250B	1/2" x 2"



DMSK2A



AQUASHOT DIAMOND TIP DRILLS



Easy, Quick, Durable

Drills into Porcelain, Ceramic, and other Hard to Drill materials. No Tank. No Hose. No Mess.

- Built-In Water Tank Self Feeds Water
- Quick Change Body
- Replaceable cutter
- One Shank Fits All Sizes

AquaShot Set

Part No.	Diameter
AS3A6STU	3/16"
AS516STU	5/16"

Water Bottle Included in Sets



Cutter Only

Part No.	Diameter
DMU019C	3/16"
DMU025C	1/4"
DMU031C	5/16"
DMU038C	3/8"
DMU050C	1/2"



Body Only

Part No.	Diameter
AS050B	3/16"
AS060B	1/4"
AS080B	5/16"
AS100B	3/8"
ASU12B	1/2"



Shank Only

Part No.	Diameter
ASSKJDE	1/4" Hex



DIAMOND CORE BITS

Supreme Dry Cutting

Supreme Dry Cutting core bits are for drilling block and other highly abrasive materials. Use with right angle grinders and heavy duty drills with necessary chuck adaptor.

Part No.	Diameter	Arbor
GRCPB100W	1	5/8-11
GRCPB125W	1-1/4	1-1/4-7
GRCPB150W	1-1/2	1-1/4-7
GRCPB200W	2"	1-1/4-7
GRCPB250W	2-1/2	1-1/4-7
GRCPB275W	2-3/4	1-1/4-7
GRCPB300W	3	1-1/4-7
GRCPB350W	3-1/2	1-1/4-7
GRCPB400D	4	1-1/4-7
GRCPB425W	4-1/4	1-1/4-7
GRCPB500W	5	1-1/4-7
GRCPB600W	6	1-1/4-7
CGRPB800W	8	1-1/4-7



Supreme Wet Cutting

Supreme Wet Cutting core bits use water to help the drill pierce through the material surface quickly and efficiently. The hollow center helps to remove the core from the hole and leaves a clean surface.

Part No.	Diameter	Arbor
GRCPB100D	1	5/8-11
GRCPB125D	1-1/4	5/8-11
GRCPB150D	1-1/2	5/8-11
GRCPB175D	1-3/4	5/8-11
GRCPB200D	2"	5/8-11
GRCPB225D	2-1/4	5/8-11
GRCPB250D	2-1/2	5/8-11
GRCPB300D	3	5/8-11
GRCPB350D	3-1/2	5/8-11
GRCPB400D	4	5/8-11
GRCPB500D	5	5/8-11
GRCPB600D	6	5/8-11

Not recommended for reinforced concrete.


Core Bits & Accessories Available



Ratio Corebit (Shown with Pilot Bit) Extension Adapter



SPADE BITS



SPEEDBOR® Spade Bits - 6" Long




Part Number	Dia.
IRW-88804	1/4
IRW-88805	5/16
IRW-88806	3/8
IRW-88807	7/16
IRW-88808	1/2
IRW-88809	9/16
IRW-88810	5/8
IRW-88811	11/16
IRW-88812	3/4
IRW-88813	13/16
IRW-88814	7/8
IRW-88815	15/16
IRW-88816	1
IRW-88818	1-1/8
IRW-88820	1-1/4
IRW-88822	1-3/8
IRW-88824	1-1/2

Provides one of the fastest, most effortless hole drilling solutions on the market for fast, clean wood.

- SPEED-TIP™ self-feed design effortlessly pulls the bit with minimal effort and faster holes
- Optimized curved paddle design quickly removes chip build-up for more holes per charge
- Impact Strong™ increases shank stability and durability
- Angled spur cutting edge scores wood for clean holes and reduced blowout
- Maximum performance in cordless and corded impact and drill drivers

Item#	Diameter	Length	Shank	Qty/Pk
FRD-DSP2010	1/4"	6"	1/4" Hex	1
FRD-DSP2020	5/16"	6"	1/4" Hex	1
FRD-DSP2030	3/8"	6"	1/4" Hex	1
FRD-DSP2040	7/16"	6"	1/4" Hex	1
FRD-DSP2050	1/2"	6"	1/4" Hex	1
FRD-DSP2060	9/16"	6"	1/4" Hex	1
FRD-DSP2070	5/8"	6"	1/4" Hex	1
FRD-DSP2080	11/16"	6"	1/4" Hex	1
FRD-DSP2090	3/4"	6"	1/4" Hex	1
FRD-DSP2100	13/16"	6"	1/4" Hex	1
FRD-DSP2110	7/8"	6"	1/4" Hex	1
FRD-DSP2120	15/16"	6"	1/4" Hex	1
FRD-DSP2130	1"	6"	1/4" Hex	1
FRD-DSP2140	1-1/8"	6"	1/4" Hex	1
FRD-DSP2150	1-1/4"	6"	1/4" Hex	1
FRD-DSP2160	1-3/8"	6"	1/4" Hex	1
FRD-DSP2170	1-1/2"	6"	1/4" Hex	1



U.S. PATENT NO. 4582458


Features:

- Accurate, Burr-free Holes:** Patented two flute design cuts fast, clean, round holes.
- Starts on Contact:** Split point pilot drill for faster penetration and less walking.
- Long Tool Life:** Steam oxide coating adds durability. Enhanced flute design removes chips rapidly, ensuring longer tool life.

VARI-BIT® Step Drill Bits
Drills Fast, Clean, Round Holes

(1 per pack)

Prod #	Hole Sizes (in.)	Chuck Size (in.)	Unibit®
LNX-30881 (VB1)	1/8, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 13/32, 7/16, 15/32, 1/2	1/4	1
LNX-30882 (VB2)	1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1	3/8	20
LNX-30883 (VB3)	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4	3/8	3
LNX-30884 (VB4)	3/16, 1/4, 5/16, 3/8, 7/16, 1/2	1/4	2
LNX-30886 (VB6)	3/8, 1/2	1/4	10, 12*
LNX-30887 (VB7)	7/8 (for 1/2" conduit)	3/8	11
LNX-30908 (VB8)	3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	3/8	4
LNX-30909 (VB9)	7/8, 1-1/8, 1-7/32	3/8	11, 13, 14
LNX-30888 (VB11)	7/8, 1-1/8 (for 1/2" and 3/4" conduit)	3/8	13**
LNX-30912 (VB12)	7/8, 1-1/8, 1-7/32, 1-1/4, 1-3/8	3/8	none
LNX-30925 (VBX8)	Extension 8". Fits 3/8" drill chuck & larger. 1 per clam.		



Ship Auger Bits
Sharp and Durable for Long Tool Life

(1 per pack)



Product #	Hole Diam. (in.)	Overall Length (in.)	Twist Length (in.)
LNX-14539	3/8	18	15
LNX-14540	7/16	18	15
LNX-14541	1/2	18	15
LNX-14542	9/16	18	15
LNX-14543	5/8	18	15
LNX-14544	11/16	18	15
LNX-14545	3/4	18	15
LNX-14546	13/16	18	15
LNX-14547	7/8	18	15
LNX-14548	15/16	18	15
LNX-14549	1	18	15
LNX-14550	1-1/16	18	15
LNX-14551	1-1/8	18	15
LNX-14552	1-1/4	18	15
LNX-14553	1-3/8	18	15
LNX-14554	1-1/2	18	15

Features:

- Added Durability:** 62° degree cutting angle reinforces cutting edge for greater durability to withstand the impact of encountering a nail.
- Strong Forged Design:** Manufactured using a forging process which will withstand more torque than competitive milled augers.
- Easy to Back Out:** Oversized cutting head creates a hole larger than the bit for easy removal from the work piece.
- Longer Life:** Hardened tip increases wear resistance for extended tool life.

(1 per pack)



Product #	Hole Diam. (in.)	Overall Length (in.)	Twist Length (in.)
LNX-31006*	3/8	18	15
LNX-80716*	7/16	18	15
LNX-80816	1/2	18	15
LNX-81016	5/8	18	15
LNX-81216	3/4	18	15
LNX-31015	15/16	18	15

*3/8" chuck size - all others 1/2" chuck size

(1 per pack)



Product #	Hole Diam. (in.)	Overall Length (in.)	Twist Length (in.)
LNX-31030	5/8	7-1/2	5-5/16
LNX-31032	3/4	7-1/2	5-5/16
LNX-31034	7/8	7-1/2	5-5/16
LNX-31035	15/16	7-1/2	5-5/16

1/2" chuck size

7/16" chuck size

info@vikingindustrialcenter.com



www.vikingindustrialcenter.com

BI-METAL HOLE SAWS



Bi-Metal Hole Saws

Number	Size
FRD-DHS0563	9/16"
FRD-DHS0625	5/8"
FRD-DHS0688	11/16"
FRD-DHS0750	3/4"
FRD-DHS0781	25/32"
FRDDHS0813	13/16"
FRD-DHS0875	7/8"
FRD-DHS0938	15/16"
FRD-DHS1000	1"
FRD-DHS1063	1-1/16"
FRD-DHS1125	1-1/8"
FRD-DHS1188	1-3/16"
FRD-DHS1250	1-1/4"
FRD-DHS1312	1-5/16"
FRD-DHS1375	1-3/8"
FRD-DHS1438	1-7/16"
FRD-DHS1500	1-1/2"
FRD-DHS1563	1-9/16"
FRD-DHS1625	1-5/8"
FRD-DHS1688	1-11/16"
FRD-DHS1750	1-3/4"
FRD-DHS1813	1-13/16"
FRD-DHS1875	1-7/8"
FRD-DHS2000	2"
FRD-DHS2063	2-1/16"
FRD-DHS2125	2-1/8"
FRD-DHS2250	2-1/4"
FRD-DHS2312	2-5/16"
FRD-DHS2375	2-3/8"
FRD-DHS2500	2-1/2"
FRD-DHS2563	2-9/16"
FRD-DHS2625	2-5/8"
FRD-DHS2687	2-11/16"
FRD-DHS2750	2-3/4"
FRD-DHS2875	2-7/8"
FRD-DHS3000	3"
FRD-DHS3125	3-1/8"
FRD-DHS3250	3-1/4"
FRD-DHS3375	3-3/8"
FRD-DHS3500	3-1/2"
FRD-DHS3625	3-5/8"
FRD-DHS3750	3-3/4"
FRD-DHS3875	3-7/8"
FRD-DHS4000	4"
FRD-DHS4125	4-1/8"
FRD-DHS4250	4-1/4"
FRD-DHS4375	4-3/8"
FRD-DHS4500	4-1/2"
FRD-DHS4750	4-3/4"
FRD-DHS5000	5"
FRD-DHS5500	5-1/2"
FRD-DHS5750	5-3/4"
FRD_DHS6000	6"



Hi-Performance Bi-Metal Hole Saws

- 60mm (2-3/8) Cutting Depth
- Fits with Snap-Lock Plus™ Mandrel System
- Mandrel Fits All Diablo Hole Saws from 5/8" to 6" Diameter
- Tool Free Plug Ejection For Fast Material Removal
- Variable Tooth Design For Faster Cuts With Less Vibration



FRD-DHS6375RL

6-3/8" x 2" Bi-Metal Recessed Lighting Hole Saw

- 43mm (1-7/10") Cutting Depth
- Fits with Snap-Lock Plus™ Mandrel System
- Mandrel Fits All Diablo Hole Saws from 5/8" to 6" Diameter
- Tool Free Plug Ejection For Fast Material Removal
- Variable Tooth Design For Faster Cuts With Less Vibration



FRD-DHS16SEL

16 Pc Bi-Metal Hole Saw Set For Electricians

- 1 7/8" Bi-Metal Hole Saw DHS0875
- 1 1-1/8" Bi-Metal Hole Saw DHS1125
- 1 1-3/8" Bi-Metal Hole Saw DHS1375
- 1 1-3/4" Bi-Metal Hole Saw DHS1750
- 1 2" Bi-Metal Hole Saw for Wood, Metal & Plastic DHS2000
- 1 2-1/2" Bi-Metal Hole Saw DHS2500
- 1 3" Bi-Metal Hole Saw DHS3000
- 1 3-5/8" Bi-Metal Hole Saw DHS3625
- 1 4-1/8" Bi-Metal Hole Saw DHS4125
- 1 4-1/2" Bi-Metal Hole Saw DHS4500



FRD-DHS17SPL

17 Pc Bi-Metal Hole Saw Set For Plumbers

- 1 1-1/8" Bi-Metal Hole Saw DHS1125
- 1 1-1/4" Bi-Metal Hole Saw DHS1250
- 1 1-3/8" Bi-Metal Hole Saw DHS1375
- 1 1-1/2" Bi-Metal Hole Saw DHS1500
- 1 1-3/4" Bi-Metal Hole Saw DHS1750
- 1 2-1/4" Bi-Metal Hole Saw DHS2250
- 1 2-9/16" Bi-Metal Hole Saw DHS2563
- 1 3" Bi-Metal Hole Saw DHS3000
- 1 3-5/8" Bi-Metal Hole Saw DHS3625
- 1 4" Bi-Metal Hole Saw DHS4000
- 1 4-1/2" Bi-Metal Hole Saw DHS4500

CARBIDE HOLE SAWS

Hi-Performance Carbide Tipped Hole Saws Delivering Up to 50X Longer Cutting Life

- 60mm (2-3/8) Cutting Depth
- Fits with Snap-Lock Plus™ Mandrel System
- Mandrel Fits All Diablo Hole Saws from 5/8" to 6" Diameter
- Tool Free Plug Ejection For Fast Material Removal
- Variable Tooth Design For Faster Cuts With Less Vibration



Number	Size
FRD-DHS0875CT	7/8"
FRD-DHS1000CT	1"
FRD-DHS1250CT	1-1/4"
FRD-DHS1312CT	1-5/16"
FRD-DHS1375CT	1-3/8"
FRD-DHS1500CT	1-1/2"
FRD-DHS1750CT	1-3/4"
FRD-DHS1813CT	1-13/16"
FRD-DHS1875CT	1-7/8"
FRD-DHS2000CT	2"
FRD-DHS2250CT	2-1/4"
FRD-DHS2500CT	2-1/2"
FRD-DHS2750CT	2-3/4"
FRD-DHS3000CT	3"
FRD-DHS3250CT	3-1/4"
FRD-DHS3500CT	3-1/2"
FRD-DHS4000CT	4"
FRD-DHS4250CT	4-1/4"
FRD-DHS4500CT	4-1/2"
FRD-DHS4625CT	4-5/8"
FRD-DHS4750CT	4-3/4"
FRD-DHS5000CT	5"
FRD-DHS6000CT	6"



Pilot Drill Bits

Number	Size
FRD-DHS4BITCT	4" Carbide Tipped
FRD-DHS4BITCB	4" Cobalt (for hardened metals)
FRD-DHS4BITII	4" HSS



Universal Extension

Number	Size
FRD-DHS375XT6	3/8" x 5-1/2"
FRD-DHS375XT12	3/8" x 12"
FRD-DHS375XT18	3/8" x 18"
FRD-DHS500XT6	7/16" x 5-1/2"
FRD-DHS500XT12	7/16" x 12"
FRD-DHS500XT18	7/16" x 18"



7/16" & 3/8" Snap-Lock Plus™ Mandrel System

Includes: (1) Hex Shank Mandrel
(1) 1/2" & (1) 5/8" Adapter Nuts

Number	Mandrel Size
FRD-DHSAR500	7/16"
FRD-DHSAR375	3/8"

FRD-DHSNUT2



1/2" & 5/8" Hole Saw Adapter Nuts



FRD-DHS13SPLCT

13 Pc Carbide Hole Saw Set For Plumbers - Wood & Metal

- 1 1-1/8" Carbide Teeth Hole Saw DHS1125CT
- 1 1-3/8" Carbide Teeth Hole Saw DHS1375CT
- 1 1-1/2" Carbide Teeth Hole Saw DHS1500CT
- 1 2" Carbide Teeth Hole Saw DHS2000CT
- 1 2-1/8" Carbide Teeth Hole Saw DHS2125CT
- 1 2-9/16" Carbide Teeth Hole Saw DHS2563CT
- 1 2-5/8" Carbide Teeth Hole Saw DHS2625CT
- 1 3" Carbide Teeth Hole Saw DHS3000CT



FRD-DHS06CFS

6 Pc Steel Demon™ Carbide Teeth Hole Cutter Set

- 1 7/8" Carbide Teeth Hole Cutter DHS0875CF
- 1 1-1/8" Carbide Teeth Hole Cutter DHS1125CF
- 1 1-3/8" Carbide Teeth Hole Cutter DHS1375CF
- 2 Carbide Teeth Hole Cutter Plug Eject Pilot Bit DHS2BITCB
- 1 7/16" Snap-Lock Plus™ Mandrel System DHSAR500

Carbide Tipped Hole Saw



Carbide Tipped Hole Saw Features:

Long Tool Life: Heat resistant carbide teeth for long life in tile and stainless steel.

Added Durability: Thick backing plate resists damage and increases life.

Unique Tooth Configuration: Engineered design provides ability to cut in stainless steel like no other.

Use Standard Arbor

Note: We recommend the use of a carbide tipped pilot drill when cutting ceramic wall tile. Pilot drill 123CT fits the 1L, 3L, 4L or 7L arbors. Pilot drill 65CPD fits the 5L and 6L arbors.

Carbide Tipped Hole Saws

Designed to Cut Tile & Stainless Steel

Prod # (Descrip)	Diameter (in.)	Pipe Tap (in.)	Pipe Entrance (in.)	Use Arbor#
LNX-30212 (12CT)	3/4	1/2	3/8	1L or 4L
LNX-30214 (14CT)	7/8	3/4	1/2	
LNX-30216 (16CT)	1			
LNX-30218 (18CT)	1-1/8	1	3/4	
LNX-30220 (20CT)	1-1/4			3L
LNX-30222 (22CT)	1-3/8		1	
LNX-30224 (24CT)	1-1/2	1-1/4		3L or 7L
LNX-30226 (26CT)	1-5/8			
LNX-30228 (28CT)	1-3/4	1-1/2	1-1/4	
LNX-30232 (32CT)	2		1-1/2	
LNX-30234 (34CT)	2-1/8			
LNX-30236 (36CT)	2-1/4	2		
LNX-30238 (38CT)	2-3/8			
LNX-30240 (40CT)	2-1/2		2	
LNX-30241 (41CT)	2-9/16			
LNX-30242 (42CT)	2-5/8	2-1/2		
LNX-30243 (43CT)	2-11/16			
LNX-30248 (48CT)	3		2-1/2	
LNX-30252 (52CT)	3-1/4	3		
LNX-30254 (54CT)	3-3/8			
LNX-30256 (56CT)	3-1/2			
LNX-30258 (58CT)	3-5/8		3	
LNX-30260 (60CT)	3-3/4	3-1/2		
LNX-30264 (64CT)	4			
LNX-30266 (66CT)	4-1/8		3-1/2	
LNX-30268 (68CT)	4-1/4	4		
LNX-30272 (72CT)	4-1/2			
LNX-30276 (76CT)	4-3/4	4-1/2	4	
LNX-30280 (80CT)	5			
LNX-30288 (88CT)	5-1/2			
LNX-30296 (96CT)	6			
LNX-30297 (123CT)	Carbide Tipped Pilot Drill (1/pk)			1L, 2L, 4L, or 7L
LNX-30298 (65CTP)	Carbide Tipped Pilot Drill (1/pk)			5L or 6L

Master-Grit™ Hole Saws

Best for Cutting Abrasive Materials

Prod # (Descrip)	Diameter (in.)	Pipe Tap (in.)	Pipe Entrance (in.)	Use Arbor #
LNX-29912 (12CG)	3/4	1/2	3/8	1L or 4L
LNX-29998 (20MMCG)	25/32			
LNX-29914 (14CG)	7/8	3/4	1/2	
LNX-29916 (16CG)	1			
LNX-29918 (18CG)	1-1/8	1	3/4	3L
LNX-29920 (20CG)	1-1/4			
LNX-29922 (22CG)	1-3/8		1	3L or 7L
LNX-29924 (24CG)	1-1/2	1-1/4		
LNX-29928 (28CG)	1-3/4	1-1/2	1-1/4	
LNX-29932 (32CG)	2		1-1/2	
LNX-29934 (34CG)	2-1/8			
LNX-29936 (36CG)	2-1/4	2		
LNX-29938 (38CG)	2-3/8			
LNX-29940 (40CG)	2-1/2		2	
LNX-29941 (41CG)	2-9/16			
LNX-29948 (48CG)	3		2-1/2	
LNX-29952 (52CG)	3-1/4	3		
LNX-29958 (58CG)	3-5/8		3	
LNX-29964 (64CG)	4			
LNX-29966 (66CG)	4-1/8		3-1/2	
LNX-30297 (123CT)	Carbide Tipped Pilot Drill (1/pk)			1L, 2L, 4L or 7L
LNX-30298 (65CTPD)	Carbide Tipped Pilot Drill (1/PK)			5L or 6L

Master-Grit™ Hole Saw



Master-Grit™ Hole Saw Features:


Cuts Abrasive Materials: Super hard tungsten carbide grit cuts through fiberglass, ceramic tile, laminates and other abrasive materials.

Clean Cutting: Carbide grit edge will not snag or chip when cutting thin materials.

Bi-Metal Hole Saws

Engineered for Optimum Performance in Wood and Metal

Prod # (Descrip.)	Diameter (in.)	Pipe Tap (in.)	Pipe Entrance (in.)	Use Arbor Number
LNX-30009 (9L)	9/16			1L, 4L, or 5L
LNX-30010 (10L)	5/8			
LNX-30012 (12L)	3/4	1/2	3/8	
LNX-30098 (20MMHS)	25/32			
LNX-30013 (13L)	13/16			
LNX-30014 (14L)	7/8	3/4	1/2	
LNX-30015 (15L)	15/16			
LNX-30016 (16L)	1			
LNX-30017 (17L)	1-1/16			
LNX-30018 (18L)	1-1/8	1	3/4	
LNX-30019 (19L)	1-3/16			2L, 3L, or 6L
LNX-30020 (20L)	1-1/4			
LNX-30021 (21L)	1-5/16			
LNX-30022 (22L)	1-3/8		1	
LNX-30023 (23L)	1-7/16			
LNX-30024 (24L)	1-1/2	1-1/4		
LNX-30025 (25L)	1-9/16			
LNX-30026 (26L)	1-5/8			
LNX-30027 (27L)	1-11/16			
LNX-30028 (28L)	1-3/4	1-1/2	1-1/4	
LNX-30029 (29L)	1-13/16			2L, 3L, 6L, or 7L
LNX-30030 (30L)	1-7/8			
LNX-30032 (32L)	2		1-1/2	
LNX-30033 (33L)	2-1/16			
LNX-30034 (34L)	2-1/8			
LNX-30036 (36L)	2-1/4	2		
LNX-30038 (38L)	2-3/8			
LNX-30040 (40L)	2-1/2		2	
LNX-30041 (41L)	2-9/16			
LNX-30042 (42L)	2-5/8	2-1/2		
LNX-30043 (43L)	2-11/16			
LNX-30044 (44L)	2-3/4			
LNX-30046 (46L)	2-7/8			
LNX-30048 (48L)	3		2-1/2	
LNX-30050 (50L)	3-1/8			
LNX-30052 (52L)	3-1/4	3		
LNX-30054 (54L)	3-3/8			
LNX-30056 (56L)	3-1/2			
LNX-30058 (58L)	3-5/8		3	
LNX-30060 (60L)	3-3/4	3-1/2		
LNX-30062 (62L)	3-7/8			
LNX-30064 (64L)	4			
LNX-30066 (66L)	4-1/8		3-1/2	
LNX-30068 (68L)	4-1/4	4		
LNX-30070 (70L)	4-3/8			
LNX-30072 (72L)	4-1/2	4-1/2		
LNX-30074 (74L)	4-5/8		4	
LNX-30076 (76L)	4-3/4			
LNX-30080 (80L)	5			
LNX-30088 (88L)	5-1/2			
LNX-30096 (96L)	6			



Features:

- Added Durability:** Thick backing plate resists damage and increases life.
- Unique Tooth Configuration:** Patented *VARI-TOOTH®* design optimizes cutting for fast cuts and long tool life. Patent no. 5803678.
- Resists Tooth Stripping:** Bi-metal construction creates a hardened edge to minimize tooth stripping.
- Uses a Standard Arbor**



10 Piece, Plumber's Kit

Product No. 30808-600P
 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4".
 Arbors: 2L, 5L. One 4321 pilot drill.
 One arbor per adaptor.



10 Piece, Electrician's Kit

Product No. 30800-600L
 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2".
 Arbors: 2L, 5L. One 4321 pilot drill.
 One arbor per adaptor.

10 Piece, General Purpose Kit

Product No. 30807-700G
 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4",
 2-1/8". Arbors: 5L, 6L. One 56PD pilot drill.

DIAMOND HOLE SAWS



FRD-DHS1000DG

1" Diamond-Grit Hole Saw

- Diamond grit for longer life and faster material removal
- Continuous rim design for smooth drilling and reduced chipping in masonry applications
- Open slot design for easy plug removal
- No pilot bit needed, simply drill at a 45-degree angle or with a jig
- Compatible with Diablo's Snap-Lock Plus™ mandrel system for quick and easy cup changes with no down time
- Drills porcelain tile, ceramic tile, granite, marble, slate, and glass
- For use with a hand-held drill



Diamond™ One-Piece Hole Saws

Designed for Porcelain, Ceramic, Slate, Granite, Marble, Glass, Fiberglass, Travertine, Cement Board and Laminates

Prod No.	Diameter (in.)	Pipe Tap (in.)	Pipe Entrance (in.)
LNX-12106	3/16		
LNX-12107	1/4		
LNX-12108	5/16		
LNX-12109	3/8		
LNX-12110	1/2		
LNX-12111	5/8		
LNX-12112	3/4	3/4	3/8
LNX-12114	1		
LNX-12116	1-3/8		1

Diamond™ Hole Saws

Designed for Porcelain, Ceramic, Slate, Granite, Marble, Glass, Fiberglass, Travertine, Cement Board and Laminates

Prod No.	Diameter (in.)	Pipe Tap (in.)	Pipe Entrance (in.)
LNX-12113	7/8	3/4	1/2
LNX-12256	1-1/8	1	3/4
LNX-12115	1-1/4		
LNX-12117	1-3/8		
LNX-12118	1-1/2	1-1/4	
LNX-12119	2		1-1/2
LNX-12120	2-1/2		2





Hole Saw Arbors & Accessories for All Your Drilling Needs

Arbors (1 per pack)

Product Number	Fits Hole Saws	Shank Type	Shank Size (in)
LNX-1779774 (1L)	9L-19L	Hex	1/2 & Larger
LNX-1779801 (2L)	20L-96L	Solid/Hex	
LNX-1779802 (3L)	20L-96L	Solid/Hex	
LNX-1779803 (4L)	9L-19L	3 Sided	1/4 & Larger
LNX-1779804 (5L)	9L-19L	Hex	3/8 & Larger
LNX-1779805 (6L)	20L-96L	Hex	
LNX-1779806 (7L)	24L-96L	Hex	


Features:

Added Durability: Hardened carbon steel for strength through the cross section.

Starts on Contact: Split point pilot drill for faster penetration and less walking.

Simple Plug Ejection: 7L arbor is designed with sliding pins to easily eject plugs from hole saws.

Easy to Use: Power groove shank allows arbors to be used in LENOX® Uni-Drive Quick Change System. No tool changes requires. (3L, 5L, 6L, and 7L).



Accessories

Product Number	Description	Chuck Size (in.)	Fits Arbor Number
LNX-1779810	3-1/4" Pilot Drill (1/pk)	1/4	2L, 3L, 4L, 5L, 6L or 7L
LNX-1779771	4-1/4" Pilot Drill (1/pk)	1/4	1L or 4L
LNX-30297	(123CT) Carbide Tipped Pilot Drill (1/pk)	1/4	1L, 2L or 4L
LNX-30298	(65CTPD) Carbide Tipped Pilot Drill (1/pk)	1/4	2L, 3L, 5L, 6L or 7L
LNX-30857	(AA1) Arbor Adaptor (1/pk)	—	1L, 4L or 5L
LNX-30848	(18X) 18" Extension (1/pk)	1/2 & Larger	1L, 2L or 3L
LNX-30847	(12X) 12" Extension (1/pk)	1/2 & Larger	1L, 2L or 3L
LNX-30843	(10X*) 10" Extension (1/pk)	3/8 & Larger	5L, 6L or 7L
LNX-30846	(55X) 5-1/2" Extension (1/pk)	1/2 & Larger	1L, 2L or 3L

*Fits arbored hole saws

INSTY-BIT®

Pilot Countersinks, 4 Flute

Part Number	Size (inches)
82701	5pc Set: 5/64-9/64 (4 Flute)
82705	5/64 (4 Flute)
82706	3/32 (4 Flute)
82707	7/64 (4 Flute)
82708	1/8 (4 Flute)
82709	9/64 (4 Flute)
82512	3/16 (2 Flute)



Drill Adapters with Drill Bit

135° Bright, Mechanics Length

Part Number	Size (inches)
83104	1/16
83105	5/64
83106	3/32
83107	7/64
83108	1/8
83109	9/64
83110	5/32
83111	11/64
83112	3/16
83113	13/64
83114	7/32
83115	15/64
83116	1/4



Deep Well Nut Setters

Part Number	Size (inches)
F7-87201	5pc Set: 1/4-1/2
F7-87204	1/4
F7-87205	5/16
F7-87206	3/8
F7-87207	7/16
F7-87208	1/2



Drill Adapters Sets

1/4" Hex Quick Release Shank Adapter

Part Number	Size (inches)
83100	7pc Set: 1/16-1/4 by 32nds
83101	5pc Set: 1/16-3/16 by 32nds
83102	4pc Set: 5/64-11/64
83103	6pc Set: 1/16-3/16

82° Countersinks - HSS

Part Number	Size	Shank Dia.	Flutes
CS253F	1/4	1/4	1
CS383F	3/8	1/4	3
IRW-1241	1/2	1/4	5
IRW-12412	5/8	3/8	3
CS753F	3/4	3/8	3



Super Premium Countersinks 82° Pilotless - Type 82AG

Part Number	Size	Diameter of Cut		Shank Dia.
		Min.	Max.	
82AG19	3/16	3/16	17/32	1/4
82AG307A	.307	.307	25/32	1/4
82AG#08	#8	For #8 Screw		1/4
82AG#10	#10	For #10 Screw		1/4



Self Centering Drills

Part Number	Size	Replacement Bit Size
VIX03R	#3	3/64 (For #2 & #3 Screws)
VIX05R	#5	5/64 (For #5 & #6 Screws)
VIX09R	#9	9/64 (For #8, #9 & #10 Screws)
VIX12R	#12	11/64 (For #12 Screws)
VIX14R	#14	13/64 (For #14 Screws)



IB-31KIT

Insert Bit Set Standard

Bit Type	Size	#/Kit
Phillips	0, 1, 2, 2R, 3	5
TORX®	10, 15, 20, 25, 27, 30, 40	7
Slotted	3-4, 4-5, 6-8, 8-10, 10-12	5
Hex	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16	10
Square	1, 2, 3	3
Socket	1/4 X 1/4	1
Quick Bit Release Holder		1



INSERT BIT KITS

**IB-31TKIT
Insert Bit Set
Tamperproof**



Bit Type	Size	#/Kit
Phillips Tamper	2, 3	2
TORX® Tamper	5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	12
Hex Tamper	5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16	10
Spanner	4, 6, 8, 10, 12, 14	6
Socket Adapter	1/4 X 1/4	1
Quick Bit Release Holder		1

Insert Bit Set Standard with Sockets

IB-33KIT



Bit Type	Size	#/Kit
Phillips	1, 2, 3	3
TORX®	10, 15, 20, 25, 27, 30, 40	6
Slotted	4-5, 5-6, 6-8, 8-10, 10-12	5
Hex	5/64, 3/32, 1/8, 9/64, 5/32, 3/16	6
Square	1, 2, 3	3
1/4" Square X 1/4" Hex Adapter		1
Socket	3/16, 7/32, 1/4, 9/32, 5/16, 3/8, 7/16, 1/2	8
1 Pc Quick Release Bit Holder		1




**IB-50TKIT
Insert Bit Set
Tamperproof**

**IB-50KIT
Insert Bit Set
Standard**



Bit Type	Size	#/Kit
Phillips	0, 1, 2, 3	4
Phillips	0, 1, 2, 3 (ACR)	4
PoziDriv	0, 1, 2, 3	4
TORX®	5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	12
Slotted	3-4, 4-5, 5-6, 6-8, 8-10, 10-12, 12-14, 14-16	8
Hex	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16	11
Square	0, 1, 2, 3	4
Socket	1/4 X 1/4	1
Quick Bit Release Holder		1

Bit Type	Size	#/Kit
Phillips	1, 2, 2R, 3 (ACR)	4
TORX® Tamper	5, 6, 7, 8, 9, 10, 15, 20, 25, 27, 30, 40	12
Hex Tamper	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16	11
Tri-Wing	2, 3, 4, 5	4
TorQ-Set	4, 6, 8, 10	4
Spanner	6, 8, 10, 12	4
Spline	4, 5, 6, 8	4
Clutch	5/32, 3/16, 1/4	3
Phillips Sq Drive	PSD2-2	1
Socket Adapter	1/4 x 1/4	1
Quick Bit Release Holder		1



41 pc Magnetic Impact Bit Kit
Includes:
25 Insert Bits, 14 Power Bits,
2 Bit Holders and 1 Case

IB-41KIT



21 pc Impact Bit Kit
Includes:
1/4" Hex Drive, Phillips,
Square, Torx and Nutsetters
& Case

IB-I21KIT



34 pc Impact Bit Kit
Includes:
1/4" Hex Drive, Phillips,
Square, Torx, Hex, Slotted
& Case

IB-I34KIT

Phillips Bits

1/4" Insert Bits

Part Number	Point Size	Overall Length
IB-P2100	0	1"
IB-P1100	1	1"
IB-P2100	2	1"
IB-P3100	3	1"
IB-P4100	4	1"
IB-P2100RED	2 REDUCED	1"
PB-P1200	1	2"
PB-P2200	2	2"
PB-P3200	3	2"
PB-P1275	1	2-3/4"
PB-P2275	2	2-3/4"
PB-P3275	3	2-3/4"
PB-P1350	1	3-1/2"
PB-P2350	2	3-1/2"
PB-P3350	3	3-1/2"
PB-P1600	1	6"
PB-P2600	2	6"
PB-P3600	3	6"



1/4" Drywall Indenter - Insert Bit

Part Number	Point Size	Overall Length
IB-P2100DI	2	1"



Phillips Tamper Resistant Bits 1/4" Hex

Part Number	Point Size	Overall Length
IB-PT2100	2	1"
IB-PT3100	3	1"



Slotted Bits

1/4" Slotted Bit Finder

Part Number	Screw Size	Overall Length
PB-BFS0608375	6F-8R	3-3/4"
PB-BFS0810375	8F-10R	3-3/4"
PB-BFS14164113	14F-16R	3-3/4"



Slotted Bits

1/4" Slotted Insert Bits

Part Number	Screw Size	Overall Length
IB-S04100	3-4	1"
IB-S05100	5-6	1"
IB-S06100	6-8	1"
IB-S10100	10	1"
IB-S12100	12	1"
IB-S14100	14	1"
IB-S1416150	No. 14-16	1-1/2"
PB-S23200	2-3	2"
PB-S34200	3-4	2"
PB-S45200	4-5	2"
PB-S56200	5-6	2"
PB-S67200	6-8	2"
PB-S810200	8-10	2"
PB-S91214200	10-12	2"
PB-S1416300	14-16	3"



Socket Head Bits

1/4" Insert Bits

Part Number	Size A"	Overall Length
IB-H08100	5/64	1"
IB-H09100	3/32	1"
IB-H11100	7/64	1"
IB-H13100	1/8	1"
IB-H14100	9/64	1"
IB-H16100	5/32	1"
IB-H19100	3/16	1"
IB-H22100	7/32	1"
IB-H25100	1/4	1"
IB-H31100	5/16	1"
PB-H09200	3/32	2"
PB-H13200	1/8	2"
PB-H14200	9/64	2"
PB-H16200	5/32	2"
PB-H19200	3/16	2"
PB-H22200	7/32	2"
PB-H25200	1/4	2"



1/4" Hex Tamper Resistant Insert Bits

Part Number	Size A"	Overall Length
IB-HT08100	5/64	1"
IB-HT09100	3/32	1"
IB-HT11100	7/64	1"
IB-HT13100	1/8	1"
IB-HT14100	9/64	1"
IB-HT16100	5/32	1"
IB-HT19100	3/16	1"
IB-HT22100	7/32	1"
IB-HT25100	1/4	1"



TORX® Bits

1/4" Insert Bits

Part Number	Point Size	Overall Length
IB-T10100	10	1"
IB-T15100	15	1"
IB-T20100	20	1"
IB-T25100	25	1"
IB-T27100	27	1"
IB-T30100	30	1"
IB-T40100	40	1"



1/4" Tamper Resistant Insert Bits

Part Number	Point Size	Overall Length
IB-TT06100	6	1"
IB-TT07100	7	1"
IB-TT08100	8	1"
IB-TT09100	9	1"
IB-TT10100	10	1"
IB-TT15100	15	1"
IB-TT20100	20	1"
IB-TT25100	25	1"
IB-TT27100	27	1"
IB-TT30100	30	1"
IB-TT40100	40	1"
IB-TT45100	45	1"



5/16" Impact Bits

Part Number	Point Size	Overall Length
IB-T30125	30	1-1/4"
IB-T40125	40	1-1/4"
IB-T45125	45	1-1/4"
IB-T50125	50	1-1/4"
IB-T55125	55	1-1/4"



Square Bits



1/4" Insert Bits

Part Number	Point Size	Overall Length
IB-R0100	0	1"
IB-R1100	1	1"
IB-R2100	2	1"
IB-R3100	3	1"
IB-R4100	4	1"
PB-R0200	0	2"
PB-R1200	1	2"
PB-R2200	2	2"
PB-R3200	3	2"
PB-R1275	1	2-3/4"
PB-R2275	2	2-3/4"
PB-R3275	3	2-3/4"
PB-R1350	1	3-1/2"
PB-R2350	2	3-1/2"
PB-R3350	3	3-1/2"
PB-S1600	1	6"
PB-S2600	2	6"
PB-R3600	3	6"
PB-R2912	2	12"



Spanner Bits



1/4" Insert Bits

Part Number	Point Size	Overall Length
IB-SP04100	4	1"
IB-SP06100	6	1"
IB-SP08100	8	1"
IB-SP10100	10	1"
IB-SP12100	12	1"
IB-SP14100	14	1"



5/16" Insert Bits

Part Number	Point Size	Overall Length
IB-SP04150	4	1"
IB-SP08150	8	1"

Adapters for Hex Drive Shank

1/4" - 1/4" Ball Type

Part Number	Hex Size	Overall Length	MALE SQUARE
IB-SABL25100	1/4"	1"	1/4"



1/4" - 1/4" Ball Type

Part Number	Hex Size	Overall Length	MALE SQUARE
PB-SABL25200	1/4"	2"	1/4"
PB-SABL25300	1/4"	3"	1/4"
PB-SABL25400	1/4"	4"	1/4"



1/4" - 1/4" Pin Type

Part Number	Hex Size	Overall Length	MALE SQUARE
PB-SAPL25200	1/4"	2"	1/4"
PB-SAPL25400	1/4"	4"	1/4"
PB-SAPL25600	1/4"	6"	1/4"



3/8" - 1/4" Ball Type

Part Number	Hex Size	Overall Length	MALE SQUARE
PB-SABL38200	1/4"	2"	3/8"
PB-SABL38300	1/4"	3"	3/8"
PB-SABL38600	1/4"	6"	3/8"



1/2" - 1/4" Ball Type

Part Number	Hex Size	Overall Length	MALE SQUARE
IRW-93795	1/4"	3"	1/2"




Nut Setters



Magnetic Nutsetter

Part Number	Point Size	Overall Length
PB-NSM25175	1/4"	1-3/4"
PB-NSM31175	5/16"	1-3/4"
PB-NSM38175	3/8"	1-3/4"
PB-NSM44175	7/16"	1-3/4"
PBNSM50175	1/2"	1-3/4"
PB-NSM192963	3/16"	2-9/16"
PB-NSM25256L (Lobular)	1/4"	2-9/16"
PB-NSM31256L (Lobular)	5/16"	2-9/16"
PB-NSM38256	3/8"	2-9/16"
PB-NSM38256L (Lobular)	3/8"	2-9/16"
PB-NSM44256L (Lobular)	7/16"	2-9/16"
PB-NSM50256	1/2"	2-9/16"
PB-NSM56256	9/16"	2-9/16"
PB-NSM38400	3/8"	4"
PB-NSM25600	1/4"	6"
PB-NSM31600	5/16"	6"
PB-NSM38600	3/8"	6"
PB-NSM25912	1/4"	12"
PB-NSM31912	5/16"	12"
PB-NSM38912	3/8"	12"



Eye Lag Driver - 1/4" Hex Drive

Part Number	Point Size	Overall Length
PB-EL442688	7/16"	2-11/16"



1/4" Square Drive Sockets

Part Number	Hex Size	Length
PB-STM3519 (Tapered)	3/16	7/8"
PB-STM2525 (Tapered)	1/4	7/8"
PB-STM2531 (Tapered)	5/16	7/8"
PB-SSM2538 (Straight)	3/8	7/8"
PB-SSM2544 (Straight)	7/16	7/8"
PB-SSM2550 (Straight)	1/2	7/8"



Tapered Style - T



Straight Style - S

ORIGINATOR

[Empty box for originator name]



Office (651) 646-6141
Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

APPLICATION FOR CREDIT

Date: _____

COMPANY: _____

Application Requested by: _____

INVOICE TO:

SHIP TO:

(Address/P.O.Box) _____

(Street Address) _____

(City, State & Zip) _____

(City, State & Zip) _____

Phone: _____ Fax: _____

Email: _____

Invoice Preference: Fax _____ Email _____

If your company is Tax Exempt, a copy of the certificate is required.

Years in business: _____

Accounts Payble Contact: _____

Trade References:

Name of Supplier

Phone Number

Fax Number *(required)*

1. _____

2. _____

3. _____

Bank Reference:

Name of Bank _____

Phone Number _____

Contact at Bank _____

Account Number _____

If application is not complete it will not be processed.

The above information is given for the purpose of establishing a line of credit an is a true and correct statement.

Signature

Title

Date

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.

**Please email completed credit application to:
info@vikingindustrialcenter.com**



ST. PAUL
2550 Kasota Ave
(800) 328-6505

DULUTH
4730 Grand Ave
(800) 232-1367

FOREST LAKE
9205 Lake Drive NE
(651) 756-8758

Safety, Fastener & Strut Specialists

www.vikingindustrialcenter.com

info@vikingindustrialcenter.com

FIRST AID

EYE & FACE PROTECTION

HEAD PROTECTION

HAND PROTECTION

HI VISIBILITY GARMENTS

CONFINED SPACE ENTRY

LOCKOUT/TAGOUT

SURFACE PROTECTION PRODUCTS

REBAR CAPS

HEARING PROTECTION

RESPIRATORY PROTECTION

RAINWEAR & RUBBER BOOTS

FALL PROTECTION

GAS DETECTION

SIGNS

RENTAL EQUIPMENT
GAS MONITORS, TRIPODS, BLOWERS

UNISTRUT & FITTINGS

CONSTRUCTION FASTENERS

THREADED ROD

DUCT, MASKING & PAINTERS TAPE

ROOFING SCREWS

HIGH SPEED & CARBIDE BITS

ADHESIVES & CAULKS

**AUTO FEED SCREW DRIVING
SYSTEMS**

**FOAM SEALANTS & FIRE
STOPPING PRODUCTS**

MARKING PAINT, CHALK

RIVET TOOLS & RIVETS

SECURITY FASTENERS

SAW BLADES

**POWDER ACTUATED TOOLS,
PINS AND LOADS**

ELECTRICAL CORDS & GFCI

POLY SHEETING

**Convenient
Service Center Locations**

ST PAUL

651-646-6374

2550 Kasofa AVE.

DULUTH

218-624-4851

4730 GRAND AVE.

FOREST LAKE

651-756-8758

9205 Lake Drive NE



Twin Cities Metro Area - 800-328-6505

Duluth/Superior Area - 800-232-1367

www.vikingindustrialcenter.com