

Fastener, Safety & Strut Specialists

# Electrical Products

## ST PAUL

- 651-646-6374
- 800-328-6505

## DULUTH

- 218-624-4851
- 800-232-1367

## FOREST LAKE

- 651-756-8758
- 800-328-6505



## www.vikingindustrialcenter.com



**Viking Industrial Center** is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walkin customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.



## Viking Industrial Center Offers Jobsite Service

## **Customer Service Centers**

Store Hours: 7:00 a.m. - 4:00 p.m. Monday - Friday

St. Paul 2550 Kasota Avenue (800) 328-6505 Phone (651) 646-6374 Fax (651) 646-7546 info@vikingindustrialcenter.com Forest Lake 9205 Lake Drive NE (800) 328-6505 Phone (651) 756-8758 Fax (651) 797-2942 info@vikingindustrialcenter.com

Duluth 4730 Grand Avenue (800) 232-1367 Phone (218) 624-4851 Fax (218) 624-4788 info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog. Specifications are subject to change without notice. Please call Viking Industrial Center at 1-800-328-6505 for current product data.

## **TERMS OF SALE**

Payment:	Net 30 days from invoice date.
FOB:	Shipping Point.
Transportation:	We will determine the best methods for transportation unless specified in order.
Returned Goods:	Goods may be returned for credit, exchange or replacement only with authorization and subject to inspection and restocking charge.
Special & Custom Items:	Special order and custom-made items become the property of the buyer and ARE NON-RETURNABLE.
New Accounts:	In order to expedite shipments to new accounts, payment in full must accompany order. We do not make COD shipments.
Prices:	All prices are subject to change or withdrawal without prior notice.
Credit Cards:	We accept for credit card purchases



#### NOTICE: There is a minimum purchase of \$10 per order.

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

## **Transportation of Hazardous Materials**

A. Hazardous Materials cannot be shipped by air.

B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.

C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

# NOTES



# **Electrical Products**





Extension Cords	3
Portable GFCI and Cord Ends	4
Triple Tap Power Blocks, Cord Repair, Work & Emergency Lights	5
LED Lights	6
Flashlights, LED Headlamps, Batteries & Accessories	7
Electrical Lockouts & Lockout Kits	8
Tags, Tapes & Tools	9
Cable Ties & Threadlockers	10



St Paul ~ Duluth ~ Columbus

#### **Extension Cords**

#### Blue/Red Extreme All Weather 12/3 AWG, SJEOOW Cords - 300 Volt with Lighted Ends

- Lighted Ends shows power is on
- Remains Flexible from -94° to 221°F
- 5-15 Plug and 5-15 Receptacle
- 15amp, 1875watts



Part Number	Size	Length
CORDBL123015	12/3	15 ft
CORDBL123025	12/3	25 ft
CORDBL123050	12/3	50 ft
CORDBL123100	12/3	100 ft
CORDBL143025	14/3	25 ft
CORDBL143050	14/3	50 ft



#### Yellow All Weather Cords - 300 Volt with Lighted Ends

- 12/3 AWG, SJTW
- Lighted Ends shows power is on
- Remains Flexible from -40° to 140°F
- 5-15 Plug and Receptacle
- Water & Weather Resistant
- 15amp, 1875watts

Part Number	Size	Length
CORDYB123025	12/3	25 ft
CORDYB12350	12/3	50 ft
CORDYB123100	12/3	100 ft
CORDYB103050	10/3	50 ft
CORDYB1030100	10/3	100 ft

#### Fluorescent Pink

Fluorescent Green



#### Outdoor Color Cords 12/3 AWG SJTW - 300 Volt with Lighted End

- Lighted Ends shows power is on
- Remains Flexible from -40° to 140°F
- 5-15 Plug and 5-15 Lighted Receptacle
- Water & Weather Resistant
- 15amp, 1875watts
- Fluorescent Pink & Green

Part Number	Size	Length
CORDPG12350	12/3	50 ft
CORDPG123100	12/3	100 ft



SJTW Short Cord Black with Black Ends

Part Number	Size	Length
CORDBK163010	16/3	10 ft





#### Blue/Red Extreme All Weather 12/3 AWG, SJEOOW Cords - 300 Volt with Lighted Power Block

- Converts (1) 5-15 into (3) 5-15 Receptacles
- 3-Wire Grounded
- Lighted Receptacle Shows Power is On
- Remains Flexible from -94° to 221°F
- Oil Resistant
- 5-15 Plug and 5-15 Receptacle
- 15amp, 1875watts

Part Number	Size	Length
CORDBL123025-PB	12/3	25 ft
CORDBL123050-PB	12/3	50 ft
CORDBL123100-PB	12/3	100 ft

#### Orange/Black 14/3 SJTW Medium Duty Outdoor - 300 Volt with Lighted Ends

- Lighted Receptacle shows poer is on
- Remains Flexible from -40° to 140°F
- 5-15 Plug and Receptacle
- Water & Weather Resistant
- 15amp, 1875watts

Part Number	Size	Length
CORDOR143050	14/3	50 ft



Yellow Outdoor Adapter Cord with Locking Plug & Lighted Power Block

Part Number	Size	Length
CORDYL123002-PB	12/3	2 ft

## **PORTABLE GFCI**

Portable 20A GFCI

12/3 Waterproof In-Line Single Module 5-15P/1875Watts 04-00103



UL-rated 94V ABS plastic case 120V/15A 3 prong grounded male input 2 or 3 prong tool outlet Wet/Dry Vacuum IS110M



In-Line GFCI Cord Set 2 Ft Inline Cord set 4-6mA Trip 120V/15A 12/3 AWG 14 Inch Length Lighted Indicator Outdoor Rated 04-00105

> Outlet In-Line 20A GFCI Quad Box 12/3 Waterproof In-Line 5-15P/1875Watts 04-00107



Portable GFCI Grounded Adapter Single Outlet Plug 5-15P/1875Watts 04-00106

Male & Female Cord Ends






12-00244YL NEMA 5-15P 12-00245YL NEMA 5-15R





## TRIPLE TAP POWER BLOCKS



NEMA 5-15R

#### Plug-It® Lightnin' Plug® Triple Tap Power Center


Converts a single 15A, 125V U-ground outlet to three 15A, 125V U-ground outlets. Lights up to indicate power is on.

Part Number	Qty. Per Carton
CPBAD0100	20

#### Plug-lt® 90°


Triple Tap Power Block Adapter

Converts a single 15A, 125V U-ground outlet to three 15A, 125V U-ground outlets.



Part Number	Qty. Per Carton
CADP20000	16

## ELECTRICAL CORD REPAIR





## LED FLASHLIGHTS



HZ050 Intrinsically Safe Safety-Rated LED Light Impact & Water Resistant 270 Lumens - 89M Beam - 7H 30 MIN - I-Safe CST-30047



G22 Bulls-Eye Spot Fixed Beam Penlignt with Pocket Clip 100 Lumens - 52M Beam - 4H 15 MIN CST-30118



G23 LED Inspection Light with Pocket Clip & Magnet 120 Lumens - 17M Beam - 11H CST-30413



Propolymer Flashlight Non Conductive LED with 4AA Batteries V9L-68254



Jake Pro 320/150 Lumen LED Flashlight V9L-3400PRO



XP11R Rechargeable-Dual Power Flashlight with Slide Beam 2600 Lumens - 248M Beam - 26H CST-30322



PolyStinger® Flashlight with 10 Hour Snap-In AC/DC Chargers (2) Holders and Spare Bulb V9L-76014







Big Stick 3D LED Flashlight 200 Lumens Flood, Spot & Flashing Mode 3 D Cell Batteries V9L-8300D3

Stylus Pro 90 Lumen LED Pen light with 2 AAA Batteries V9L-68254



Metal Roughneck®

Tacticle 200 Lumen

LED Flashlight

V9A-RNT3AAA-B

with 3 AAA Batteries

& Holster



Joey XL Utility LED Flashlight 200 - 230 Lumen Flood, Spot & Flashing Mode 3 AAA Batteries & Magnetic Base V9L-8100XL



## **FLASHLIGHTS**



Orange Safety Approved Flashlight (Uses Two D-Cell Batteries) V9A-IN2-MS

## LED HEADLAMPS



XPH30R Rechargeable LED Headlamp with Twist Focus 12000 Lumens - 185M Beam - 28H CST-30325



FL13 Compact LED Headlamp 255 Lumens - 21M Beam - 13H CST-21597



Yellow Industrial Flashlight (Uses Two D-Cell Batteries) V9A-IN2



SHL2R Safety Helmet Side Mount LED Light with 3 Mounting Options uses AAA Alkaline Batteries or, Rechargeable Zithion-X™ ZX350 (sold separately) 500 Lumens - 105M Beam - 12H CST-30916



CobberXL 110/65 Lumen LED Headlamp V9L-316



HZ025 Instrinsically Safe - Class 1, Division 1 LED Headlamp - Dual-Color White & Red Beam, Hardhat Compatible & Water Resistant 230 Lumens - 160M Beam -22H - I-Safe CST-30049




FL70 Pure Beam Focusing Rechargeable LED Headlamp with Twist Focus Lens (2 Beams in 1 Light), Reflective Headstrap & Water Resistant 435 Lumens - 143M Beam - 16H CST-21324



Alkali	no B	attoric	
Ainaii	ne D	allerie	

CATALOG #	SIZE	/PACK	/CASE
V9A-AL-AAA	'AAA'	8/pack	96/case
V9A-AL-AA	'AA'	8/pack	96/case
V9A-AL-C	ʻC'	6/pack	72/case
V9A-AL-D	'D'	6/pack	72/case
V9A-AL-9V	'9 volt'	6/pack	72/case





8" Torchy Wand Fluorescent Red/Orange V9A-W-8



**BATTERIES & ACCESSORIES** 

## **ELECTRICAL LOCKOUTS**



**Oversized Plug & Hoist Control Cover** 

17"



**Electrical Plug Lockouts** for most 110 & 220 V plugs

CATALOG #	SIZE	
V7H-487	2¼" to 3¼" plugs	
V7H-488	3" to 6" plugs	



**Circuit Breaker Lockouts** 

CATALOG #

V7H-S806CBL3

V7H-S806

TYPE

Fits wide or tall breaker toggles (hi-voltage/hi-amperage breakers)

Fits standard height & tie-bar toggles (120 & 240 V breakers)


CATALOG #

V7H-491B

V7H-493B

#### **Electrical Switch Lockout**

CATALOG #	SIZE
V7H-496B	Universal



## LOCKOUT KITS



ING

Center





## TAGS & TAPES



Lockout/Tagout Tag (0.15 mil Non-Rippable Vinyl) with Grommet & Nylon Tiewrap pack of 10 6" x 3<sup>1</sup>/<sub>2</sub>" V0A1-LOTAG1



DANGER Tags with Nylon Tiewrap 6" x 3<sup>1</sup>/<sub>4</sub>" - 25/pk

CATALOG #	LEGEND
V0A1-RPT-1	Do Not Operate
V0A1-RPT-14	Do Not Throw Switch
V0A1-RPT-22	Do Not Start



10" x 14" Plastic Sign V0A-PTH-DHV



3" x 5" Vinyl Label 25/pack V0A1-DGA10AP



**10 Piece, Electrician's Kit** 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2". Arbors: 2L, 5L. One 4321 pilot drill. One arbor per adaptor. **30800-600L** 

#### MultiPurpose Electrician's Tool



K1001



#### 4 Mil Underground Tape - 12 rolls/case

CATALOG #	LEGEND
V0M-UT7	Caution Buried Electrical Line Below



#### Vinyl Electrical Marking Tapes 10 rolls per sleeve

Part Number	Color	Size
V0W-ET-70YL	Yellow	3/4" X 68 yd
V0W-ET-70WT	White	3/4" X 68 yd
V0W-ET-70RD	Red	3/4" X 68 yd
V0W-ET-70OR	Orange	3/4" X 68 yd
V0W-ET-70GR	Green	3/4" X 68 yd
V0W-ET-70BL	Blue	3/4" X 68 yd
V0W-ET-70BK	Black	3/4" X 68 yd
V0W-ET-70GY	Grey	3/4" X 68 yd
V0W-ET-70BR	Brown	3/4" X 68 yd

## TOOLS

Insulated Screwdrivers (Up to 1000 Volts) 7 Piece Profi Insulated Screwdriver Set Set Contains - 1 each: 613 Flat Blade 3/32" x 3", 1/8" x 4", 9/64" x 4", 5/32" x 4", 7/32" x 5" 552 Phillips 1" x 3-1/8", 2" x 4" FELO51401



#### Insulated Bit Holder Screwdriver


Part Number	Size	Overall Length	
FELO50785	1/4"	10-3/4"	



#### **Cable Ties**

UL recognized Cable Ties and Wire Clamps are made of durable Nylon 6/6. Cable ties are available in lengths from 4 inches to 36 inches. Colors: Natural and Black.

Part Number Black	Part Number Natural	Length	# Per Pkg
Mini CABLE TIES Tensile 18 lbs			
CTB03#18	CTN03#18	3"	100
CTB04#18	CTN04#18	4"	100
Intermed	iate CABLE TIES T	ensile 40 ll	os
CTB05#040	CTN05#040	5"	100
CTB06#040	CTN06#040	6"	100
CTB08#040	CTN08#040	8"	100
CTB11#040	CTN11#040	11"	100
CTB14#040	CTN14#040	14"	100
Standa	rd CABLE TIES Ter	nsile 50 lbs	5
CTB04#050	CTN04#050	4"	100
CTB06#050	CTN06#050	6"	100
CTB08#050	CTN08#050	8"	100
CTB11#050	CTN11#050	11"	100
CTB14#050	CTN14#050	14"	100
CTB15#050	CTN15#050	15"	100
CTB17#050	CTN17#050	17"	100
CTB19#050	CTN19#050	19"	100
CTB21#050	CTN21#050	21"	100
CTB24#050	CTN24#050	24"	100
CTB36#050	CTN36#050	36"	50







Part Number Black	Part Number Natural	Length	# Per Pkg
Cold Weat	Cold Weather CABLE TIES Tensile 50 lbs		
CTBCW08#050		8"	100
CTBCW11#050		11"	100
CTBCW14#050		14"	100
Heavy Du	ty CABLE TIES Te	nsile 120 l	bs
CTB08#120	CTN08#120	8"	100
CTB11#120	CTN11#120	11"	100
CTB15#120	CTN14#120	15", 14"	100
CTB18#120	CTN18#120	18"	50
CTB21#120	CTN21#120	21"	50
CTB28#120	CTN28#120	28"	50
Extra Heavy	Extra Heavy Duty CABLE TIES Tensile 175 lbs		
CTB18#175	CTN18#175	18"	50
CTB21#175	CTN21#175	21"	50
CTB24#175	CTN24#175	24"	50
CTB30#175	CTN30#175	30"	50
CTB32#175	CTN32#175	32"	50
CTB36#175	CTN36#175	36"	50
CTB48#175	CTN48#175	48"	50
CTB60#175	CTN60#175	60"	50

#### **Anaerobic Threadlockers**

- Lock and seal threaded fasteners
- Stop fasteners from loosening from shock and vibration •
- Perform better than lock & bevel washers, and other forms • of mechanical locking devices
- Alleviates rust-lock ٠
- Prevent leakage •

Part Number	Description
VTTL12110	Medium Strength Vibra-Tite (Blue)- 10 ml
VTTL12150	Medium Strength Vibra-Tite (Blue)- 50 ml
23027110	Permanent Strength Vibra-Tite (Red) - 10 ml
VTTL12535	Permanent Strength Vibra-Tite - 35 ml







ORIGINATOR

Date:



Office (651) 646-6141 Toll Free (800) 328-6505

## 9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

## APPLICATION FOR CREDIT

COMPANY:	Application Requested by:		
<b>INVOICE TO:</b>		<u>IP TO:</u>	
(Address/P.O.Box)	(Street Address)		
(City, State & Zip)	(City, State & Zip)		
Phone: Fax:	Email:		
Invoice Preference: Fax Email	If your company is Tax Exempt, a	copy of the certificate is required.	
Years in business:	Accounts Payble Contact:		
Trade References:			
Name of Supplier	Phone Number	Fax Number (required)	
1			
2			
3			
Bank Reference:			
Name of Bank	Phone Number		
Contact at Bank	Account Number	Account Number	
If application is	not complete it will not be processed.		

The above information is given for the purpse of establishing a line of credit an is a true and correct statement.

Signature

Title

Date

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.

Please email completed credit application to: info@vikingindustrialcenter.com



ST. PAULDULUTH2550 Kasota Ave4730 Grand Ave(800) 328-6505(800) 232-1367

FOREST LAKE 9205 Lake Drive NE (651) 756-8758

www.vikingindustrialcenter.com

Safety, Fastener & Strut Specialists

info@vikingindustrialcenter.com

**FIRST AID** 

**EYE & FACE PROTECTION** 

**HEAD PROTECTION** 

HAND PROTECTION

**HI VISIBILITY GARMENTS** 

**CONFINED SPACE ENTRY** 

LOCKOUT/TAGOUT

SURFACE PROTECTION PRODUCTS

**REBAR CAPS** 

**HEARING PROTECTION** 

**RESPIRATORY PROTECTION** 

**RAINWEAR & RUBBER BOOTS** 

FALL PROTECTION

**GAS DETECTION** 

SIGNS

RENTAL EQUIPMENT GAS MONITORS, TRIPODS, BLOWERS **UNISTRUT & FITTINGS** 

**CONSTRUCTION FASTENERS** 

THREADED ROD

**DUCT, MASKING & PAINTERS TAPE** 

**ROOFING SCREWS** 

**HIGH SPEED & CARBIDE BITS** 

**ADHESIVES & CAULKS** 

AUTO FEED SCREW DRIVING SYSTEMS

FOAM SEALANTS & FIRE STOPPING PRODUCTS

MARKING PAINT, CHALK

**RIVET TOOLS & RIVETS** 

SECURITY FASTENERS

SAW BLADES

POWDER ACTUATED TOOLS, PINS AND LOADS

**ELECTRICAL CORDS & GFCI** 

**POLY SHEETING** 

Convenient Service Center Locations

# **ST PAUL**

651-646-6374 2550 Kasota AVE.

## DULUTH

218-624-4851 4730 GRAND AVE.

## FOREST LAKE 651-756-8758 9205 Lake Drive NE



Twin Cities Metro Area - 800-328-6505 Duluth/Superior Area - 800-232-1367

www.vikingindustrialcenter.com