



VIKING

Industrial Center

Fastener, Safety & Strut Specialists

**FALL PROTECTION
GAS DETECTION AND
CONFINED SPACE
EQUIPMENT**

ST PAUL

- 651-646-6374
- 800-328-6505

DULUTH

- 218-624-4851
- 800-232-1367

FOREST LAKE

- 651-756-8758
- 800-328-6505

2024

www.vikingindustrialcenter.com



Viking Industrial Center is a family-owned business that has served thousands of companies and customers since 1959. Viking started out in the heart of the Twin Cities by selling fastening tools and equipment for construction. Shortly thereafter we added a full line of safety products. The two product lines worked in tandem, providing a broad array of quality construction fastening and safety products at reasonable prices with personalized service. Finally, a full line of strut products was added.

Viking has three convenient Minnesota locations. Our St. Paul and Columbus stores service walk-in customers in the Twin Cities metro area and suburbs. Our Duluth location is easily accessible to customers in northern Minnesota and northwestern Wisconsin.

Our service representatives can visit you at your site.

Unable to stop in? Place your order online through our website. We have in-stock inventory ready to ship out immediately. If you don't see what you are looking for, please give us a call. We have a very knowledgeable customer service staff waiting to assist you!

We take pride in our company and enjoy giving advice on products and helping our customers find what is right for them and their situations. Please contact us with any questions about our company or our products.

Viking Industrial Center Offers Jobsite Service



Customer Service Centers

**Store Hours: 7:00 a.m. - 4:00 p.m.
Monday - Friday**

St. Paul
2550 Kasota Avenue
(800) 328-6505
Phone (651) 646-6374
Fax (651) 646-7546
info@vikingindustrialcenter.com

Forest Lake
9205 Lake Drive NE
(800) 328-6505
Phone (651) 756-8758
Fax (651) 797-2942
info@vikingindustrialcenter.com

Duluth
4730 Grand Avenue
(800) 232-1367
Phone (218) 624-4851
Fax (218) 624-4788
info@vikingindustrialnorth.com

PLEASE NOTE: No expressed or implied warranties are made in this catalog.
Specifications are subject to change without notice.
Please call Viking Industrial Center at 1-800-328-6505 for current product data.

TERMS OF SALE

Payment: Net 30 days from invoice date.

FOB: Shipping Point.

Transportation: We will determine the best methods for transportation unless specified in order.

Returned Goods: Goods may be returned for credit, exchange or replacement only with authorization and subject to inspection and restocking charge.

Special & Custom Items: Special order and custom-made items become the property of the buyer and ARE NON-RETURNABLE.

New Accounts: In order to expedite shipments to new accounts, payment in full must accompany order. We do not make COD shipments.

Prices: All prices are subject to change or withdrawal without prior notice.

Credit Cards We accept for credit card purchases



NOTICE: There is a minimum purchase of \$10 per order.

As our valued customer, you expect us to supply quality merchandise from reputable manufacturers at a fair market price, to ship and invoice your orders as rapidly as possible and to service what we sell.

As your supplier, we expect you to pay all bills according to our invoice terms, give us a reasonable amount of time to process "Will Call" orders, allow sufficient lead time for special and custom-made items, and most important, to let us know if there is a problem of any kind.

Transportation of Hazardous Materials

A. Hazardous Materials cannot be shipped by air.

B. Hazardous Materials Shipped by UPS Ground Service require special processing and labeling and are subject to a special UPS handling charge.

C. Customers will be notified if the product being ordered is considered hazardous material. Some of the most common items classified as hazardous by the DOT are: compressed air and oxygen (for breathing equipment), test gas kits and cylinders, fusee flares and dry chemical fire extinguishers. Other products may be included as the DOT regulates.

NOTES

FROM

GUARDIAN
FALL PROTECTION

FULL BODY HARNESSSES

Applicable Standards
ANSI Z359.1-07, ANSI A10.32-12,
OSHA 1926 Subpart M, OSHA 1910



Cyclone HUV
with Tongue & Buckle Leg Straps

VV1A-21041 S
VV1A-21042 M - L
VV1A-21043 XL
VV1A-21044 2XL

Cyclone Series Harnesses

Unique X-Back Design means
tangle free straps!

Featuring

- Specially Cushioned Mesh Net
- Adjustable Shoulder & Chest Straps
- Tongue & Buckle Leg Straps
- Quick Connect Leg Straps
- Easy Adjusting Combination Buckles
- Lanyard Keepers
- Web Keepers
- Sub-Pelvic Strap
- Identification Tab
- Sized for Great Fit

Ideal for fall arrest, work positioning,
rescue and rope access applications



Cyclone Construction
with Tongue & Buckle Leg Straps

VV1A-21029 S
VV1A-21030 M - L
VV1A-21031 XL
VV1A-21032 2XL

with Quick Connect Leg Straps

VV1A-21035 XL
VV1A-21036 2XL



Cyclone Tower Harness

with
Quick Connect
Chest & Leg Straps
and Combination Waist Belt

VV1A-21082 S - L
VV1A-21083 XL

FROM



FCP Tower Full Body Harness

with
Shoulder Pads
Center Back D-Ring
Waist Belt with 6" Body Pad,
& Side Positioning D-Rings
Tongue & Buckle Leg Straps
Tool Clips & Tool Rings
Padded Sling Seat

VV1B-850ABT

Available Sizes M, L, XL & 2XL



Trauma Straps

Series 5 Full-Body Harness

Water-Repellant, Contrasting Core Webbing

Features include:

- Removable Leg Pads
- Zip-on Shoulder Padding
- Ergonomic Waist Belt
- Dual Lanyard Keepers
- Trauma Straps Included

VV1A-37365 QC Chest/Waist & TB Leg Buckles sz XL

VV1A-37366 QC Chest/Waist & TB Leg Buckles sz 2XL

Special Order Only

FROM



FULL BODY HARNESSSES

Series 1 Harness

Perfect entry-Level Harness for a wide range of fall protection needs

Sizes Medium to Large & XLarge to 2XLarge
Worker capacity range of 130 to 420 lbs.

Featuring

- Assembled in USA
- Water-repellent
- Quick-Connect chest strap
- Tongue-Buckle leg straps
- Dual lanyard keepers
- Rubber web keepers
- Adjustable leg straps
- Durable corrosion-resistant steel hardware
- Optional side-D-rings



Series 1 Harness
VV1A-37017 M - L
VV1A-37018 XL - 2XL

Product image is representative only

Series 3 Harness

Versatile Fully Body Harness is universally sized and may be used in Personal Fall Arrest, Restraint, Work Positioning and Rescue/Confined Space applications

Sizes Medium to Large & XLarge to 2XLarge
Worker capacity range of 130 to 420 lbs.

Featuring

- All Series 1 features
- Snap-on Shoulder Padding
- Spring Loaded Torso Adjusters
- Optional Waist Pad w/Removable Belt
- Built-in SRL Connector Loop



Series 3 Harness
with Quick-Connect Chest
& Tongue&Buckle Leg
Straps
VV1A-37117 M - L
VV1A-37118 XL- 2XL

Series 3 Harness
with Quick-Connect Chest,
Tongue&Buckle Leg and Waist Straps
VV1A-37197 M - L
VV1A-37198 XL-2XL
VV1A-37199 3XL



Series 3 Harness
with Side D-Rings,
Quick-Connect Chest,
Tongue&Buckle Leg and Waist Straps
VV1A-37200 XS - S
VV1A-37201 M - L
VV1A-37202 XL - 2XL

Product images are representative only

Applicable Standards
ANSI Z359.11-2014,
OSHA 1926.502 , OSHA 1910.140

FULL BODY HARNESSSES



Ladies Red Full Body Harness

Designed for Females
Includes
Comfort 4" Waist Pad
Leg Pads
Bayonet Buckles on Legs
2-Way Adjustable Chest Strap
Removable & Adjustable Waist Belt.

VV1B-872
Sizes XS, S/M, L/XL

Standard Web with Shock Pack and 5/8" Locking Snaps




*VV1A-01220
6 Foot

*VV1A-01214
3 Foot

*VV1A-20091
6 Foot
Dual Leg

LANYARDS

Standard Web Adjustable with Shock Pack and 5/8" Locking Snaps



Adjusts
from 6 ft
to 4 ft
Length



D-Ring
Adjuster

VV1B-450AB
6 Foot

VV1B-450AD
6 Foot
with D-Ring
Adjuster

VV1B-454AB
6 Foot
with 2-1/4"
Locking
Snap

Standard Web with Shock Pack & 3/4" Twist Lock Tie-Off Locking Snap on One End



VV1B-456AW
6 Foot

Tubular Web Internal Shock Absorbing Lanyards with 5/8" Locking Snaps



*VV1A-11200
6 Foot

*VV1A-11201
6 Foot



*VV1A-01295
4 Foot

*VV1A-01298
6 Foot
with 2-1/4"
Large Hooks



Galvanized Cable Lanyard with Shock Pack and 5/8" Locking Snaps



6 Foot
VV1B-470A

* Item is Compliant with ANSI Z359.13 Requirements

FALL ARREST & RESTRAINTS

Chain Rebar Assembly with 5/8" Snaps



VV1B-324-CSZ

Nylon Web Rebar Assembly with 5/8" Snaps



VV1B-324WS

Carabiners



Large Carabiner with Twist-Lok (2" Throat Opening)
VV1A-01850




Small Carabiner with Twist-Lok (1" Throat Opening)
VV1A-01837

D-Ring Extensions with 5/8" Snap Hook (For Use With Retractable)



D-Ring Extension
VV1A-01205



VV1B-1418

Retractable Web Lanyard with Swivel, Carabiner and 5/8" Locking Snap

8 Foot
VV1B-459VT



Rope Grabs



Fits 5/8" Rope
VV1A-01508



Fits 5/8" or 3/4" Synthetic Rope
VV1C-8174

Rope Grab with 3 Ft Lanyard




Fits 5/8" Rope
VV1B-1202AN-3

Rope Grab with Park Feature



Fits 5/8" Rope
VV1T-WB58P

Cable Grab



Fits 3/8" or 5/16" Cable
VV1B-1401-38

5/8" Poly Dacron Rope Lifelines with Thimble and Snap Hook
VV1B-411-25 - 25 Ft length
VV1B-411-50 - 50 Ft length
VV1B-411-100 - 100 Ft length



for use with Rope Grabs

Rope/ Web Protector



VV1B-121RP



5/8" Poly Dacron Rope 600 Ft Spool
VV1L-58WPD

Nylon Rope Lanyard with 5/8" Locking Snaps on Each End

VV1B-400-6 1/2" x 6 ft
VV1B-400-10 1/2" x 10 ft
VV1B-400-30 1/2" x 30 ft
VV1B-400-50 1/2" x 50 ft



RETRACTABLE LIFELINES

Compliant with all OSHA 1910.140, OSHA 1926.502, ANSI Z359.14-2019, and ANSI Z359.7-2019 regulations & requirements

ANSI 2021 Class 2



OutLaw Leading Edge SRL

"Class B" SRL

Specifically designed for leading edge work

Features Include:

- Galvanized Steel Cable
- Leading Edge Shock Pack
- Steel Carabiner - 1" Opening
- Locking Snap - 3/4" Opening
- Swivel Anchor Point
- Visual Impact Indicator

VV1B-XR-30LEG - 30 Ft

VV1B-XR-50LEG - 50 Ft

Diablo Big Block SRL-LE

Lightweight highly durable retractable lifeline for leading edge work

Features Include:

- Swivel Connection Point
- Thermoplastic Housing
- Ergonomic Carrying Handle
- Integrated Shock Absorber
- Included Carabiner
- Steel Swivel Snap Hook

VV1A-10967 - 50 Ft

VV1A-10968 - 65 Ft



CR3-Edge SRL

Personal Self-Retracting Lifeline

Versatile Lightweight Compact Self-Retracting Device

Features Include:

- Dual Lock SRL Connector
- Protective Shock Pack Cover
- Thermoplastic Housing
- Rubber Stopper
- 8 Ft Galvanized Steel Lifeline
- Rubber Hand Grip

VV1A-4200200 - with Steel Snap Hook

VV1A-4200208 - with Dual Aluminum Rebar Hooks

VV1A-4200209 - with Dual Tie Back Hooks



CR5 SRL

Personal Self-Retracting Lifeline

Versatile Lightweight Compact Self-Retracting Device

Features Include:

- 6 Ft Webbing
- Swivel Top Connection Point
- Thermoplastic Housing
- Integrated Shock Pack Absorber
- Meets Relevant ANSI & OSHA Standards

VV1A-1400198 - with Steel Snap Hook

VV1A-1400199 - with Steel Rebar Hook

VV1A-1400201 - with Aluminum Snap Hook

VV1A-1400202 - with Aluminum Rebar Hook

VV1A-1400207 - with Dual Aluminum Rebar Hooks





ANCHOR POINTS



Hold Me Anchor
for Use with 5/8" Rope
VV1A-01300



I-Beam Anchor
Use Horizontally or Vertically
Fits Width 3-1/2" to 12"
with up to 1" Flange
VV1B-1700



Beamer 2000 +
Fits a Wide Variety of Beam Sizes
from 3-1/2" to 14"
Ratcheting End Piece
Fast and Easy Installation
VV1A-00102

NOTE: Not for use with rebar or pelican hooks.



Cross Arm Straps

Standard Yellow Web Strap
Large D-Ring One End
Small D-Ring Other End
VV1B-1372 - 6 Ft



Premium Reinforced Web Strap
Large & Small D-Rings
VV1A-10788 - 3" x 8 Ft
VV1A-10791 - 3" x 12 Ft



White Web Strap
Large Ring One End
Loop Other End
VV1A-10705 - 3 Ft



Concrete Anchor Anchorage Connectors

for Concrete - 3/4" Hole
5K Lbs. Capacity
VV1A-1400052



Anchor Straps



Loop and Loop
VV1B-1136CND

Designed for permanent installation in concrete structures. Starting at 3 foot lengths.

Precast Hollow Core Concrete Anchor



VV1A-00365

for Concrete
3/4" Hole
5K Lbs. Capacity
VV1B-1770

D Bolt Anchor Anchorage Connectors



For Concrete Comes with Concrete Wedge Anchor
VV1B-1550C



For Metal Comes with Grade 8 Bolt
VV1B-1550

Permanent Anchor
CB-1-B - Bolt on for Wood,
Steel and/or Concrete
VV1A-00600



Catalog #	Model	Feature
VV1A-00600	CB-1-B	Bolt On
VV1A-00610	CB-1-W	Weld On
VV1A-00648	CB-12	Galvanized
VV1A-00656	CB-18	Concrete Only


ROOF ANCHORS



Standing Seam Roof Clamp
Telescoping Clamp Design
VV1A-00250



2-Way Universal Standing Seam Roof Clamp
VV1A-10600



Screw-Down Roof Anchor
For Use On Flat Wood or Metal Roofs
VV1A-00255


Skyhook™ Roof Anchors AS A PERMANENT INSTALLATION For All Flat Or Pitched Roof Applications



VV1A-00342
Adjustable w/Swivel 'D' Ring

Catalog #	Pitch/Color
VV1A-00300	Flat
VV1A-00320	4/12 thru 6/12
VV1A-00342	Flat - 12/12

Reusable Roof Anchors



Complete with Screws
for Repeated Use
VV1B-MRA-R



Temper Reusable Roof Anchor
Fits Any Pitch Roof
VV1B-1715



4-Way Plate Anchor
For Wood or Concrete Substrates
VV1A-00691




Temper Anchor
for Metal, wood or concrete substrates
VV1A-00455

CB 12 Series Anchor
Patented One-Base-Design to fit any construction: wood, steel and/or concrete. Comes in a variety of heights and colors to meet all of your rooftop safety needs. Lifelong protection against corrosion. Features galvanized coating.

VV1A-00645



FALL ARREST PRODUCTS



Parapet Wall Anchor
 • Portable & Temporary
 • For Walls Up to 20" Thick
VV1B-1789



Window Gap Anchor
 • Easy to Install
 • Lightweight and Durable
 • Retractable Cradle Swivels Full 360°
 • Use with SRL-LE
VV1A-15176



Door Jamb Anchor
 • Adjustable for a variety of door openings
 • Easy to install
VV1B-1785



LifePoint™
 For non-penetrating requirements, this free standing anchor can be placed on flat surfaces (5% maximum incline). Sets up quickly by a single person and is built to last. May be used as a permanent tie-off if needed. Meets OSHA requirements 1926.502 (15) and (16) and Fall-arrest ratings for one person weighing up to 310 lbs (including equipment). A second worker can also tie-off in restraint.

VVGL-301512

LifePoint™ Duo

Perfect for easy & quick repositioning by one person in just a few minutes. 2 Anchorage capability - either 1 person fall restraint and 1 person fall arrest OR 2 person fall restraint. Meets OSHA requirements 1926.502 (15) and (16).

VVGL-301385



Cobra Cart™

Perfect for multi-person tie-off in leading edges work. Provides fall restraint for 2 workers and fall arrest for 3 workers. Meets OSHA requirements 1910.29(b) and 1926.502(b).


VVGL-301385



SlabGrabber™ Perimeter Clamp

- Safe Guardrail Solution for new Construction Slab or Deck Applications
- Meets OSHA Requirements 1926.502(b)
- Oversized Pockets accept 2 X 4's or 2 X 6's

VVGL-301355



**ScreenGuard™
 Skylight Protection System**

- Easy Mounting
- Withstands up to 450 pounds of dynamic force
- Compression Fit Design
- Water Integrity
- Galvanized for corrosion resistance
- Meets OSHA requirements 1926.501(b) (4) CAL OSHA 3212(b) and (e)


VVGL-301385

FALL ARREST PRODUCTS

Warning Line System

Reusable Warning Line System

- Maximum Stanchion Placement Every 50'
- Flags Spaced Every 2 ft



100 Ft Warning Flag Line
Heat sealed flags spaced ever two feet on heavy duty nylon cord
VV1A-15231

Powder Coated Folding Steel Stanchion
VVGL-408497

Perimeter Pennant Marker Flags (100 ft)

V9M1-PLR100 - Red



42" Delineator Post
Two - 3" Engineer Grade Reflective Stripes
V9M2-POST42A



15 Lb. Rubber Base
V9M2-BASE15
(for use with POST42A Delineator Post Only)



42" Stackable Delineator Post
Two - 3" Engineer Grade Reflective Stripes
V9M-37415

16 Lb. Rubber Base
V9M-3007532
(for use with 37415 Delineator Posts Only)

Safe-T Ladder™ Extension System

Provides Safe Transition from the Ladder to a Second Surface

VV1A-10800



Features:


- Easy to Use Knob
- Hand Grips
- Cushioned Pads
- Safety Latch



Safe-T™ Self Closing Ladder Gate

Designed for use in combination with Safe-T Ladder extension. Compliant with all applicable OSHA regulations

VV1A-10798



Ladder Stability Anchor

OSHA Approved Non-Penetrating Ladder Anchor
Allows for Secure Attachment to Fascia Board or Rafters
VV1A-10808

RailGuard 200™

Non-Penetrating Guardrail System



- Safe Temporary or Permanent Guardrail Solution
- Meets OSHA requirements 1910.29(b) and 1926.502(b)
- Customizable - mounts up to 4 Rail Sections
- Allows 90 or 45 Degree Turns

VVGL-4023355 - 10 Ft Yellow section

VVGL-402337 - 5 Ft Yellow section

VVGL-407720 - Yellow 90 lb.Base

(fits up to 4 sections)



Safety Boot

Attaches to both wood & concrete. Functions to increase guardrail system support. Made of high visibility yellow, durable high strength plastic. Reusable for multiple installation applications. Includes: integrated toeboard slots

VV1T-SB012-B

SPECIALTY PRODUCTS

Fall Protection Safety Kit

Includes: Velocity Harness, Temper Anchor, 50ft vertical lifeline, Storage Bucket with Lid and Instruction Manual

VV1A-00815



Aerial Lift Kit

Includes:
Velocity Harness
Diablo 6 Ft SRL
Ultra-Sack Backpack

VV1A-50725



Bos'n Chair with Spreader Bar



VV1B-4154

Tree Trimmer's Belt with Leg Straps



VV1B-4051

Horizontal Lifeline 60' (shown)

Includes: 60' Lifeline, Tensioner, and 2 Cross Arm Straps for Up to Two People

VV1B-RHL-60

Also Available with 30' Length Lifeline for Up to Two People

VV1B-RHL-30



HTL Horizontal Lifeline for Up to Two People

- ◇ VV1A-04663 - 30 ft
- ◇ VV1A-04664 - 60 Ft
- ◇ VV1A-04665 - 100 Ft


ACCESSORIES



Squids® Retractable Tool Lanyard

Stainless Steel Carabiner attachment on both ends.
Locks into place at desired length.

V5E-19300



Squids® Tool Lanyard

Dual Carabiners - 10 lbs.
Tethers tools to help workers prevent injury, damage and lost productivity from dropped tools.


V5E-19023 - 35" - 42"



Squids® Accessory Packs for Retractable Tool Lanyard

V5E-19325 - Carabiner Accessory (pk of 3)

V5E-19326 - Loop Accessory (pk of 3)



Squids® Elastic Loop Tool Tails™

Use as an anchor point on belt or harness to provide attachment points to tools & equipment up to 15 lbs.

V5E-19765 - Pack of 3



Squids® Web Tool Tails™

Provide retrofit attachment points to tools & equipment up to 2 lbs. Use in conjunction with Squids® Tool Traps™

V5E-19704 - Pack of 6



Squids® Coil Hard Hat Lanyard with Buckle

Easily and comfortably secures a hard hat to a worker to prevent the item from falling. Coil design reduces lanyard length and prevents snag and tangle hazards.

V5E-19156



VV1B-TL3 Tool Lanyard



Squids® Power Tool Trap

Securely wraps around the battery portion of drills, impact drivers and other cordless power tools. D-Ring connection point attaches to a lanyard to prevent drops.

V5E-19782 - Small

V5E-19784 - Large

Equipment Carrying Bags



Roofer's Kit Bag
VV1B-203



Winch Bag
VV1B-204Z

Tripod Bag
(for 7 Ft Tripod)
VV1B-206-7Z

NOTES

Gas Monitors





We Service What We Sell	17
Portable Multi-Gas Monitors	18
Portable Multi-Gas Monitors and Portable Single Gas Monitors	19
Economy Multi-Gas Monitor and Calibration Gas	20
Calibration System and Multi-Gas Detector Tubes	21

We Service What We Sell!

For the over 50 years, Viking Industrial Center has been in the business of keeping workers safe. We continue to provide quality repairs and rental services on gas monitoring equipment.

By having your gas monitoring equipment serviced by our knowledgeable and certified technicians, your equipment's performance and reliability, as well as, operational life is ensured.

Our goal is to keep your downtime short, repair costs low, and your equipment working like new!

We offer:

- In-house Certified Technicians
- Rental Gas Monitors
- Calibration & Bumping Services
- Replacement Parts and Accessories
- Convenient Twin Cities Location
- Replacement Calibration Gas & Accessories





PORTABLE MULTI-GAS MONITORS

GasAlertMax XT

Monitors for up to four gas hazards with one-button field operation and Smart Sample pump technology. Compact, comfortable, water resistant and field tough.



- Continuous LCD shows real-time gas concentrations
- Simple automatic calibration procedure
- Full function self-test of sensor, battery status, circuit integrity and audible/visual alarms on start up
- Bright wide-angled visual alarm bars
- Built-in concussion-proof boot
- Standard datalogging and event logging
- Integrated sampling pump (*sample up to 66 ft/20 m*)
- Up to 13 hours typical battery life (*recharges in 6 hours*)
- Optional concussion proof boot available
- EMI/RFI rated
- Full 2-year warranty including all sensors

CATALOG #	GAS
V8D2-XT-XWHM-Y-NA	Simultaneously monitors 4 gases: %LEL, O ₂ , CO, H ₂ S



GasAlert Quattro

Rugged and reliable four gas detector with simple one-button operation, flexible power options and easy to identify informational icons.

- IntelliFlash verifies operation & compliance from up to 20 ft.
- Field-proven Surecell sensors
- Easy-to-read, multi-language LCD displays all four gases (H₂S, CO, O₂ and combustibles simultaneously)
- Audible, visual and vibrating alarm
- Extended alarm bars
- Flexible, interchangeable battery options with extended runtimes
- Full function, continuous running, self-test (initiated upon activation)
- Extensive datalogging and event logging capability
- Compatible with MicroDock II automated test and calibration system

CATALOG #	GAS
V8D2-QT-XWHM-A-Y-NA	Simultaneously monitors 4 gases: %LEL, O ₂ , CO, H ₂ S - with 'AA' alkaline batter
V8D2-QT-XWHM-R-Y-NA	Simultaneously monitors 4 gases: %LEL, O ₂ , CO, H ₂ S - with Rechargeable battery



PORTABLE MULTI-GAS MONITORS



GasAlertMicro 5

Water Resistant with Sampling Pump
4 or 5 gases with battery charger, NiHM batteries, sampling hose, carrying holster, cal hose, filter kit, and instructions
Datalogging optional

Call for other available gases

CATALOG #	GAS
V8D2-M5-XW0Y-A-P-D-Y-N-00	4-gas: H ₂ S, CO, O ₂ , LEL
****PHOTO IONIZATION DETECTOR****	
V8D2-M5PID-XWQY-A-P-D-Y-N-00	PID

PORTABLE SINGLE-GAS MONITORS



GasAlertExtreme

Water & Dust Resistant
Single Gas Detector with Field Replaceable Battery and Sensors,
Built-In Concussion-Proof Boot,
Audible, Visual & Vibrating Alarms
and Datalogging

Includes: Pocket/Belt Clip, Test Cap & Hose, 3V Lithium Battery and Instructions

CATALOG #	GAS
V8D2-GAXT-X-DL-Y	Oxygen
V8D2-GAXT-M-DL-Y	Carbon Monoxide
V8D2-GAXT-H-DL-Y	Hydrogen Sulfide
V8D2-GAXT-D-DL-Y	Nitrogen Dioxide

Other Gases Available

BWClip

w/Real Time Reading
2 Year Maintenance Free:
Compact & Lightweight
One-Button Operation
Includes: Stainless Steel
Alligator Pocket/Belt Clip,
Audible/Visual/Vibrating Alarms,
Test Cap, & Instructions

CATALOG #	GAS
V8D2-BWC2R-H	Hydrogen Sulfide
V8D2-BWC2R-M	Carbon Monoxide
V8D2-BWC2R-X	Oxygen

Up to 3 Yrs Maintenance-Free with
Optional Hibernation Case



ECONOMY MULTI-GAS MONITOR

GasAlertMicroClip X3

Water Resistant



Rugged and Compact Triple Alarm System:
 100dB audible alarm bars and internal vibrator alarm.
Large, high-contrast LCD shows real-time gas concentrations
 for up to four gases simultaneously and continuously.
Easy, one-button operation.
Standard datalogging & event logging.
12 hour run-time on rechargeable lithium battery (3 hours recharge).

CATALOG #	GAS
V8D2-MCX3-XWHM-Y-NA	4-gas: H ₂ S, CO, O ₂ , LEL

CALIBRATION GAS



Bump Test Gas

Includes: 11 Liter Bump Test Gas Cylinder 2.5% LEL Methane Gas, 10% Oxygen, 40 ppm Hydrogen Sulfide Gas, 200 ppm Carbon Monoxide Gas and Balloon Adaptor
(Balloon Kit sold separately)

CATALOG #	DESCRIPTION
V8D2-RPAG-BG-Q10-4	Bump Test Gas - single cylinder w/ hose
V8D2-RPAG-BG-BKIT	Bump Gas Balloon Kit for bump test cylinder



Single Gas Cylinders

Aluminum Gas Cylinders (only)

CATALOG #	DESCRIPTION
V8D2-RPAG-CG-A342547	50 ppm (NH ₃) Ammonia - 34L
V8D2-RPG-CG-M3435	100 ppm (CO) Carbon Monoxide - 34L
V8D2-RPAG-CG-D3452	10 ppm (NO ₂) Nitrogen Dioxide - 34L
V8D2-RPAG-CG-U099	1 ppm (PH ₃) Phosphine - 34L
V8D2-RPAG-CG-A3457D6	10 ppm (SO ₂) Sulfur Dioxide - 34L
V8D2-RPAG-CG-2066	100 ppm Isobutylene (PID) - 34L

Quad Gas Cylinders
 Aluminum Cylinder (only) with
 2.5% LEL Methane Gas,
 18% Oxygen,
 25 ppm Hydrogen Sulfide Gas,
 100 ppm Carbon Monoxide Gas

CATALOG #	DESCRIPTION
V8D2-RPAG-CG-GFV243	4-Gas (H ₂ S, CO, CH ₄ , O ₂) - 34L
V8D2-RPAG-CG-Q34-4	4-Gas (H ₂ S, CO, CH ₄ , O ₂) - 34L
V8D2-RPAG-CG-Q58-4	4-Gas (H ₂ S, CO, CH ₄ , O ₂) - 58L



Calibration Gas Regulators
 for use with Aluminum Cylinders

CATALOG #	DESCRIPTION
V8D2-RPAG-REG-0-0.5	0.5LPM HP with Male Thread
V8D2-RPAG-REG-1-0.5	0.5 LPM HP with Female Thread

CALIBRATION SYSTEM



MicroDock II

Automated Test, Calibration, and Record Storage System

Features:

- No Computer Required
- Fully Portable
- Automatic bump test and calibration
 - Expandable up to 10 modules
- Stores and updates calibration records
- Automatically tests audible and visual alarms
 - Fleet manager software included

Compatible with GasAlertMAX XT, GasAlertMicro, GasAlertMicroClip, and GasAlertMicro 5 /PID / IR

Contact us for Ordering Information



MULTI-GAS DETECTOR TUBES



Short Term Measuring Tubes (stock)
for Grab Sample Multi-Gas Detector Pumps

CATALOG #	GAS TUBES	MEASURING RANGE	QTY/PK
V8E-CH25601	Carbon Monoxide 5/c	5 - 700 ppm	10/pk
V8E-CH29901	Carbon Monoxide 0.3%/b	0.3 - 7 Vol%	10/pk
V8E-6733051	Carbon Monoxide 2/a	2 - 300 ppm	10/pk
V8E-CH29501	Hydrochloric Acid 1/a	1 - 10 ppm	10/pk
V8E-CH28101	Hydrogen Sulfide 100/a	100 - 2,000 ppm	10/pk
V8E-8101461	Hydrogen Sulfide 0.2/a	0.2 - 5 ppm	10/pk
V8E-6728041	Hydrogen Sulfide 0.5/a	0.5 - 15 ppm	10/pk
V8E-CH30001	Nitrogen Dioxide 0.5/c	0.5 - 25 ppm	10/pk
V8E-CH31101	Phosphine 0.1/a	0.1 - 4 ppm	10/pk

Other tubes available - please contact us for more information

NOTES

Confined Space



ACCESS EQUIPMENT



Arc-O-Pod Rescue & Retrieval System
 Kit Includes:
 VV1A-15030 - 64" Tripod
 VV1A-10974 - 50' 3-Way SRL
 VV1A-00768 - Ultra Sack BAG

3-Way Rescue/Retrieval SRL
 with Ergonomic Carrying Handle,
 Galvanized Steel Cable
 & Steel Snap Hook

VV1A-10974 - 50 Ft



Rescue Winch
 For Personnel or Material Hoisting
 VV1A-10528
 50 Ft Galvanized Cable

Web Access Ladder
 with Fiberglass Rungs



Base Ladder = 10 Ft Length
 additional length per foot
 1 1/4" yellow nylon web with
 1 1/4" o.d. corrugated fiberglass rungs
 (6,000 lb. minimum tensile strength)
 VV1B-WL-10

3-Way Rescue & Recovery Tripod System

System Complete Includes:
 7 Ft Tripod, 3-Way Winch with 50 Ft
 Galvanized Cable, Carabiner, Pulley,
 Leg Adapter/Bracket and Winch Carrying Bag
 VV1B-TP7R50G204



Davit System
 Includes:
 Mount Base
 Riser Post
 Boom
 R50G 3-Way
 Rescue/Retrieval
 Winch
 MW50G Work Winch
 VV1B-FCDP300

50' Galvanized Material Winch
 with Mounting Bracket
 VV1B-MW50G





ACCESS EQUIPMENT

System 99 Personnel Rescue System



Available In
25, 50, 100 & 200 Ft
Working Lengths
VV1B-SYS99

Aluminum Access Ladder With Climbing Rail Permanent Mounted



CATALOG #	DESCRIPTION
VV1B-TS-CL	Climbing Ladder
VV1B-TS-CRSV	Climbing Rail Only
VV1B-TS-VR	Trolley
VV1B-TS-RE	Rail Extension

Removable Extension with 3-Way Winch



Includes:
54" Anodized Aluminum Extension
and 3-Way Rescue/Recovery Winch

CATALOG #	CABLE
VV1B-R1501G	Galvanized
VV1B-R1501SS	Stainless Steel
VV1B-R1501T	Synthetic Rope

MANHOLE PRODUCTS



Manhole Guard Rail
33"d x 33"w x 42"h
Collapses for Storage
V5L-9401

**High Impact Polymer
Manhole Shield**
Fits 27", 30" and 32" Diameter
Manholes with Inflatable
Watertight Seal
V5L-9401-12



**Manhole Cover
Lifting Hook**
F9-MANLIFT08

24" Manhole Sign
V5L-9400-24
26" Manhole Sign
V5L-9400-26

*Signs are made of a clear
polycarbonate material and
have ventilation holes for
air flow and drainage.*



VENTILATING BLOWERS



**8" AC Plastic COM-PAX-IAL Blower
V5L-9533**

Free Air	One 90° Bend	Two 90° Bends
831	709	586
17 Lbs.	1/3 HP	115V



**DC Axial Blower
with Attached 15' Duct & Storage Canister
V5L-9506-01**

Free Air	One 90° Bend	Two 90° Bends
1150	595	530
34 Lbs.	1/4 HP	13A/12V

**DC Axial Blower
with Attached 25' Duct & Storage Canister
V5L-9506-25**

Free Air	One 90° Bend	Two 90° Bends
1150	595	530
44 Lbs.	1/4 HP	13A/12V

**AC Axial Blower
with Attached 15' Duct & Storage Canister
V5L-9514**

Free Air	One 90° Bend	Two 90° Bends
1275	661	582
36 Lbs.	1/4 HP	13A/115V

**AC Axial Blower
V5L-9514-25
with Attached 25' Duct & Storage Canister**


Free Air	One 90° Bend	Two 90° Bends
1275	661	582
46 Lbs.	1/4 HP	13A/115V

AC Plastic Blower System
Complete Ventilation System
Includes: Plastic Blower, 6' & 15' Ducting with
a Storage Bag, Saddle Vent®, a 90° Elbow
and a Universal Mount

V5L-9520-33 AC Plastic Blower System
V5L-9520-36 DC Plastic Blower System



BLOWER ACCESSORIES



8" DIA. DUCTING

12" DIA. DUCTING

16" DIA. DUCTING

Ducting Part Numbers

Ducting	8"	12"	16"
6 feet	V5L-9500-06		
15 feet	V5L-9500-15	V5L-9550-15	V5L-9600-15
25 feet	V5L-9500-25	V5L-9550-25	V5L-9600-25




Duct Storage Bag
Holds Ducting up to 25 Ft in length

V5L-9500-45

Duct to Duct Connector
(galvanized steel)

V5L-9500-01



8" Manhole Ventilation Passthru (MVP)
90° elbow,
built in mounting
& collapsible duct

V5L-9510-50

NOTES

ORIGINATOR

[Empty box for originator name]



Office (651) 646-6141
Toll Free (800) 328-6505

9205 Lake Drive NE, Columbus MN 55025

Email: info@vikingindustrialcenter.com

APPLICATION FOR CREDIT

Date: _____

COMPANY: _____

Application Requested by: _____

INVOICE TO:

SHIP TO:

(Address/P.O.Box) _____

(Street Address) _____

(City, State & Zip) _____

(City, State & Zip) _____

Phone: _____ Fax: _____

Email: _____

Invoice Preference: Fax _____ Email _____

If your company is Tax Exempt, a copy of the certificate is required.

Years in business: _____

Accounts Payble Contact: _____

Trade References:

Name of Supplier

Phone Number

Fax Number *(required)*

1. _____

2. _____

3. _____

Bank Reference:

Name of Bank _____

Phone Number _____

Contact at Bank _____

Account Number _____

If application is not complete it will not be processed.

The above information is given for the purpose of establishing a line of credit an is a true and correct statement.

Signature

Title

Date

This application must be signed by a corporate officer or authorized representative who thereby grants permission to suppliers to release confidential credit information to Viking Industrial Center.

**Please email completed credit application to:
info@vikingindustrialcenter.com**



ST. PAUL
2550 Kasota Ave
(800) 328-6505

DULUTH
4730 Grand Ave
(800) 232-1367

FOREST LAKE
9205 Lake Drive NE
(651) 756-8758

Safety, Fastener & Strut Specialists

www.vikingindustrialcenter.com

info@vikingindustrialcenter.com

FIRST AID

EYE & FACE PROTECTION

HEAD PROTECTION

HAND PROTECTION

HI VISIBILITY GARMENTS

CONFINED SPACE ENTRY

LOCKOUT/TAGOUT

SURFACE PROTECTION PRODUCTS

REBAR CAPS

HEARING PROTECTION

RESPIRATORY PROTECTION

RAINWEAR & RUBBER BOOTS

FALL PROTECTION

GAS DETECTION

SIGNS

RENTAL EQUIPMENT
GAS MONITORS, TRIPODS, BLOWERS

UNISTRUT & FITTINGS

CONSTRUCTION FASTENERS

THREADED ROD

DUCT, MASKING & PAINTERS TAPE

ROOFING SCREWS

HIGH SPEED & CARBIDE BITS

ADHESIVES & CAULKS

**AUTO FEED SCREW DRIVING
SYSTEMS**

**FOAM SEALANTS & FIRE
STOPPING PRODUCTS**

MARKING PAINT, CHALK

RIVET TOOLS & RIVETS

SECURITY FASTENERS

SAW BLADES

**POWDER ACTUATED TOOLS,
PINS AND LOADS**

ELECTRICAL CORDS & GFCI

POLY SHEETING

**Convenient
Service Center Locations**

ST PAUL

651-646-6374

2550 Kasofa AVE.

DULUTH

218-624-4851

4730 GRAND AVE.

FOREST LAKE

651-756-8758

9205 Lake Drive NE



Twin Cities Metro Area - 800-328-6505

Duluth/Superior Area - 800-232-1367

www.vikingindustrialcenter.com